M(200)
I-207A
no.1

وزارة الداخلية
مصلحة المساحة الجيولوجية الأميركية
DEPARTMENT OF THE INTERIOR
UNITED STATES GEOLOGICAL SURVEY

المملكة العربية السعودية
وزارة المالية والاقتصاد الوطني
المديرية العامة لشؤون البترول والمعادن
KINGDOM OF SAUDI ARABIA
MINISTRY OF FINANCE AND NATIONAL ECONOMY
DIRECTORATE GENERAL OF PETROLEUM AND MINERAL AFFAIRS

أبحاث جيولوجية مختلفة
خريطة رقم ا-٢٠٧أ
MISCELLANEOUS GEOLOGIC INVESTIGATIONS
MAP I-207A

GEOLOGIC EXPLANATION

SEDIMENTARY ROCKS

Eolian sand

Silt and gravel — *Silt and associated fine sediments including caliche-like and gypsiferous deposits in undrained depressions, Qs; gravel composed chiefly of limestone and other rocks of local origin, includes older gravels in some areas, Qg; unconsolidated surficial deposits of silt, sand, and gravel, may include unrecognized equivalents of other units of Quaternary age, Qu*

Gravel — *Limestone, quartz, or mixed limestone and quartz gravel in terrace deposits obviously related to present or recent drainage, Qg_1; sheetlike lag gravel deposits of quartz and other pebbles from the basement complex, Qg_2; gravel of limestone and other rocks occurring as dissected remnants unrelated to present drainage, Qg_3*

Gravel — *Mostly well-rounded white quartz pebbles*

Kharj formation and equivalent rocks — *Lacustrine limestone, Tkl; gypsum, Tkg; gravel, Tkgr; Kharj formation, undifferentiated, Tk; gravel composed chiefly of limestone pebbles and cobbles locally cemented by dark slightly ferruginous caliche, approximately equivalent to the Kharj formation, Tcg*

Sandstone, marl, and limestone — *White and pink marly sandstone, sandy marl, and sandy limestone; locally cherty; contains nonmarine invertebrates. In places Hadrukh formation, Th, at base; includes gray, tan, cream, and pink calcareous silty sandstone, sandy limestone, and sandy marl. In Aş Summan area Tsm discontinuously overlies Umm er Radhuma formation, Tsm*

Umm er Radhuma formation — *Cream, tan, and gray limestone, dolomitic limestone, and dolomite*

Aruma formation — *Gray, tan, and cream limestone interbedded with minor dolomite and olive-drab shale; yellowish-tan and brown calcareous shale, clayey dolomite, and limestone unit at top; of Campanian(?) and Maestrichtian age*

Wasi'a formation — *Buff, gray, brown, and varicolored quartz sandstone with dispersed quartz pebbles interbedded with varicolored shale and locally with thin dolomite beds; platy ironstone beds at several stratigraphic positions; of Cenomanian age. Includes beds questionably correlated with Wasi'a formation between Widi al 'Ark and vicinity of Jabal Burmah. Upper soft sandstone of Biyadh sandstone of Early Cretaceous age mapped with Wasi'a formation between Jabal Burmah and Widi as Sahba'; upper part of Arab formation of late Jurassic age mapped with Wasi'a formation in vicinity of latitude 25°45' N., longitude 47°30' E*

Biyadh sandstone — *Buff, white, gray, and red sandstone interbedded with varicolored shale; ironstone layers at several stratigraphic positions, particularly in lower part; thin dolomite member 40 to 70 meters below top in the extreme south; includes beds questionably correlated with Wasi'a formation in eastern part of Shaib Nisah; of Aptian and Albian age*

Buwaib formation — *Cream-colored soft limestone with a few thin brown calcarenite beds containing numerous shell fragments in the lower part; soft sandstone in upper part; probably of Aptian age*

Yamama formation — *Brown and tan calcarenite interbedded with cream-colored soft limestone; probably of Neocomian age*

Sulaiy formation — *Cream and tan compact limestone with infrequent thin calcarenite and coquina layers, locally partly dolomitized; basal part contains much interbedded calcarenite and some breccia; probably of Neocomian age*

Hith anhydrite — *Light blue gray massive anhydrite. The only outcrop known in map area is in the overhanging face of Dahl Hit*

Arab formation — *Brown and tan limestone, calcarenite, and dolomite; usually disturbed, and in places brecciated by solution-collapse*

Jubaila limestone — *Cream-colored compact limestone containing a few calcarenite layers and, near top, a few thin dolomite units; of Kimmeridgian age*

Hanifa formation — *Cream and tan soft limestone; minor interbedded marl and tan clay shale; several brown calcarenite beds, partly oolitic in middle and upper parts. Colonial corals common in middle and upper parts; possibly of Oxfordian age*

Tuwayq Mountain limestone — *Cream and white massive, compact limestone forming major cliffs of Tuwayq Mountains; includes a basal marly unit and locally a few thin calcarenite layers; of Callovian age*

Dhruma formation — *In south, tan limestone with interbedded brown calcarenite; partly oolitic; olive-drab clay shale at top. Between latitudes 25° and 25°30' N., sandstone beds appear and increase in prominence to north, where section is chiefly buff, brown, and red sandstone, variegated shale, and minor platy ironstone layers; of Bajocian and Bathonian age*

Marrat formation — *Golden-brown to tan limestone and dolomite with middle member of dark brick-red silty shale and thin sandstone beds; of Toarcian age*

Minjur sandstone — *Buff, massive, usually cross-bedded sandstone with irregularly distributed variolored shale, mealy shale, and shaly sandstone; minor beds of ironstone at several horizons. Quartz pebbles numerous in some sandstone beds*

Jilh formation — *Buff silty to massive and coarse-grained sandstone and interbedded green, purple, and red siltstone and shale in south; few thin limestone beds. Uppermost beds are arenaceous oolite and oolitic sandstone. Thin layers of platy black and brown ironstone abundant in the upper part. Grades to limestone and subordinate dolomite and shale in north, with several anhydrite members in upper part. Marine fossils occur in limestone beds in middle and upper parts*

Sudair shale — *Brick- to dark-red massive shale; minor pale greenish-white siltstone and soft fine-grained sandstone near base; massive crystalline gypsum in beds a meter or more thick in the middle and lower parts*

Khuff formation — *Tan and gray limestone, interbedded argillaceous limestone, dolomite, marl, and gypsiferous clay; a variolored sandstone and shale unit is present at base in most places*

Saq sandstone — *Brown, red, and buff massive sandstone. Beds overlying the unit elsewhere contain Lower Ordovician graptolites*

IGNEOUS AND METAMORPHIC ROCKS

Dikes of rhyolite, diabase, and andesite — *Includes some aplite and pegmatite*

Granite — *Generally red or pink; includes some layered intrusive rocks*

Diorite and related rocks

Andesite and fine-grained dioritic rocks, flows, and intrusives — *Includes interbedded phyllite, quartzite, greywacke, conglomerate, and marble*

Amphibolite schist — *Includes minor beds of quartzite*

Sericite and chlorite schist — *Includes minor lenses of quartz and marble*

Contact — *Dashed where approximately located*

Fault — *Dashed where approximately located; dotted where concealed or projected. U, upthrown side; D, downthrown side*

Monocline — *Trace of axis dashed where approximately located; dotted where projected; arrows indicate downfolded side*

Trend lines — *Showing lineation in basement rocks*

QUATERNARY · TERTIARY · Miocene and Pliocene · Pliocene or Pleistocene · CRETACEOUS · Upper Cretaceous · Lower Cretaceous · Thamama group · JURASSIC · Upper Jurassic · Middle Jurassic · Lower Jurassic · TRIASSIC OR JURASSIC · PERMIAN OR TRIASSIC · CAMBRIAN(?) PERMIAN · PRE-PERMIAN

MAP LEGEND

POPULATED PLACES
- Town
- Village
- Ruins
- Areas under cultivation
- Date gardens

TRANSPORTATION
- Normal gauge, single track railroad, with station
- Major road
- Secondary road
- Road of questionable permanency
- Camel trail
- Airport
- Landing field

HYDROGRAPHIC FEATURES
Only isolated wells are shown
- Dug well
- Drilled water well
- Dry well
- Dahl
- Ditch
- Intermittent stream
- Sabkhah

HYPSOGRAPHIC FEATURES
- Generalized relief
- Sand — *Dense stipple represents mobile sand cover consisting primarily of dunes, linear ridges, and other individual sand forms, that are shown where map scale permits; moderately dense stipple represents more stabilized continuous sand cover; open stipple represents discontinuous sand cover*

Types of sand terrain

Transverse. *Predominantly simple and compound barchan dunes in areas of more mobile sand, and or simple rounded ridges, both oriented transverse across the prevailing wind direction*

Longitudinal. *Primarily dikkah and various types of undulating sand sheets, in general characterized by elongation of the individual topographic forms parallel to the prevailing wind direction, often partially stabilized by sparse vegetation*

'Uruq. *Various forms of long, nearly parallel, sharp crested narrow sand ridges and dune chains separated by broad sand valleys usually including elements of type I sand terrain. These are the resultant of a system of two dominant wind directions and are identical to the sayf dunes of North Africa*

"Sand mountains." *Dominated by large sand massifs commonly creating 50 to 300 meters above the substratum, often with superimposed dune patterns consisting of various types of complex barchans. Common forms are giant barchans spanning several kilometers from horn to horn; giant bisymmoidal and pyramidal sand peaks as well as otherwise less common peak forms; and giant oval to elongate sand mounds*

MISCELLANEOUS FEATURES
- Oil pipeline, with pumping station
- Water pipeline
- Kilometer post — *Measured from Al Quff*
- Spot elevation in meters
- Benchmark
- Triangulation station

INDEX MAP OF ARABIAN PEOPLES
Maps published by the U. S. Geological Survey shown by asterisk following name
Area of the map shown by tint

GLOSSARY

Abraq	Rocky hill with sand on slopes
'Ayn	Spring, solution pit, or well
Batn	Depression or hollow, usually elongate
Bi'r; pl., Bi'ar	Dug well
Dahl	Deep sink hole or solution cavity
Darb	Road or trail
Dibdibah(t)	Extensive featureless upland gravel plains
'Irq; pl., 'Urūq	Long linear sand ridge
Jabal; pl., Jibāl	Hill or mountain
Jāl	Rocky escarpment, low cliff, or side of a valley
Jandallyah(t)	Long narrow sand-free band of scattered rock outcrops between 'Urūq
Jaww	Pronounced sandy-bottomed depression or basin with gentle slopes
Jilh	Barren ground
Jurūbah(t)	Depressions within dissected summits
Khabb	Narrow bands of plains between 'Irq, commonly without rock outcrop
Khabrā	Closed basin with firm, flat mud and silt surface, commonly barren and lacking vegetation
Khafs	Pond in a natural depression
Khaliqah(t)	Wide-mouthed sink hole or solution cavity
Khashm	Headland or promontory along a cliff or mountain front
Mishash	Shallow hand-dug well
Nafūd	Large area of sand dunes
Naqā	Isolated large prominent sand dune
Qasr	Fort, palace, or castle
Ramlah(t)	Sand area
Rawḍah(t)	Closed basin with firm, flat, vegetation-covered mud surface, occasionally rocky and sandy
Rijm	Rock cairn
Sabkhah(t)	Silt, clay, and sand flats, often with saline incrustations
Sāqiyah(t)	Ditch
Sha'īb	Same as wādī
Shaybah	Long sinuous wādī or valley
Ṣummān	Extensive, rocky, plateau-like area ranging from a plain to shallowly dissected area
Sūq	Market place
'Uraiq (diminutive of 'Irq)	Small linear sand ridges
Wādī; pl., Widyān	Valley or dry water course

SOURCES OF BASE COMPILATION

Compilation and topographic representation by the Arabian American Oil Company: A, land surface and adjusted aerial photographic surveys; B, recompilation from plane table surveys; C, trimetrogon aerial photography; D, unadjusted aerial photography; and X, reconnaissance land surface surveys.

Topographic representation by L. F. Ramirez, Arabian American Oil Company.

SOURCES OF GEOLOGIC COMPILATION

Geologic mapping by the Arabian American Oil Company, compiled by R. A. Bramkamp and L. F. Ramirez, based on field surveys by: A, Max Steineke and others; B, T. F. Harris and others; C, S. J. Roach and others; D, D. A. Holm and A. F. Pocock and others; E, R. A. Bramkamp and G. F. Brown (U.S.G.S.); F, Max Steineke and others; and G, based on field surveys and compilation by R. O. Jackson (U.S.G.S.)

This map printed in two sheets: Sheet A geology and geography combined; Sheet B geography only. Available at the Directorate General of Petroleum and Mineral Affairs Ministry of Finance and National Economy, Jiddah and Ad Dammām, Saudi Arabia, and at the U. S. Geological Survey, Washington, D.C., U. S. A.

المقياس ١ : ٥٠٠٠٠٠
Scale 1:500 000

10 0 10 20 30 40 50 Kilometers
10 0 10 20 30 Miles

١٩٥٨ م 1958 A. D.
١٣٧٧ هـ 1377 A. H.

Prepared by the U. S. Geological Survey and the Arabian American Oil Company under the joint sponsorship of the Kingdom of Saudi Arabia and the U. S. Department of State.

Lambert conformal conic projection; standard parallels 17° and 33°

INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C.—MR—1572

U.S. GEOLOGICAL SURVEY WASHINGTON
JUL 15 1958
LIBRARY

Arabia. Geol. 1:500,000.
Sheet Northern Tuwayq, I-207A
cop. 1
3700
5/96
G438
M(200) I-207A no.1 cop.1
USGS LIBRARY - RESTON
3 1818 00173935 6

GEOLOGY OF THE NORTHERN TUWAYQ QUADRANGLE, KINGDOM OF SAUDI ARABIA
By Richard A. Bramkamp and Leon F. Ramirez

خريطة جيولوجية للوحة طويق الشمالي بالمملكة العربية السعودية
وضع
البيرين رتشارد برمكامب وليون رامير

انجاث جيولوجية مختلفة
خريطة رقم ا-٢٠٧أ
MISCELLANEOUS GEOLOGIC INVESTIGATIONS
MAP I-207 A