

QUATERNARY GEOLOGIC MAP OF THE DAKOTAS 4° × 6° QUADRANGLE, UNITED STATES

State compilations by
David S. Fullerton, John P. Bluemle, Lee Clayton, Fred V. Steece,
Merlin J. Tipton, Richard Bretz, and Joseph E. Goebel

Edited and integrated by
David S. Fullerton

QUATERNARY GEOLOGIC ATLAS OF THE UNITED STATES

SOURCES OF INFORMATION

MINNESOTA

- Anderson, C.A., 1976, Pleistocene geology of the Comstock-Sebeka area, west-central Minnesota: Grand Forks, University of North Dakota, M.A. thesis, 111 p.
- Anderson, H.W., Broussard, W.L., Farrell, D.F., and Felsheim, P.E., 1976, Water resources of the Rock River watershed, southwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-555, scale 1:500,000.
- Anderson, H.W., Jr., Broussard, W.L., Farrell, D.F., and Hult, M.F., 1976, Water resources of the Des Moines River watershed, southwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-553, scale 1:500,000.
- Arndt, B.M., and Moran, S.R., 1974, Physical data for land-use planning, Cass County, North Dakota and Clay County, Minnesota: North Dakota Geological Survey Report of Investigation 54, 16 p.
- Ashworth, A.C., 1980, Environmental implications of a beetle assemblage from the Gervais Formation (early Wisconsinan?), Minnesota: Quaternary Research, v. 13, p. 200-212.
- Bidwell, L.E., Winter, T.C., and Maclay, R.W., 1971, Water resources of the Red Lake River watershed, northwestern Minnesota: U.S. Geological Survey Investigations Atlas HA-346, scale 1:500,000.
- Cotter, R.D., and Bidwell, L.E., 1966, Water resources of the Pomme de Terre River watershed, west-central Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-220, scale 1:250,000.
- 1968, Water resources of the Lac Qui Parle River watershed, southwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-269, scale 1:250,000.
- Cotter, R.D., Bidwell, L.E., Oakes, E.L., and Hollenstein, G.H., 1966, Water resources of the Big Stone Lake watershed, west-central Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-213, scale 1:250,000.
- Dennis, P.E., Akin, P.D., and Worts, G.F., Jr., 1949, Geology and ground-water resources of parts of Cass and Clay Counties, North Dakota and Minnesota: North Dakota Water Conservation Commission Ground-water Studies 10, 177 p.
- Goebel, J.E., Mickelson, D.M., Farrand, W.R., Clayton, Lee, Knox, J.S., Cahow, Adam, Hobbs, H.C., and Walton, M.S., Jr., 1983, Quaternary geologic map of the Minneapolis 4°×6° quadrangle, United States: U.S. Geological Survey Miscellaneous Investigations Series I-1420 (NL-15), scale 1:1,000,000.
- Hall, C.M., and Willard, D.E., 1905, Description of the Casselton and Fargo quadrangles, North Dakota-Minnesota: U.S. Geological Survey Geologic Atlas, Folio 117, 7 p.
- Harris, K.L., 1973, Pleistocene stratigraphy of the Red Lake Falls area, Minnesota: Grand Forks, University of North Dakota, M.S. thesis, 117 p.
- 1975, Pleistocene geology of the Grand Forks-Bemidji area, northwestern Minnesota: Grand Forks, University of North Dakota, Ph.D. dissertation, 142 p.
- 1987, The Quaternary geology of the Grand Forks-Red Lake Falls area, North Dakota-Minnesota: North Dakota Geological Survey Open-File Report 87-1, 32 p.

- Harris, K.L., Moran, S.R., and Clayton, Lee, 1974, Late Quaternary stratigraphic nomenclature, Red River Valley, North Dakota and Minnesota: North Dakota Geological Survey Miscellaneous Series 52, 47 p.
- Hobbs, H.C., and Goebel, J.E., 1982, Geologic map of Minnesota, Quaternary geology: Minnesota Geological Survey State Map Series S-1, scale 1:500,000.
- Leverett, Frank, 1915, Surface formations and agricultural conditions in northwestern Minnesota: Minnesota Geological Survey Bulletin 12, 78 p.
- 1932, Quaternary geology of Minnesota and parts of adjacent states, *with contributions by F.W. Sardeson*: U.S. Geological Survey Professional Paper 161, 149 p.
- Leverett, Frank, and Sardeson, F.W., 1917, Surface formations and agricultural conditions of Minnesota: Minnesota Geological Survey Bulletin 13, 72 p.
- 1919, Surface formations and agricultural conditions of the south half of Minnesota: Minnesota Geological Survey Bulletin 14, 147 p.
- Maclay, R.W., Bidwell, L.E., and Winter, T.C., 1969, Water resources of the Buffalo River watershed, west-central Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-307, scale 1:250,000.
- Maclay, R.W., Winter, T.C., and Bidwell, L.E., 1968, Water resources of the Mustinka and Bois de Sioux Rivers watershed, west-central Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-272, scale 1:250,000.
- Matsch, C.L., 1971, Pleistocene stratigraphy of the New Ulm region, southwestern Minnesota: Madison, University of Wisconsin, Ph.D. dissertation, 91 p.
- 1972, Quaternary geology of southwestern Minnesota, *in Sims, P.K., and Morey, G.B., eds., The geology of Minnesota—A centennial volume*: Minnesota Geological Survey, p. 548-560.
- 1983, River Warren, the southern outlet of glacial Lake Agassiz, *in Teller, J.T., and Clayton, Lee, eds., Glacial Lake Agassiz: Geological Association of Canada Special Paper 26*, p. 231-244.
- Matsch, C.L., Rutherford, R.H., and Tipton, M.J., 1972, Quaternary geology of northeastern South Dakota and southwestern Minnesota, *in Field trip guide book for geomorphology and Quaternary stratigraphy of western Minnesota and eastern South Dakota*: Minnesota Geological Survey Guidebook Series 7, p. 1-34.
- Moran, S.R., Clayton, Lee, and Cvancara, A.M., 1971, New sedimentological and paleontological evidence for the history of Lake Agassiz—Snake Curve section, Red Lake County, Minnesota: North Dakota Academy of Science Proceedings, v. 24, pt. 2, p. 61-73.
- Norvitch, R.F., 1964, Geology and ground-water resources of Nobles County and part of Jackson County, Minnesota: U.S. Geological Survey Water-Supply Paper 1749, 70 p.
- Novitzki, R.P., Van Voast, W.A., and Jerabek, L.A., 1969, Water resources of the Yellow Medicine River watershed, southwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-320, scale 1:500,000.
- Perkins, R.L., 1977, The late Cenozoic geology of west-central Minnesota from Moorhead to Park Rapids: Grand Forks, University of North Dakota, M.A. thesis, 99 p.
- Rodis, H.G., 1963, Geology and occurrence of ground-water in Lyon County, Minnesota: U.S. Geological Survey Water-Supply Paper 1619-N, p. N1-N41.
- Ropes, L.H., Brown, R.F., and Wheat, D.E., 1969, Reconnaissance of the Red Lake River, Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-299, scale 1:250,000.
- Sackreiter, D.K., 1975, Quaternary geology of the southern part of the Grand Forks and Bemidji quadrangles: Grand Forks, University of North Dakota, Ph.D. dissertation, 117 p.
- Sardeson, F.W., 1919, Description of the Herman, Barrett, Chokio, and Morris quadrangles, Minnesota: U.S. Geological Survey Geologic Atlas, Folio 210, 10 p.
- Van Voast, W.A., Jerabek, L.A., and Novitzki, R.P., 1970, Water resources of the Redwood River watershed, southwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-345, scale 1:500,000.
- Winter, T.C., Bidwell, L.E., and Maclay, R.W., 1969, Water resources of the Otter Tail River watershed, west-central Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-296, scale 1:250,000.
- 1970, Water resources of the Wild Rice River watershed, northwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-339, scale 1:250,000.
- Unpublished surficial geologic map of Minnesota, by Reta Bradley, Minnesota Geological Survey, 1972, scale 1:750,000.
- Unpublished Quaternary geologic map of Minnesota, by J.E. Goebel, Minnesota Geological Survey, 1978, scale 1:500,000.
- Unpublished map data provided by Joseph Cummins, Charles L. Matsch, Stephen R. Moran, Ralph F. Norvitch, and Merlin J. Tipton.

NORTH DAKOTA

- Ackerman, D.J., 1977, Ground-water basic data for Morton County, North Dakota: North Dakota Geological Survey Bulletin 72, pt. 2, 592 p.
- Armstrong, C.A., 1975, Ground-water basic data for Emmons County, North Dakota: North Dakota Geological Survey Bulletin 66, pt. 2, 375 p.

- Arndt, B.M., 1975, Stratigraphy of offshore sediment of Lake Agassiz, North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 97 p.
- 1977, Stratigraphy of offshore sediment of Lake Agassiz, North Dakota: North Dakota Geological Survey Report of Investigation 60, 58 p.
- Arndt, B.M., and Moran, S.R., 1974, Physical data for land-use planning, Cass County, North Dakota, and Clay County, Minnesota: North Dakota Geological Survey Report of Investigation 54, 16 p.
- Aronow, Saul, 1955, Problems in late Pleistocene and recent history of the Devils Lake region, North Dakota: Madison, University of Wisconsin, Ph.D. dissertation, 123 p. (Also published as U.S. Geological Survey Open-File Report in 1954, 123 p.)
- 1959, Drumlins and related streamline features in the Warwick-Tokio area, North Dakota: American Journal of Science, v. 257, p. 191–203.
- Baker, C.H., Jr., 1967a, Geology and ground water resources of Richland county, North Dakota—Part 1, geology: North Dakota Geological Survey Bulletin 46, pt. 1, 45 p.
- 1967b, New observations on the Sheyenne delta of glacial Lake Agassiz: U.S. Geological Survey Professional Paper 575-B, p. B62–B68.
- Bakken, W.E., 1960, The surficial geology of north-central Kidder County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 93 p.
- Benson, W.E., 1949, Geologic map of the Medicine Butte quadrangle, North Dakota: U.S. Geological Survey Open-File Report, scale 1:63,360.
- 1950a, Geologic map of the Hazen quadrangle, North Dakota: U.S. Geological Survey Open-File Report, scale 1:63,360.
- 1950b, Geologic map of the Stanton quadrangle, North Dakota: U.S. Geological Survey Open-File Report, scale 1:63,360.
- 1953, Geology of the Knife River area, North Dakota: New Haven, Connecticut, Yale University, Ph.D. dissertation, 323 p. (Also published as U.S. Geological Survey Open-File Report in 1953, 323 p.)
- Benson, W.E., and Lindvall, R.M., 1949, Geologic map of the Beulah quadrangle, North Dakota: U.S. Geological Survey Open-File Report, scale 1:63,360.
- Bickley, W.B., Jr., 1972, Stratigraphy and history of the Sakakawea sequence, south-central North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 183 p.
- Blain, W.S., 1955, "Scoria" of North Dakota: The Compass, v. 32, p. 138–143.
- Block, D.A., 1965, Glacial geology of the northern half of Barnes County, North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 104 p.
- Bluemle, J.P., 1965, Geology and ground water resources of Eddy and Foster Counties, North Dakota: North Dakota Geological Survey Bulletin 44, pt. 1, 66 p.
- 1967, Geology and ground water resources of Traill County—Part 1, geology: North Dakota Geological Survey Bulletin 49, pt. 1, 34 p.
- 1971a, Geology of McLean County, North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 82 p.
- 1971b, Geology of McLean County, North Dakota—Part 1, geology: North Dakota Geological Survey Bulletin 60, pt. 1, 65 p.
- 1973a, Geology of Nelson and Walsh Counties North Dakota: North Dakota Geological Survey Bulletin 57, pt. 1, 70 p.
- 1974, Early history of Lake Agassiz in southeast North Dakota: Geological Society of America Bulletin, v. 85, p. 811–814.
- 1975, Geology of Griggs and Steele Counties: North Dakota Geological Survey Bulletin 64, pt. 1, 50 p.
- 1977, Geologic highway map of North Dakota: North Dakota Geological Survey Miscellaneous Map 19, scale 1:1,000,000.
- 1979a, Geology of Dickey and LaMoure Counties, North Dakota—Part 1, geology: North Dakota Geological Survey Bulletin 70, pt. 1, 72 p.
- 1979b, Geology of Ransom and Sargent Counties, North Dakota: North Dakota Geological Survey Bulletin 69, pt. 1, 84 p.
- 1981, Geology of Sheridan County, North Dakota: North Dakota Geological Survey Bulletin 75, pt. 1, 59 p.
- 1982, Geology of McHenry County, North Dakota: North Dakota Geological Survey Bulletin 74, pt. 1, 49 p.
- 1984, Geology of Emmons County, North Dakota: North Dakota Geological Survey Bulletin 66, pt. 1, 69 p.
- 1988, North Dakota clinker: North Dakota Geological Survey Newsletter, December 1988, p. 29–34.
- 1989, Geology of Renville and Ward Counties, North Dakota: North Dakota Geological Survey Bulletin 50, pt. 1, 62 p.
- 1991, The face of North Dakota, revised edition: North Dakota Geological Survey Educational Series 21, 177 p.
- Bluemle, J.P., and Clayton, Lee, 1984, Large scale glacial thrusting and related processes in North Dakota: Boreas, v. 13, p. 279–299.
- Bluemle, J.P., Faigle, G.A., Kresl, R.J., and Reid, J.R., 1967, Geology and ground water resources of Wells County—Part 1, geology: North Dakota Geological Survey Bulletin 51, pt. 1, 39 p.

- Bonneville, J.W., 1961, The surficial geology of southern Logan County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 87 p.
- Brophy, J.A., 1967, Some aspects of the geological deposits of the south end of the Lake Agassiz, *in* Mayer-Oakes, W.J., ed., *Life, land, and water*: Winnipeg, University of Manitoba Press, p. 97-105.
- Brophy, J.A., and Bluemle, J.P., 1983, The Sheyenne River—Its geological history and effects on Lake Agassiz, *in* Teller, J.T., and Clayton, Lee, eds., *Glacial Lake Agassiz: Geological Association of Canada Special Paper 26*, p. 173–186.
- Camara, Michael, 1977, Glacial stratigraphy of southeastern North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 66 p.
- Carlson, C.G., 1973, The geology of Mercer and Oliver Counties, North Dakota: North Dakota Geological Survey Bulletin 56, pt. 1, 72 p.
- 1982, Geology of Grant and Sioux Counties, North Dakota: North Dakota Geological Survey Bulletin 67, pt. 1, 32 p.
- 1983, Geology of Morton County, North Dakota: North Dakota Geological Survey Bulletin 72, pt. 1, 37 p.
- Carlson, C.G., and Freers, T.F., 1975, Geology of Benson and Pierce Counties, North Dakota: North Dakota Geological Survey Bulletin 59, pt. 1, 32 p.
- Chmelik, J.C., 1960, Pleistocene geology of northern Kidder County, North Dakota: Grand Forks, University of North Dakota, M.A. thesis, 63 p.
- Clayton, Lee, 1962a, Glacial geology of northern Logan County, south-central North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 116 p.
- 1962b, Glacial geology of Logan and McIntosh Counties, North Dakota: North Dakota Geological Survey Bulletin 37, 84 p.
- 1966, Notes on Pleistocene stratigraphy of North Dakota: North Dakota Geological Survey Report of Investigation 44, 25 p.
- 1967, Stagnant-glacier features of the Missouri Coteau in North Dakota, *in* Clayton, Lee, and Freers, T.F., eds., *Glacial geology of the Missouri Coteau and adjacent areas*: North Dakota Geological Survey Miscellaneous Series 30, p. 25–46.
- 1972, Geology of Mountrail County, North Dakota: North Dakota Geological Survey Bulletin 55, pt. 4, 77 p.
- Clayton, Lee, and Freers, T.F., eds., 1967, *Glacial geology of the Missouri Coteau and adjacent areas*: North Dakota Geological Survey Miscellaneous Series 30, 170 p.
- Clayton, Lee, and Moran, S.R., 1982, Chronology of late Wisconsinan glaciation in middle North America: *Quaternary Science Reviews*, v. 1, p. 55–82.
- Clayton, Lee, Moran, S.R., and Bickley, W.B., 1976, Stratigraphy, origin, and climatic implications of late Quaternary upland silt in North Dakota: North Dakota Geological Survey Miscellaneous Series 54, 15 p.
- Clayton, Lee, Moran, S.R., and Bluemle, J.P., 1980, Explanatory text to accompany the geologic map of North Dakota: North Dakota Geological Survey Report of Investigation 69, 93 p.
- Clayton, Lee, Moran, S.R., Bluemle, J.P., and Carlson, C.G., 1980, Geologic map of North Dakota: U.S. Geological Survey, scale 1:500,000.
- Colton, R.B., Lemke, R.W., and Lindvall, R.M., 1963, Preliminary glacial map of North Dakota: U.S. Geological Survey Miscellaneous Geological Investigations Map I-331, scale 1:500,000.
- Croft, M.G., 1970, Ground water basic data, Mercer and Oliver Counties, North Dakota: North Dakota Geological Survey Bulletin 56, pt. 2, 268 p.
- 1985, Ground-water data for McKenzie County, North Dakota: North Dakota Geological Survey Bulletin 80, pt. 2, 455 p.
- Dennis, P.E., Akin, P.D., and Worts, G.F., Jr., 1949, Geology and ground-water resources of parts of Cass and Clay Counties, North Dakota and Minnesota: North Dakota Water Conservation Commission Ground-water Studies 10, 177 p.
- Dingman, R.J., and Gordon, E.D., 1954, Geology and ground-water resources of the Fort Berthold Indian Reservation, North Dakota: U.S. Geological Survey Water-Supply Paper 1259, 115 p.
- Faigle, G.A., 1964, Glacial geology of western Wells County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 85 p.
- Falcone, S.K., 1983, Glacial stratigraphy of northwestern Cass county, North Dakota: Grand Forks, University of North Dakota, M.A. thesis.
- Fenton, M.M., Moran, S.R., Teller, J.T., and Clayton, Lee, 1983, Quaternary stratigraphy and history in the southern part of the Lake Agassiz basin, *in* Teller, J.T., and Clayton, Lee, eds., *Glacial Lake Agassiz: Geological Association of Canada Special Paper 26*, p. 49–74.
- Fisher, S.P., 1952, The geology of Emmons County, North Dakota: North Dakota Geological Survey Bulletin 26, 47 p.
- Fulton, Clark, 1976, The glacial geology of McKenzie County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 100 p.
- Groenewold, G.H., 1972, Applied geology of the Bismarck-Mandan areas, North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 59 p.
- Groenewold, G.H., Hemish, L.A., Cherry, J.A., Rehm, B.W., Meyer, G.N., and Winczewski, L.M., 1979, Geology and geohydrology of the Knife River basin and adjacent areas of west-central North Dakota: North Dakota Geological Survey Report of Investigation 64, 402 p.

- Gustavson, T.C., 1964, Glacial geology of eastern Sheridan County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 105 p.
- Hansen, D.E., and Kume, Jack, 1970, Geology and ground water resources of Grand Forks County—Part 1, geology: North Dakota Geological Survey Bulletin 53, pt. 1, 76 p.
- Hall, C.M., and Willard, D.E., 1905, Description of the Casleton and Fargo quadrangles, North Dakota-Minnesota: U.S. Geological Survey Geologic Atlas, Folio 117, 8 p.
- Harris, K.L., 1987a, The Quaternary geology of the Grand Forks-Red Lake Falls area, North Dakota-Minnesota: North Dakota Geological Survey Open-File Report OF-87-1, 32 p.
- 1987b, Surface geology of the Sheyenne River map area: North Dakota Geological Survey Atlas Series Map AS-15-A1, scale 1:250,000.
- Harris, K.L., and Luther, M.R., 1991, Surface geology of the Goose River map area: North Dakota Geological Survey Atlas Series Map AS-14-A1, scale 1:250,000.
- Harris, K.L., Moran, S.R., and Clayton, Lee, 1974, Late Quaternary stratigraphic nomenclature, Red River Valley, North Dakota and Minnesota: North Dakota Geological Survey Miscellaneous Series 52, 47 p.
- Hobbs, H.C., 1975, Glacial stratigraphy of northeastern North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 42 p.
- Hobbs, H.C., and Bluemle, J.P., 1987, Geology of Ramsey County, North Dakota: North Dakota Geological Survey Bulletin 71, pt. 1, 69 p.
- Howells, L.W., 1982, Geohydrology of the Standing Rock Indian Reservation, North and South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-644, scales 1:250,000 and 1:500,000.
- Johnson, W.D., Jr., and Kunkel, R.P., 1959, The Square Buttes coal field, Oliver and Mercer Counties, North Dakota: U.S. Geological Survey Bulletin 1076, 91 p.
- Kelly, T.E., and Block, D.A., 1967, Geology and ground water resources of Barnes County, North Dakota—Part 1, geology: North Dakota Geological Survey Bulletin 43, pt. 1, 51 p.
- Klausing, R.L., 1968, Geology and ground water resources of Cass County, North Dakota—Part 1, geology: North Dakota Geological Survey Bulletin 47, pt. 1, 39 p.
- 1971, Geology of McLean County—Ground water basic data: North Dakota Geological Survey Bulletin 60, pt. 2, 468 p.
- Kresl, R.J., 1964, The geology of eastern Wells County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 110 p.
- Kume, Jack, 1965a, Sheet moraine in Burleigh County, North Dakota: North Dakota Academy of Science Proceedings, v. 18, p. 162-166.
- 1965b, Geologic studies of Burleigh County, North Dakota: North Dakota Academy of Science Proceedings, v. 18, p. 166-172.
- Kume, Jack, and Hansen, D.E., 1965, Geology and ground water resources of Burleigh County, North Dakota—Part 1, geology: North Dakota Geological Survey Bulletin 42, pt. 1, 111 p.
- Lemke, R.W., 1960, Geology of the Souris River area, North Dakota: U.S. Geological Survey Professional Paper 325, 138 p.
- Leonard, A.G., 1912, Description of the Bismarck quadrangle: U.S. Geological Survey Geologic Atlas, Folio 181, 8 p.
- 1916, The pre-Wisconsin drift of North Dakota: Journal of Geology, v. 24, p. 521-532.
- Levin, Betsy, Ives, P.C., Oman, C.L., and Rubin, Meyer, 1965, U.S. Geological Survey radiocarbon dates VIII: Radiocarbon, v. 7, p. 372-398.
- Merritt, J.C., 1966, Surficial geology of the southern half of Griggs County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 78 p.
- Moran, S.R., Clayton, Lee, Hooke, R.L., Fenton, M.M., and Andriashek, L.D., 1980, Glacier-bed landforms of the prairie region of North America: Journal of Glaciology, v. 25, no. 93, p. 457-476.
- Moran, S.R., Clayton, Lee, Scott, M.W., and Brophy, J.A., 1973, Catalog of North Dakota radiocarbon dates: North Dakota Geological Survey Miscellaneous Series 53, 51 p.
- Nielson, D.N., 1970, Washboard moraines in northeastern North Dakota: The Compass, v. 47, p. 154-162.
- 1973, Quaternary geology of Sargent County, North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 85 p.
- Pettyjohn, W.A., 1967, Multiple drift sheets in southwestern Ward County, North Dakota, in Clayton, Lee, and Freres, T.F., eds., Glacial geology of the Missouri Coteau and adjacent areas: North Dakota Geological Survey Miscellaneous Series 30, p. 123-129.
- Randich, P.G., 1965, Geology and ground-water resources of Burleigh County, North Dakota—Ground water basic data: North Dakota Geological Survey Bulletin 42, pt. 2, 273 p.
- 1975, Ground-water basic data for Grant and Sioux Counties, North Dakota: North Dakota Geological Survey Bulletin 67, pt. 2, 303 p.
- Rau, J.L., Bakken, W.E., Chmelik, James, and Williams, B.J., 1962, Geology and ground-water resources of Kidder County, North Dakota—Geology: North Dakota Geological Survey Bulletin 36, pt. 1, 70 p.
- Reede, R.J., 1972, Geology of southern Nelson County, North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 131 p.

- Rubin, Meyer, and Alexander, Corrine, 1958, U.S. Geological Survey radiocarbon dates IV: *Science*, v. 127, p. 1476–1487.
- Rude, L.C., 1966, Surficial geology of northern Griggs County, North Dakota: Grand Forks, University of North Dakota, M.A. thesis, 128 p.
- Russell, A.E., 1950, Pebbles in the glacial till of eastern North Dakota: Grand Forks, University of North Dakota, M.A. thesis, 47 p.
- Sackreiter, D.K., 1973, Latest Cenozoic stratigraphy of Lake Sakakawea area, northwestern Mercer County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 66 p.
- 1975, Quaternary geology of the southern part of the Grand Forks and Bemidji quadrangles: Grand Forks, University of North Dakota, Ph.D. dissertation, 117 p.
- Salomon, N.L., 1974, Geology of northwestern McKenzie County, North Dakota: Grand Forks, University of North Dakota, senior thesis, 36 p.
- 1975, Glacial stratigraphy of northeastern North Dakota: North Dakota Academy of Science Proceedings, v. 27, pt. 2, p. 23–29.
- 1976a, Late Cenozoic drainage evolution in northwestern McKenzie County, North Dakota: North Dakota Academy of Science Proceedings, v. 28, pt. 2, p. 44–49.
- 1976b, Pleistocene stratigraphy of Cavalier and Pembina Counties and adjacent areas, *in* Arndt, B.M., Geology of Cavalier and Pembina Counties: North Dakota Geological Survey Bulletin 62, pt. 1, p. 40–57.
- Sherrod, N.R., 1963, Glacial geology of western Sheridan County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 91 p.
- Trapp, Henry, Jr., 1971, Ground water basic data, Hettinger and Stark Counties, North Dakota: North Dakota State Water Commission, County Ground-Water Studies 16, pt. 2, 455 p.
- Trapp, Henry, Jr., and Croft, M.G., 1975, Geology and ground-water resources of Hettinger and Stark Counties, North Dakota: North Dakota State Water Commission Ground-Water Studies 16, pt. 1, 51 p.
- Ulmer, J.H., 1973, Quaternary stratigraphy of Lake Sakakawea area, McLean County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 57 p.
- Ulmer, J.H., and Sackreiter, D.K., 1973, Late Cenozoic stratigraphy of the Lake Sakakawea bluffs north and west of Riverdale, North Dakota: North Dakota Geological Survey Report of Investigation 51.
- U.S. Department of Agriculture, published and unpublished soils maps of individual counties.
- Willard, D.E., 1909, Description of the Jamestown-Towner district, North Dakota: U.S. Geological Survey Geologic Atlas, Folio 168, 10 p.
- Williams, B.J., 1960, Glacial geology south-central Kidder County North Dakota: Grand Forks, University of North Dakota, M.A. thesis, 91 p.
- Winters, H.A., 1960, The late Pleistocene geomorphology of the Jamestown area, North Dakota: Evanston, Illinois, Northwestern University, Ph.D. dissertation, 144 p.
- 1963, Geology and ground-water resources of Stutsman County, North Dakota—Part 1, geology: North Dakota Geological Survey Bulletin 41, pt. 1, 84 p.
- Unpublished map data provided by J.P. Bluemle and D.E. Trimble.

SOUTH DAKOTA

- Beissel, D.R., and Gilbertson, J.P., 1987: Geology and water resources of Deuel and Hamlin Counties, South Dakota—Part 1, geology: South Dakota Geological Survey Bulletin 27, 41 p.
- Christensen, C.M., 1977, Geology and water resources of McPherson, Edmunds, and Faulk Counties, South Dakota—Part 1, geology: South Dakota Geological Survey Bulletin 26, 58 p.
- 1987, Geology and water resources of Clark County, South Dakota—Part 1, geology: South Dakota Geological Survey Bulletin 29, 39 p.
- Coogan, A.H., and Irving, W.N., 1959, Late Pleistocene and recent Missouri River terraces in the Big Bend Reservoir, South Dakota: Iowa Academy of Science Proceedings, v. 66, p. 317–327.
- Crandell, D.R., 1951, Geology of parts of Hughes and Stanley Counties, South Dakota: New Haven, Connecticut, Yale University, Ph.D. dissertation, 298 p.
- 1953, Pleistocene geology of part of central South Dakota: Geological Society of America Bulletin, v. 64, p. 581–598.
- 1958, Geology of the Pierre area, South Dakota: U.S. Geological Survey Professional Paper 307, 83 p.
- Ellis, M.J., and Adolphson, D.G., 1965, Hydrogeology of the glacial drift in the Skunk Creek-Lake Madison drainage basin, southeastern South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-195, scale 1:125,000.
- Ellis, M.J., Adolphson, D.G., and West, R.E., 1968, Hydrology of a part of the Big Sioux drainage basin, eastern South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-311, scale 1:125,000.
- Flint, R.F., 1955, Pleistocene geology of eastern South Dakota: U.S. Geological Survey Professional Paper 262, 173 p.
- Gilbertson, J.P., and Lehr, J.D., 1988, Summary of radiocarbon ages in eastern South Dakota, *in* Program and Abstracts: American Association for Quaternary Research (AMQUA), 10th biennial meeting, Amherst, Massachusetts, p. 71.

- Gwynne, C.S., 1951, Minor moraines in South Dakota and Minnesota: Geological Society of America Bulletin, v. 62, p. 233-250.
- Hedges, L.S., 1966, The Pleistocene stratigraphy of Beadle County, South Dakota: Vermillion, University of South Dakota, M.A. thesis, 71 p.
- 1968, Geology and water resources of Beadle County, South Dakota—Part 1, geology: South Dakota Geological Survey Bulletin 18, 66 p.
- 1972, Geology and water resources of Campbell County, South Dakota—Part 1, geology: South Dakota Geological Survey Bulletin 20, 39 p.
- 1987, Geology of Walworth County, South Dakota: South Dakota Geological Survey Bulletin 30, 33 p.
- Hedges, L.S., and Koch, N.C., 1970, Geology and water resources of Campbell County, South Dakota—Part 3, basic data: South Dakota Geological Survey Bulletin 20, pt. 3, 172 p.
- Helgeson, Ronald, and Duchossois, G.E., 1987, Geology and water resources of Hand and Hyde Counties, South Dakota—Part 1, geology: South Dakota Geological Survey Bulletin 28, 46 p.
- Hopkins, W.B., and Petri, L.R., 1963, Geology and ground-water resources of the Lake Dakota Plain area, South Dakota: U.S. Geological Survey Water-Supply Paper 1539-T, p. T1-T68.
- Howells, L.W., 1974, Geohydrology of Crow Creek and Lower Brule Indian Reservations, South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-499, scale 1:125,000.
- 1979, Geohydrology of the Cheyenne River Indian Reservation, South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-585, scales 1:250,000 and 1:500,000.
- 1982, Geohydrology of the Standing Rock Indian Reservation, North and South Dakota: U.S. Geological Survey Hydrologic Investigations Atlas HA-644, scales 1:250,000 and 1:500,000.
- Koch, N.C., 1975, Geology and water resources of Marshall County, South Dakota—Part 1, geology and water resources: South Dakota Geological Survey Bulletin 23, 76 p.
- Kume, Jack, and Howells, Lewis, 1987, Water resources of Walworth County, South Dakota: U.S. Geological Survey Water-Resources Investigations Report 85-4015, 70 p.
- Leap, D.I., 1974, The glacial geology and hydrology of Day County, South Dakota: University Park, Pennsylvania State University, Ph.D. dissertation, 281 p.
- 1986, Geology and water resources of Brown County, South Dakota—Part 1, geology: South Dakota Geological Survey Bulletin 25, 48 p.
- 1988, Geology and hydrology of Day County, South Dakota: South Dakota Geological Survey Bulletin 24, 117 p.
- Lee, K.Y., 1956, Geology and shallow water resources of the Blue Blanket Valley and Hoven outwash, Potter County, South Dakota: South Dakota Geological Survey Report of Investigations 80, 57 p.
- 1957, Geology and shallow water resources between Hoven and Bowdle, South Dakota: South Dakota Geological Survey Report of Investigations 83, 59 p.
- 1958a, Geology and shallow ground water resources of the Brookings area, Brookings County, South Dakota: South Dakota Geological Survey Report of Investigations 84, 62 p.
- 1958b, Petrographic study of Cary outwash in Potter, Walworth, and Brookings Counties, South Dakota: South Dakota Academy of Science Proceedings, v. 37, p. 149-154.
- Lee, K.Y., and Powell, J.E., 1961, Geology and ground water resources of glacial deposits in the Flandreau area, Brookings, Moody, and Lake Counties, South Dakota: South Dakota Geological Survey Report of Investigations 87, 117 p.
- Lehr, J.D., and Gilbertson, J.P., 1988, Revised Pleistocene stratigraphy of the upper Big Sioux River basin, in Program and Abstracts: American Association for Quaternary Research (AMQUA), 10th biennial meeting, Amherst, Massachusetts, p. 130.
- Leverett, Frank, 1932, Quaternary geology of Minnesota and parts of adjacent states, with contributions by F.W. Sardeson: U.S. Geological Survey Professional Paper 161, 149 p.
- Lundelius, E.L., Jr., and others, 1987, The North American Quaternary sequence, in Woodburne, M.O., ed., Cenozoic mammals of North America: Berkeley, University of California Press, p. 212-235.
- Martin, R.A., 1973, The Java local fauna, Pleistocene of South Dakota—A preliminary report: New Jersey Academy of Science Bulletin, v. 18, p. 48-56.
- Matsch, C.L., Rutford, R.H., and Tipton, M.J., 1972, Quaternary geology of northeastern South Dakota and southwestern Minnesota, in Field trip guide book for geomorphology and Quaternary stratigraphy of western Minnesota and eastern South Dakota: Minnesota Geological Survey Guidebook Series 7, p. 1-34.
- Petsch, B.C., 1946, Geology of the Missouri Valley in South Dakota: South Dakota Geological Survey Report of Investigations 53, 78 p.
- Pettyjohn, W.A., 1961, Geology of the Glencross quadrangle: South Dakota Geological Survey Geologic Quadrangle Map, scale 1:62,500.
- Pinsof, J.D., 1985, The Pleistocene vertebrate localities of South Dakota, in Martin, J.E., ed., Fossiliferous Cenozoic deposits of western South Dakota and northwestern Nebraska: Dakoterra, v. 2, pt. 2, p. 233-264.
- Plumley, W.J., 1948, Black Hills terrace gravels—A study in sediment transport: Journal of Geology, v. 56, p. 526-77.

- Repenning, C.A., 1987, Biochronology of the microtine rodents of the United States, *in* Woodburne, M.O., ed., *Cenozoic mammals of North America*: Berkeley, University of California Press, p. 236–268.
- Rothrock, E.P., 1934, The geology of Grant County, South Dakota: South Dakota Geological Survey Report of Investigations 20, 48 p.
- 1935, The geology and water resources of Day County, South Dakota: South Dakota Geological Survey Report of Investigations 25, 42 p.
- 1944, Sand and gravel deposits in the Missouri Valley between Little Bend and White River: South Dakota Geological Survey Report of Investigations 47, 118 p.
- 1946a, The surface of a portion of the James Basin in South Dakota: South Dakota Geological Survey Report of Investigations 54, 21 p.
- 1946b, Geology of the Missouri Valley and vicinity near Mobridge: South Dakota Geological Survey Report of Investigations 58, 29 p.
- Rothrock, E.P., and Newcomb, R.V., 1932, Sand and gravel deposits in Potter and Faulk Counties: South Dakota Geological Survey Report of Investigations 11, 103 p.
- Schroeder, W.E., 1988, Geology and water resources of Miner County, South Dakota—Part 1, geology: South Dakota Geological Survey Bulletin 31, 38 p.
- Steece, F.V., 1958, Geology and shallow ground water resources of the Watertown-Estelline area, South Dakota: South Dakota Geological Survey Report of Investigations 85, 38 p.
- Steece, F.V., and Howells, L.W., 1965, Geology and ground water supplies in Sanborn County, South Dakota: South Dakota Geological Survey Bulletin 17, 182 p.
- Steece, F.V., Tipton, M.J., and Agnew, A.F., 1960, Eastern South Dakota: Friends of the Pleistocene, Midwest Section, 11th annual field conference, Guidebook, 21 p.
- Stevenson, R.E., 1957, Areal geology of the McLaughlin quadrangle: South Dakota Geological Survey Geologic Quadrangle Map, scale 1:62,500.
- 1959a, Geology of the Miscol quadrangle: South Dakota Geological Survey Geologic Quadrangle Map, scale 1:62,500.
- 1959b, The Miscol till residuum [abs.]: South Dakota Academy of Science Proceedings, v. 38, p. 40.
- 1960, Geology of the Little Eagle quadrangle: South Dakota Geological Survey Geologic Quadrangle Map, scale 1:62,500.
- Tipton, M.J., and Steece, F.V., 1965, Introduction to Pleistocene of Big Sioux River basin in South Dakota, *in* Guidebook for field conference C, upper Mississippi Valley: Nebraska Academy of Sciences, International Union for Quaternary Research (INQUA), 7th Congress, p. 11–29.
- Todd, J.E., 1904, Description of the Huron quadrangle, South Dakota: U.S. Geological Survey Geologic Atlas, Folio 113, 6 p.
- 1909, Description of the Aberdeen-Redfield district, South Dakota: U.S. Geological Survey Geologic Atlas, Folio 165, 13 p.
- Todd, J.E., and Hall, C.M., 1904a, Description of the De Smet quadrangle, South Dakota: U.S. Geological Survey Geologic Atlas, Folio 114, 6 p.
- 1904b, Geology and water resources of part of the lower James River Valley, South Dakota: U.S. Geological Survey Water-Supply Paper 90, 47 p.
- Tychsen, P.C., and Vorhis, R.C., 1955, Reconnaissance of geology and ground water in the lower Grand River Valley, South Dakota, *with a section on* Chemical quality of the ground water *by* E.R. Jochens: U.S. Geological Survey Water-Supply Paper 1298, 33 p.
- U.S. Department of Agriculture, published soils maps of individual counties.
- Waring, G.A., 1949, Statistical data on glacial boulders: *Science*, v. 109, p. 283–284.
- Westin, F.C., and Malo, D.D., 1978, Soils of South Dakota: South Dakota State University Agricultural Experiment Station Bulletin 656, 118 p.
- Westin, F.C., Puhr, L.F., and Buntley, G.J., 1967, Soils of South Dakota [revised edition]: South Dakota State University Experiment Station, Soil Survey Series no. 3, 32 p.
- White, E.M., 1960, Some surface glacial deposits in Hand County, South Dakota: South Dakota Geological Survey Miscellaneous Investigations 1, 19 p.
- Unpublished map data provided by Richard Bretz, Fred V. Steece, and Merlin J. Tipton.

SUPPLEMENTAL REFERENCES FOR TABLES 1 AND 2 NOT LISTED IN SOURCES OF INFORMATION

- Andrews, J.T., and Fulton, R.J., 1987, Inception, growth, and decay of the Laurentide ice sheet: *Episodes*, v. 10, p. 13–15.
- Baksi, A.K., Hsu, Vindell, McWilliams, M.O., and Farrar, Edward, 1991, $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the Brunhes-Matuyama geomagnetic field reversal—Implications for the Milankovitch forcing frequency observed in deep-sea cores [abs.]: *Geological Society of America Abstracts with Programs*, v. 23, no. 5, p. A91.
- Bowen, D.Q., Richmond, G.M., Fullerton, D.S., Sibrava, Vladimir, Fulton, R.J., and Velichko, A.A., 1986, Correlation of Quaternary glaciations in the Northern Hemisphere: *Quaternary Science Reviews*, v. 5, p. 509–510.
- Dyke, A.S., Dredge, L.A., and Vincent, J.-S., 1982, Configuration and dynamics of the Laurentide ice sheet during the late Wisconsin maximum: *Géographie physique et Quaternaire*, v. 36, p. 5–14.

- Dyke, A.S., and Prest, V.K., 1987a, Paleogeography of northern North America, 18 000–5 000 years ago: Geological Survey of Canada Map 1703A, scale 1:12,500,000.
- 1987b, Late Wisconsinan and Holocene history of the Laurentide ice sheet: *Géographie physique et Quaternaire*, v. 41, p. 237–263.
- Fenton, M.M., 1974, The Quaternary stratigraphy of a portion of southeastern Manitoba, Canada: London, University of Western Ontario, Ph.D. dissertation, 286 p.
- Fullerton, D.S., and Colton, R.B., 1986, Stratigraphy and correlation of the glacial deposits on the Montana Plains, in Richmond, G.M., and Fullerton, D.S., eds., Quaternary glaciations in the United States of America: *Quaternary Science Reviews*, v. 5, p. 69–82.
- Hallberg, G.R., 1986, Pre-Wisconsin glacial stratigraphy of the Central Plains region in Iowa, Nebraska, Kansas, and Missouri, in Richmond, G.M., and Fullerton, D.S., eds., Quaternary glaciations in the United States of America: *Quaternary Science Reviews*, v. 5, p. 11–15.
- Hallberg, G.R., and Kemmis, T.J., 1986, Stratigraphy and correlation of the glacial deposits of the Des Moines and James lobes and adjacent areas in North Dakota, South Dakota, Minnesota, and Iowa, in Richmond, G.M., and Fullerton, D.S., eds., Quaternary glaciations in the United States of America: *Quaternary Science Reviews*, v. 5, p. 65–68.
- Hallberg, G.R., Lineback, J.A., Mickelson, D.M., Knox, J.C., Goebel, J.E., Hobbs, H.C., Whitfield, J.W., Ward, R.A., Boellstorf, J.D., Swinehart, J.B., and Dreeszen, V.H., 1991, Quaternary geologic map of the Des Moines 4°×6° quadrangle, United States: U.S. Geological Survey Miscellaneous Investigations Series Map I-1420 (NK-15), scale 1:1,000,000.
- Izett, G.A., and Obradovich, J.D., 1991, Dating of the Matuyama-Brunhes boundary based on ⁴⁰Ar-³⁹Ar ages of the Bishop Tuff and Cerro San Luis Rhyolite [abs.]: *Geological Society of America Abstracts with Programs*, v. 23, no. 5, p. A106.
- 1992, Laser total-fusion ⁴⁰Ar-³⁹Ar ages constrain timing of the Jaramillo normal polarity subchron and the Matuyama-Brunhes (M-B) boundary [abs.]: *Geological Society of America Abstracts with Programs*, v. 24, no. 7, p. A205–A206.
- Izett, G.A., Obradovich, J.D., and Mehnert, H.H., 1988, The Bishop ash bed (middle Pleistocene) and some older (Pliocene and Pleistocene) chemically and mineralogically similar ash beds in California, Nevada, and Utah: *U.S. Geological Survey Bulletin* 1675, 37 p.
- Izett, G.A., Pierce, K.L., Naeser, N.D., and Jaworowski, Cheryl, 1992, Isotopic dating of Lava Creek B tephra in terrace deposits along the Wind River, Wyoming—Implications for post 0.6 Ma uplift of the Yellowstone hotspot [abs.]: *Geological Society of America Abstracts with Programs*, v. 24, no. 7, p. A102.
- Keatinge, Rosanna, 1975, Late Quaternary till stratigraphy of southeastern Manitoba based on clast lithology: Winnipeg, University of Manitoba, M.S. thesis, 96 p.
- Klassen, R.W., 1989, Quaternary geology of the southern Canadian Interior Plains, in Chapter 2 of Fulton, R.J., ed., Quaternary geology of Canada and Greenland: Geological Survey of Canada, *Geology of Canada*, no. 1 (also Geological Society of America, *The geology of North America*, v. K-1), p. 138–173.
- Moran, S.R., Arndt, B.M., Bluemle, J.P., Camara, Michael, Clayton, Lee, Fenton, M.M., Harris, K.L., Hobbs, H.C., Keatinge, R., Sackreiter, D.K., Soloman, N.L., and Teller, J., 1976, Quaternary stratigraphy and history of North Dakota, southern Manitoba, and northwestern Minnesota, in Mahaney, W.C., ed., Quaternary stratigraphy of North America: Stroudsburg, Pennsylvania, Dowden, Hutchinson, and Ross, p. 133–158.
- Obradovich, J.D., 1992, Geochronology of the late Cenozoic volcanism of Yellowstone National Park and adjoining areas, Wyoming and Idaho: U.S. Geological Survey Open-File Report 92–408, 45 p.
- Obradovich, J.D., and Izett, G.A., 1991, ⁴⁰Ar-³⁹Ar ages of upper Cenozoic Yellowstone Group tuffs [abs.]: *Geological Society of America Abstracts with Programs*, v. 23, no. 2, p. 84.
- 1992, The geomagnetic polarity time scale (GPT) and the astronomical time scale (ATS) now in near accord [abs.]: *Eos*, v. 73, no. 43, p. 630–631.
- Richmond, G.M., and Fullerton, D.S., 1986a, Introduction to Quaternary glaciations in the United States of America, in Richmond, G.M., and Fullerton, D.S., eds., Quaternary glaciations in the United States of America: *Quaternary Science Reviews*, v. 5, p. 3–10.
- 1986b, Summation of Quaternary glaciations in the United States of America, in Richmond, G.M., and Fullerton, D.S., eds., Quaternary glaciations in the United States of America: *Quaternary Science Reviews*, v. 5, p. 183–196.
- Shilts, W.W., 1980, Flow patterns in the central North American ice sheet: *Nature*, v. 286, p. 213–218.
- 1982, Quaternary evolution of the Hudson/James Bay region: *Le Naturaliste Canadien*, v. 109, p. 309–332.
- 1985, Geological models for the configuration, history, and style of disintegration of the Laurentide ice sheet, in Woldenberg, M.J., ed., *Models in geomorphology*: Boston, Allen, and Unwin, p. 73–91.
- Shilts, W.W., Cunningham, C.M., and Kaszycki, C.A., 1979, Keewatin ice sheet—Re-evaluation of the traditional concept of the Laurentide ice sheet: *Geology*, v. 7, p. 537–541.
- Teller, J.T., and Fenton, M.M., 1980, Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba: *Canadian Journal of Earth Sciences*, v. 17, p. 19–35.

