

QUATERNARY GEOLOGIC MAP OF THE WINNIPEG 4° × 6° QUADRANGLE, UNITED STATES AND CANADA

State and Province compilations by
David S. Fullerton, Susan M. Ringrose, Lee Clayton,¹ Bryan T. Schreiner, and Joseph E. Goebel

Edited and integrated by
David S. Fullerton

2000

QUATERNARY GEOLOGIC ATLAS OF THE UNITED STATES

SOURCES OF INFORMATION

[Also see "Supplemental References"]

MANITOBA

- Aber, J.S., 1989, Spectrum of constructional glaciotectonic landforms, *in* Goldthwait, R.P., and Matsch, C.L., eds., *Genetic classification of glacial deposits*: Rotterdam, A.A. Balkema, p. 281–292.
- Aber, J.S., Bluemle, J.P., Sauchyn, D.J., and Ackerman, D.L., 1991, Great Plains glaciotectonics: North Dakota Geological Survey Miscellaneous Map 31, scale 1:2,500,000.
- Aber, J.S., Bluemle, J.P., Brigham-Grette, Julie, Dredge, L.A., Sauchyn, D.J., and Ackerman, D.L., 1995, Glaciotectonic map of North America: Geological Society of America Map and Chart Series MCH079, scale 1:6,500,000.
- Aber, J.S., Croot, D.G., and Fenton, M.M., 1989, *Glaciotectonic landforms and structures*: Dordrecht, Kluwer Academic Publishers, 200 p.
- Aggregate Resources Section, 1980a, Quaternary geology map—Southern Manitoba 62K, Riding Mountain: Manitoba Mineral Resources Division Geological Map AR80–5, scale 1:250,000.
- 1980b, Quaternary geology map—Southern Manitoba 62F, Virden: Manitoba Mineral Resources Division Geological Map AR80–6, scale 1:250,000.
- 1980c, Quaternary geology map—Southern Manitoba 62G, Brandon: Manitoba Mineral Resources Division Geological Map AR80–7, scale 1:250,000.
- Charron, J.E., 1961, Ground-water resources of Plum Coulee area, Manitoba: Geological Survey of Canada Paper 60–22, 81 p.
- 1964, Groundwater resources of the Fannystelle area, Manitoba: Geological Survey of Canada Bulletin 98, 21 p.
- 1965a, Groundwater resources of the Emerson area, Manitoba: Geological Survey of Canada Paper 64–7, 39 p.
- 1965b, Groundwater resources of Winnipeg area, Manitoba: Geological Survey of Canada Paper 64–23, 30 p.
- 1967, Groundwater resources of Steinbach area, Manitoba: Geological Survey of Canada Paper 66–6, 34 p.
- Christiansen, E.A., 1979, The Wisconsin deglaciation of southern Saskatchewan and adjacent areas: *Canadian Journal of Earth Sciences*, v. 16, p. 913–938.

¹Present affiliation: Wisconsin Geological and Natural History Survey

- 1980, The Wisconsin deglaciation of southern Saskatchewan and adjacent areas—Reply: *Canadian Journal of Earth Sciences*, v. 17, p. 541.
- Clayton, Lee, and Moran, S.R., 1982, Chronology of late Wisconsin glacialiation in middle North America: *Quaternary Science Reviews*, v. 1, p. 55–82.
- Conley, G.G., 1986, Surficial geology and stratigraphy of the Killarney-Holmfeld area, southwestern Manitoba: Winnipeg, University of Manitoba, M.S. thesis, 165 p.
- Conley, G.G., and Teller, J.T., 1987, Quaternary stratigraphy and history of southwestern Manitoba: *Geological Association of Canada Programs with Abstracts*, v. 12, p. 34.
- David, P.P., 1971, The Brookdale Road section and its significance in the chronological studies of dune activities in the Brandon Sand Hills of Manitoba, *in* Turnock, A.C., ed., *Geoscience studies in Manitoba: Geological Association of Canada Special Paper 9*, p. 293–299.
- 1977, Sand dune occurrences of Canada—A theme and resource inventory study of eolian landforms in Canada: Canada Department of Indian and Northern Affairs, National Parks Branch, Contract 74–230, Report, 183 p.
- Dyck, W., Lowden, J.A., Fyles, J.C., and Blake, W., Jr., 1966, Geological Survey of Canada radiocarbon dates V: *Geological Survey of Canada Paper 66–48*, 32 p.
- Ehrlich, W.A., Poyser, E.A., Pratt, L.E., and Ellis, J.H., 1953, Reconnaissance soil survey of Winnipeg and Morris map sheet areas: *Manitoba Soil Survey Report 5*, 111 p.
- Ehrlich, W.A., Pratt, L.E., Poyser, E.A., and Leclaire, F.P., 1958, Report of reconnaissance soil survey of West-Lake map sheet area: *Manitoba Soil Survey Report 8*, 100 p.
- Elson, J.A., 1954, Guidebook, Pleistocene geology of southwestern Manitoba: *Geological Survey of Canada*, 22 p.
- 1955a, Surficial geology of the Tiger Hills region, Manitoba, Canada: New Haven, Conn., Yale University, Ph.D. dissertation, 316 p.
- 1955b, Surficial geology, Deloraine, Manitoba: *Geological Survey of Canada Preliminary Map 55–19*, scale 1:126,720.
- 1958, Pleistocene history of southwestern Manitoba, *in* Laird, W.M., Lemke, R.W., and Hansen, Miller, eds., *Guidebook, Mid-western Friends of the Pleistocene, Ninth Annual Field Conference: North Dakota Geological Survey Miscellaneous Series 10*, p. 62–73.
- 1960, Surficial geology, Brandon, Manitoba: *Geological Survey of Canada Map 1067A*, scale 1:253,440.
- 1961, Soils of the Lake Agassiz region, *in* Legget, R.F., ed., *Soils in Canada: Royal Society of Canada Special Publication 3*, p. 51–79.
- 1962, Surficial geology, Virden, Manitoba and Saskatchewan: *Geological Survey of Canada Map 39–1961*, scale 1:126,720.
- 1967, Geology of glacial Lake Agassiz, *in* Mayer-Oakes, W.J., ed., *Life, land, and water: Winnipeg, University of Manitoba Press*, p. 37–95.
- Fenton, M.M., 1970, The Pleistocene stratigraphy and surficial geology of the Assiniboine River to Lake Manitoba area: Winnipeg, University of Manitoba, M.S. thesis, 121 p.
- 1974, The Quaternary stratigraphy of a portion of southeastern Manitoba, Canada: London, University of Western Ontario, Ph.D. dissertation, 286 p.
- 1979, Quaternary geology, Winnipeg area, Manitoba: *Geological Survey of Canada Open File 636*, scale 1:250,000.
- Fenton, M.M., and Anderson, D.T., 1971, Pleistocene stratigraphy of the Portage la Prairie area, Manitoba, *in* Turnock, A.C., ed., *Geoscience studies in Manitoba: Geological Association of Canada Special Paper 9*, p. 271–276.
- Fenton, M.M., Moran, S.R., Teller, J.T., and Clayton, Lee, 1983, Quaternary stratigraphy and history in the southern part of the Lake Agassiz basin, *in* Teller, J.T., and Clayton, Lee, eds., *Glacial Lake Agassiz: Geological Association of Canada Special Paper 26*, p. 49–74.
- Fenton, M.M., and Teller, J.T., 1977, The Quaternary stratigraphy of southern Manitoba, *in* *Quaternary glaciations in the Northern Hemisphere: Prague, International Geological Correlation Program Project 73–1–24*, Report no. 6 on the session in Stuttgart, F.R.G., p. 196–203.
- Fulton, R.J., 1996, Surficial geology, Elkhorn area, Manitoba-Saskatchewan (62F/14): *Geological Survey of Canada Open File 3232*, scale 1:50,000.

- Gartner Lee Associates Limited, 1983, Surficial geology and aggregate resources inventory of the Russell–Shoal Lake area: Manitoba Department of Energy and Mines Open File Report 83–2, scale 1:50,000.
- Gartner Lee Associates and Proctor and Redfern Limited, 1978, Sand and gravel resources of the Dauphin area: Manitoba Department of Energy and Mines Open File Report 78–5, 94 p.
- Groom, H.D., 1985a, Surficial geology and aggregate resources of the Fisher Branch area, Local Government District of Fisher and Rural Municipality of Bifrost: Manitoba Department of Energy and Mines Aggregate Report AR84–2, 33 p.
- 1985b, Surficial geology and aggregate resource inventory of the Rural Municipality of Miniota: Manitoba Department of Energy and Mines Aggregate Report AR85–3, scale 1:50,000.
- 1986, Surficial geology and aggregate resources of the Rural Municipality of Shellmouth: Manitoba Department of Energy and Mines Aggregate Report AR86–2, scale 1:50,000.
- Groom, H.D., and Radwanski, M., 1980a, Surficial and Quaternary geology of Wasagaming map area: Manitoba Mineral Resources Division Preliminary Map Series SRM2, scale 1:50,000.
- 1980b, Surficial and Quaternary geology of Clanwilliam map area: Manitoba Mineral Resources Division Preliminary Map Series SRM 3, scale 1:50,000.
- Halstead, E.C., 1959, Ground-water resources of the Brandon map-area, Manitoba: Geological Survey of Canada Memoir 300, 65 p.
- Henderson, P.J., 1993, Quaternary geology of the Bissett area, southeastern Manitoba—Applications to drift prospecting: Geological Survey of Canada Paper 93–1B, p. 63–69.
- 1994a, Glacial dispersal and drift composition, Rice Lake Greenstone Belt, southeastern Manitoba, *in* Current Research 1994–C: Geological Survey of Canada, p. 205–214.
- 1994b, Surficial geology and drift composition of the Bissett–English Brook area, Rice Lake Greenstone Belt, southeastern Manitoba: Geological Survey of Canada Open File 2910, 189 p.
- James F. Maclaren Limited, 1980, Mineral aggregate study of the southern Interlake region: Manitoba Department of Energy and Mines Open File Report 80–2, 105 p.
- Johnston, W.A., 1921, Winnipegosis and Upper Whitemouth River areas, Manitoba; Pleistocene and recent deposits: Geological Survey of Canada Memoir 128, 42 p.
- 1934, Surface deposits and ground-water supply of Winnipeg map-area, Manitoba: Geological Survey of Canada Memoir 174, 110 p.
- Keatinge, Rosanna, 1975, Late Quaternary till stratigraphy of southeastern Manitoba based on clast lithology: Winnipeg, University of Manitoba, M.S. thesis, 96 p.
- Kehew, A.E., and Clayton, Lee, 1983, Late Wisconsinian floods and development of the Souris-Pembina spillway system in Saskatchewan, North Dakota, and Manitoba, *in* Teller, J.T., and Clayton, Lee, eds., Glacial Lake Agassiz: Geological Association of Canada Special Paper 26, p. 187–209.
- Kehew, A.E., and Lord, M.L. 1986, Origin and large-scale erosional features of glacial-lake spillways in the northern Great Plains: Geological Society of America Bulletin, v. 97, p. 162–177.
- 1987, Glacial-lake outbursts along the mid-continent margins of the Laurentide ice sheet, *in* Mayer, L., and Nash, D., eds., Catastrophic flooding: Boston, Allen and Unwin, p. 95–120.
- Kehew, A.E., and Teller, J.T., 1994, History of late glacial runoff along the southern margin of the Laurentide ice sheet: Quaternary Science Reviews, v. 13, p. 859–877.
- Klassen, R.W., 1966, The surficial geology of the Riding Mountain area, Manitoba-Saskatchewan: Saskatoon, University of Saskatchewan, Ph.D. dissertation, 162 p.
- 1969, Quaternary stratigraphy and radiocarbon chronology in southwestern Manitoba: Geological Survey of Canada Paper 69–27, 19 p.
- 1971, Nature, thickness, and subsurface stratigraphy of the drift in southwestern Manitoba: Geological Association of Canada Special Paper 9, p. 253–261.
- 1972, Wisconsin events and the Assiniboine and Qu’Appelle Valleys of Manitoba and Saskatchewan: Canadian Journal of Earth Sciences, v. 9, p. 544–560.
- 1975, Quaternary geology and geomorphology of Assiniboine and Qu’Appelle Valleys of Manitoba and

- Saskatchewan: Geological Survey of Canada Bulletin 228, 61 p.
- 1979, Pleistocene geology and geomorphology of the Riding Mountain and Duck Mountain areas, Manitoba-Saskatchewan: Geological Survey of Canada Memoir 396, 52 p.
- 1983a, Assiniboine delta and the Assiniboine-Qu'Appelle valley system—Implications concerning the history of Lake Agassiz in southwestern Manitoba, *in* Teller, J.T., and Clayton, Lee, eds., *Glacial Lake Agassiz: Geological Association of Canada Special Publication 26*, p. 211–229.
- 1983b, Chronology of late Wisconsinan glaciation in middle North America—A discussion: *Quaternary Science Reviews*, v. 1, no. 4, p. xxiii–xxvii.
- 1989, Quaternary geology of the southern Canadian Interior Plains, *in* ch. 2 of Fulton, R.J., ed., *Quaternary geology of Canada and Greenland: Geological Survey of Canada, Geology of Canada*, no. 1 (*also* Geological Society of America, *The Geology of North America*, v. K–1), p. 138–172.
- Klassen, R.W., Delorme, L.D., and Mott, R.J., 1967, Geology and paleontology of Pleistocene deposits in southwestern Manitoba: *Canadian Journal of Earth Sciences*, v. 4, p. 433–447.
- Klassen, R.W., and Elson, John, 1972, Southwestern Manitoba, *in* Rutter, N.W., and Christiansen, E.A., eds., *Quaternary geology and geomorphology between Winnipeg and the Rocky Mountains: International Geological Congress Guidebook, 24th session, Montreal, Quebec, excursion C–22*, p. 3–24.
- Klassen, R.W., and Wyder, J.E., 1970, Bedrock topography, buried valleys, and nature of the drift, Virden map-area, Manitoba: Geological Survey of Canada Paper 70–56, 11 p.
- Klassen, R.W., Wyder, J.E., and Bannatyne, B.B., 1970, Bedrock topography and geology of southern Manitoba: Geological Survey of Canada Paper 70–51, scale 1:500,000.
- Kor, P.K., 1976, Heavy mineral analysis in late Wisconsinan tills of southeastern Manitoba: Winnipeg, University of Manitoba, M.S. thesis, 105 p.
- Last, W.M., 1974, Clay mineralogy and stratigraphy of offshore Lake Agassiz sediments in southern Manitoba: Winnipeg, University of Manitoba, M.S. thesis, 183 p.
- Lord, M.L., 1988, Glacial Lake Souris—The history and sedimentology of a lake inundated by discharges from a glacial-lake outburst: Grand Forks, University of North Dakota, Ph.D. dissertation, 200 p.
- Lowdon, J.A., and Blake, W., Jr., 1976, Geological Survey of Canada radiocarbon dates XVI: Geological Survey of Canada Paper 76–7, 21 p.
- Matile, G., 1984, Quaternary geology map of the Birds Hill area: Manitoba Department of Energy and Mines Geological Map AR84–5, scale 1:50,000.
- Matile, G., and Conley, G., 1980, Quaternary geology and sand and gravel resources of the Rural Municipality of Springfield: Manitoba Department of Energy and Mines Municipality Map AR80–1, scale 1:50,000.
- Matile, G., and Groom, H.D., 1987, Late Wisconsinan stratigraphy and sand and gravel resources of the Rural Municipality of Lac du Bonnet and Local Government District of Alexander: Manitoba Department of Energy and Mines Aggregate Report AR85–2, scale 1:50,000.
- McPherson, R.A., 1968, Pleistocene stratigraphy of the Winnipeg River in the Pine Falls–Seven Sisters Falls area, Manitoba: Winnipeg, University of Manitoba, M.S. thesis, 61 p.
- 1970, Pleistocene geology of the Beausejour area, Manitoba: Winnipeg, University of Manitoba, Ph.D. dissertation, 153 p.
- McPherson, R.A., Leith, E.I., and Anderson, D.T., 1971, Pleistocene stratigraphy of a portion of southeastern Manitoba, *in* Turnock, A.C., ed., *Geoscience studies in Manitoba: Geological Association of Canada Special Paper 9*, p. 277–283.
- Mihychuk, M.A., and Groom, H.D., 1979, Quaternary geology of Neepawa area: Manitoba Department of Energy and Mines Preliminary Map Series Maps 1979 PN–1, 1979 PN–2, 1979 PN–3, and 1979 PN–4, scale 1:50,000.
- Mills, G.F., Hopkins, L.A., and Smith, R.E., 1977, Organic soils of the Roseau River watershed in Manitoba—Inventory and assessment for agriculture: Agriculture Canada Monograph 17, 68 p.
- Milne, R.A., and Michalyna, W., 1972, Soils of the Portage Prairie area: Manitoba Soil Survey Soils Report 17, scale 1:20,000.
- Mitchell, P., 1982, Surficial geology of the Delta Marsh area: Manitoba Department of

- Energy and Mines Preliminary Map Series Maps 1982 DM-1 and 1982 DM-2, scale 1:50,000.
- 1983, Sand and gravel resources of the Selkirk and District planning area: Manitoba Department of Energy and Mines Preliminary Map 1983-SD, scale 1:50,000.
- Moran, S.R., and Clayton, Lee, 1984, Chronology of late Wisconsinan glaciation in middle North America—Reply to the comments by R.W. Klassen: *Quaternary Science Reviews*, v. 3, no. 2/3, p. i–vi.
- Muhammad, M.J., 1972, Geology of the till in a part of southeastern Manitoba: Winnipeg, University of Manitoba, M.S. thesis, 75 p.
- Nielsen, Erik, 1980, Quaternary geology of a part of southeastern Manitoba, North sheet: Manitoba Department of Energy and Mines Geological Report GR80-6, scale 1:100,000.
- 1988, Surficial geology of the Swan River area: Manitoba Department of Energy and Mines Geological Report GR80-7, 51 p.
- 1989, Quaternary stratigraphy and overburden geochemistry in the Phanerozoic terrane of southern Manitoba: Manitoba Department of Energy and Mines Geological Paper GP87-1, 78 p.
- Nielsen, Erik, and Matile, G., 1982a, Till stratigraphy and proglacial lacustrine deposits in the Winnipeg area: Geological Association of Canada and Mineralogical Association of Canada Guidebook, Annual Meeting, Winnipeg, Manitoba, field trip 1, 22 p.
- 1982b, Quaternary geology of the Gypsumville area: Manitoba Department of Energy and Mines Aggregate Resource Map AR84-3, scale 1:100,000.
- Nielsen, Erik, McKillop, W.B., and Conley, G.G., 1993, Fluvial sedimentology and paleoecology of Holocene alluvial deposits, Red River, Manitoba: *Géographie physique et Quaternaire*, v. 47, p. 193–210.
- Nielsen, Erik, Ringrose, S.M., Matile, G.L.D., Groom, Heather, Mihychuk, M.A., and Conley, G.G., 1981, Surficial geologic map of Manitoba: Manitoba Department of Energy and Mines Mineral Resources Division Map 81-1, scale 1:1,000,000.
- Organ, D.W., 1952, Pleistocene gravels of the Red River valley: Winnipeg, University of Manitoba, M.S. thesis, 89 p.
- Pratt, L.E., Ehrlich, W.A., Leclaire, F.P., and Barr, J.A., 1961, Report of the detailed reconnaissance soil survey of Fisher and Teulon map sheet areas: Manitoba Soil Survey Report 12, 80 p.
- Rannie, W.F., Thorleifson, L.H., and Teller, J.T., 1989, Holocene evolution of the Assiniboine River paleochannels and Portage la Prairie alluvial fan: *Canadian Journal of Earth Sciences*, v. 26, p. 1834–1841.
- Ringrose, S.M., Large, P., and Buyf, C., 1977, Surficial and Quaternary geology of the Winnipeg area, Manitoba: Manitoba Department of Energy and Mines Preliminary Map Series Maps WPG-3, WPG-8, WPG-9, and WPG-12 through 23, scale 1:50,000.
- Ringrose, S.M., and Mihychuk, M.A., 1978, Surficial and Quaternary geology of the Portage-Winkler area, Manitoba: Manitoba Mineral Resources Division Preliminary Map Series PW-5, scale 1:50,000.
- Smith, R.E., Tarnocai, C., and Mills, G.F., 1975, Soils of the Red Rose–Washow Bay area: Manitoba Soil Survey Soils Report 19, map scale 1:125,000.
- Sun, Stephen, 1993a, Preliminary study of the surficial geology of Virden area, southwestern Manitoba: Geological Survey of Canada Paper 93-1B, p. 57–61.
- 1993b, Quaternary geology and stratigraphy of the Assiniboine fan delta area, southwestern Manitoba, Canada: Winnipeg, University of Manitoba, M.S. thesis, 180 p.
- Sun, Stephen, and Fulton, R.J., 1994, Surficial geology, Virden (62F/15) and Alexander (62F/16), Manitoba: Geological Survey of Canada Open File 2962, scale 1:50,000.
- 1995a, Surficial geology, Whitewater Lake, Manitoba (62F/SE): Geological Survey of Canada Open File 3056, scale 1:100,000.
- 1995b, Surficial geology, Oak Lake, Manitoba (62F/NE): Geological Survey of Canada Open File 3065, scale 1:100,000.
- 1996, Surficial geology, Gainsborough area, Manitoba-Saskatchewan (62F/3): Geological Survey of Canada Open File 3233, scale 1:50,000.
- Teller, J.T., 1976a, Lake Agassiz deposits in the main offshore basin of southern Manitoba: *Canadian Journal of Earth Sciences*, v. 13, p. 27–43.
- 1976b, Total thickness of clay, silt, sand, gravel, and till in southern Manitoba: Manitoba Mineral Resources Division Surficial Map 76-1, scale 1:500,000.

- 1976c, Thickness of fine grained sediment (clay, silt, sand) in the main Lake Agassiz basin (Red and Assiniboine River valleys) of southern Manitoba: Manitoba Mineral Resources Division Surficial Map 76-2, scale 1:500,000.
- 1980, Radiocarbon dates in Manitoba: Manitoba Department of Energy and Mines Geological Report GRO-4, 61 p.
- 1985, Glacial Lake Agassiz and its influence on the Great Lakes, *in* Karrow, P.F., and Calkin, P.E., eds., Quaternary evolution of the Great Lakes: Geological Association of Canada Special Paper 30, p. 1-16.
- 1993, Quaternary geology of the eastern Canadian Prairies, Winnipeg to Moose Jaw: International Geological Correlation Program Project 253, Termination of the Pleistocene, field guide, pt. 1, 68 p.
- 1995, History and drainage of large ice-dammed lakes along the Laurentide ice sheet: *Quaternary International*, v. 28, p. 83-92.
- Teller, J.T., and Bannatyne, B., 1976, Geology and topography of the buried bedrock surface of southern Manitoba: Manitoba Mineral Resources Division Surficial Map 76-3, scale 1:500,000.
- Teller, J.T., and Fenton, M.M., 1980, Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba: *Canadian Journal of Earth Sciences*, v. 17, p. 19-35.
- Teller, J.T., and Last, W.M., 1981, Late Quaternary history of Lake Manitoba, Canada: *Quaternary Research*, v. 16, p. 97-116.
- Teller, J.T., Moran, S.R., and Clayton, Lee, 1980, The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas—Discussion: *Canadian Journal of Earth Sciences*, v. 17, p. 539-541.
- Underwood McLelland and Associates Limited, 1977, Sand and gravel resources of the Brandon region: Manitoba Department of Energy and Mines Mineral Resources Division Open File 77-8, 189 p.
- Welsted, J., and Young, H.R., 1980, Geology and origin of the Brandon Hills, southwest Manitoba: *Canadian Journal of Earth Sciences*, v. 17, p. 942-951.
- Western Ground-water Consultants, 1981, Sand and gravel resources of the Westlake area: Manitoba Department of Energy and Mines Mineral Resources Division Open File 81-2, 65 p.
- Wolfe, Brent, 1993, Geological history of glacial Lake Assiniboine, Saskatchewan: Winnipeg, University of Manitoba, M.S. thesis, 391 p.
- Wolfe, Brent, and Teller, J.T., 1995, Sedimentation in ice-dammed glacial Lake Assiniboine, Saskatchewan, and catastrophic drainage down the Assiniboine Valley: *Géographie physique et Quaternaire*, v. 49, p. 251-263.
- Wyder, J.E., 1971, Subsurface stratigraphy of the Lake Agassiz basin in south central Manitoba, *in* Turnock, A.C., ed., *Geoscience studies in Manitoba: Geological Association of Canada Special Paper 9*, p. 263-269.
- Young, R.V., 1982, Aggregate resource inventory of the Rural Municipality of Brokenhead: Manitoba Department of Energy and Mines Open File Report OF82-5, scale 1:50,000.
- 1983, Aggregate resource inventory of South Riding Mountain area: Manitoba Department of Energy and Mines Open File Report OF83-1, scale 1:50,000.
- 1984, Sand and gravel resources within the southern portion of the L.G.D. of Grahamdale: Manitoba Department of Energy and Mines Preliminary Map 1984SG, scale 1:50,000.
- 1985, Surficial geology and aggregate resource inventory of the Rural Municipality of Whitemouth: Manitoba Department of Energy and Mines Aggregate Report AR84-1, scale 1:50,000.
- Unpublished map data provided by G.G.Conley, J.A. Elson, R.W. Klassen, Erik Nielsen, and J.T. Teller.

MINNESOTA

- Allison, I.S., 1932, The geology and groundwater resources of northwestern Minnesota: Minnesota Geological Survey Bulletin 22, 245 p.
- Bidwell, L.E., Winter, T.C., and Maclay, R.W., 1970 (1971), Water resources of the Red Lake River watershed, northwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-346, scale 1:250,000.
- Bradley, Rita, 1972, Surficial geologic map of Minnesota: Minnesota Geological Survey, unpublished map, scale 1:750,000.

- Clayton, Lee, and Moran. S.R., 1982, Chronology of Wisconsinan glaciation in middle North America: *Quaternary Science Reviews*, v. 1, p. 55–82.
- Fenton, M.M., 1974, The Quaternary stratigraphy of a portion of southeastern Manitoba, Canada: London, University of Western Ontario, Ph.D. dissertation, 286 p.
- Fenton, M.M., Moran. S.R., Teller, J.T., and Clayton, Lee, 1983, Quaternary stratigraphy and history in the southern part of the Lake Agassiz basin, *in* Teller, J.T., and Clayton, Lee, eds., *Glacial Lake Agassiz: Geological Association of Canada Special Paper 26*, p. 49–74.
- Goebel, J.E., 1978, Quaternary geologic map of Minnesota: Minnesota Geological Survey, unpublished map, scale 1:500,000.
- Harris, K.L., 1973, Pleistocene stratigraphy of the Red Lake Falls area, Minnesota: Grand Forks, University of North Dakota, M.S. thesis, 117 p.
- _____, 1975, Pleistocene geology of the Grand Forks–Bemidji area, northwestern Minnesota: Grand Forks, University of North Dakota, Ph.D. dissertation, 142 p.
- _____, 1987, The Quaternary geology of the Grand Forks–Red Lake Falls area, North Dakota and Minnesota: North Dakota Geological Survey Open-File Report OF–87–1, 32 p.
- _____, project manager, 1995, Regional hydrologic assessment—Quaternary geology, southern Red River Valley, Minnesota: Minnesota Geological Survey Hydrological Assessment Series RHA–3, pt. A, 2 sheets, scales 1:200,000 and 1:750,000.
- Harris, K.L., Luther, M.R., and Reid, J.R., eds., 1996, Quaternary geology of the southern Lake Agassiz basin: North Dakota Geological Survey Miscellaneous Series 82, 165 p.
- Harris, K.L., Moran, S.R., and Clayton, Lee, 1974, Late Quaternary stratigraphic nomenclature, Red River valley, North Dakota and Minnesota: North Dakota Geological Survey Miscellaneous Series 52, 47 p.
- Hobbs, H.C., and Goebel, J.E., 1982, Geologic map of Minnesota, Quaternary geology: Minnesota Geological Survey State Map Series S–1, scale 1:500,000.
- Leverett, Frank, 1915, Surface formations and agricultural conditions of northwestern Minnesota, *with a chapter on Climatic conditions of Minnesota* by U.G. Purssell: Minnesota Geological Survey Bulletin 12, 78 p.
- _____, 1932, Quaternary geology of Minnesota and parts of adjacent states, *with contributions by F.W. Sardeson*: U.S. Geological Survey Professional Paper 161, 149 p.
- Maclay, R.W., Winter, T.C., and Bidwell, L.E., 1972 [1973], Water resources of the Red River of the North drainage basin in Minnesota: U.S. Geological Survey Report PB–218 965, 137 p.
- Maclay, R.W., Winter, T.C., and Pike, G.M., 1965, Water resources of the Middle River watershed, northwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA–201, scale 1:250,000.
- _____, 1967, Water resources of the Two Rivers watershed, northwestern Minnesota: U.S. Geological Survey Hydrological Investigations Atlas HA–237, scale 1:250,000.
- Malterer, Thomas, Farnham, R.S., and Grigal, D., no date, Peat deposits in Minnesota: Minneapolis, University of Minnesota Soil Science Department, unpublished map, scale 1:500,000.
- Mickelson, D.M., Clayton, Lee, Fullerton, D.S., and Borns, H.W., Jr., 1983, The late Wisconsin glacial record of the Laurentide ice sheet in the United States, *in* Porter, S.C., ed., *Late-Quaternary environments of the United States*, volume 1, the late Pleistocene: Minneapolis, University of Minnesota Press, p. 3–37.
- Mooers, H.D., 1997, Numerical reconstruction of a soft-bedded Laurentide ice sheet during the last glacial maximum—Comment: *Geology*, v. 25, p. 379–380.
- Mooers, H.D., and Lehr, J.D., 1997, Terrestrial record of Laurentide ice sheet reorganization during Heinrich events: *Geology*, v. 25, p. 987–990.
- _____, 1998, Terrestrial record of Laurentide ice sheet reorganization during Heinrich events—Reply: *Geology*, v. 26, p. 668–669.
- Patterson, C.J., 1997, Southern Laurentide ice lobes were created by ice streams—Des Moines lobe in Minnesota, USA: *Sedimentary Geology*, v. 111, p. 249–261.
- Ropes, L.H., Brown, R.F., and Wheat, D.E., 1969, Reconnaissance of the Red Lake River, Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA–299, scale 1:250,000.

- Sackreiter, D.K., 1975, Quaternary geology of the southern part of the Grand Forks and Bemidji quadrangles: Grand Forks, University of North Dakota, Ph.D. dissertation, 117 p.
- Soller, D.R., 1993, Preliminary map showing the thickness and character of Quaternary sediments in the glaciated United States east of the Rocky Mountains: U.S. Geological Survey Open-File Report 93-543, scale 1:3,500,000.
- 1997, Map showing the thickness and character of Quaternary sediments in the glaciated United States east of the Rocky Mountains—Northern and Central Plains (90° to 102° West Longitude): U.S. Geological Survey Miscellaneous Investigations Series Map I-1970-C, scale 1:1,000,000.
- Teller, J.T., and Fenton, M.M., 1980, Late Wisconsinan glacial stratigraphy and history of southeastern Manitoba: Canadian Journal of Earth Sciences, v. 17, p. 19–35.
- Winter, T.C., Maclay, R.W., and Pike, G.M., 1967, Water resources of the Roseau River watershed, northwestern Minnesota: U.S. Geological Survey Hydrologic Investigations Atlas HA-241, scale 1:250,000.
- NORTH DAKOTA
- Aber, J.S., Bluemle, J.P., Suuchyn, D.J., and Ackerman, D.L., 1991, Great Plains glaciotectonics: North Dakota Geological Survey Miscellaneous Map 31, scale 12,500,000.
- Aber, J.S., Bluemle, J.P., Brigham-Grette, Julie, Dredge, L.A., Sauchyn, D.J., and Ackerman, D.L., 1995, Glaciotectonic map of North America: Geological Society of America Map and Chart Series MCH079, scale 1:6,500,000.
- Aber, J.S., Croot, D.G., and Fenton, M.M., 1989, Glaciotectonic landforms and structures: Dordrecht, Kluwer Academic Publishers, 200 p.
- Andrews, D.A., 1939, Geology and coal resources of the Minot region, North Dakota: U.S. Geological Survey Bulletin 906-B, p. 43–84.
- Arndt, B.M., 1975, Geology of Cavalier and Pembina Counties: North Dakota Geological Survey Bulletin 62, pt. 1, 68 p.
- 1977, Stratigraphy of offshore sediment of Lake Agassiz, North Dakota: North Dakota Geological Survey Report of Investigation 60, 58 p.
- Bluemle, J.P., 1967, Multiple drifts in northeast North Dakota, in Clayton, Lee, and Freers, T.F., eds., Glacial geology of the Missouri Coteau and adjacent areas: North Dakota Geological Survey Miscellaneous Series 30, p. 133–136.
- 1971a, Topographic map of bedrock surface of North Dakota (preliminary map): North Dakota Geological Survey Miscellaneous Map 12, scale 1:500,000.
- 1971b, Depth to bedrock in North Dakota (preliminary map): North Dakota Geological Survey Miscellaneous Map 13, scale 1:500,000.
- 1972, Pleistocene drainage development in North Dakota: Geological Society of America Bulletin, v. 83, p. 2189–2193.
- 1973, Geology of Nelson and Walsh Counties, North Dakota: North Dakota Geological Survey Bulletin 57, pt. 1, 70 p.
- 1977, Geologic highway map of North Dakota: North Dakota Geological Survey Miscellaneous Map 19, scale 1:1,000,000.
- 1982, Geology of McHenry County, North Dakota: North Dakota Geological Survey Bulletin 74, pt. 1, 49 p.
- 1983, Geologic and topographic bedrock map of North Dakota: North Dakota Geological Survey Miscellaneous Map 25, scale 1:670,000.
- 1984, Geology of Towner County, North Dakota: North Dakota Geological Survey Bulletin 79, pt. 1, 44 p.
- 1985, Geology of Bottineau County, North Dakota: North Dakota Geological Survey Bulletin 78, pt. 1, 57 p.
- 1988, Geologic highway map of North Dakota: North Dakota Geological Survey Miscellaneous Map 29, scale 1:1,000,000.
- 1991, The face of North Dakota (revised edition): North Dakota Geological Survey Educational Series 21, 177 p.
- no dates, Glaciotectonic deposits and structures in the Minot and Devils Lake 1° × 2° quadrangles, North Dakota, and the Mauvais Coulee, Sweet Water Lake, and Souris River 1° × 2° quadrangles, North Dakota: North Dakota Geological Survey, unpublished maps, scale 1:250,000.
- Bluemle, J.P., and Clayton, Lee, 1984, Large-scale thrusting and related processes in North Dakota: Boreas, v. 13, p. 279–299.

- Boettger, W.M., 1986, Origin and stratigraphy of Holocene sediments in the Souris and Des Lacs Valleys: Grand Forks, University of North Dakota, M.A. thesis, 186 p.
- Carlson, C.G., and Freers, T.F., 1975, Geology of Benson and Pierce Counties, North Dakota: North Dakota Geological Survey Bulletin 59, pt. 1, 32 p.
- Christiansen, E.A., 1979, The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas: Canadian Journal of Earth Sciences, v. 16, p. 913–938.
- 1980, The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas—Reply: Canadian Journal of Earth Sciences, v. 17, p. 541.
- Clayton, Lee, 1966, Notes on Pleistocene stratigraphy of North Dakota: North Dakota Geological Survey Report of Investigation 44, 25 p.
- 1967, Stagnant-glacier features of the Missouri Coteau in North Dakota, in Clayton, Lee, and Freers, T.F., eds., Glacial geology of the Missouri Coteau and adjacent areas: North Dakota Geological Survey Miscellaneous Series 30, p. 25–46.
- 1972, Geology of Mountrail County, North Dakota: North Dakota Geological Survey Bulletin 55, pt. 4, 77 p.
- Clayton, Lee, and Moran, S.R., 1982, Chronology of late Wisconsinan glaciation in middle North America: Quaternary Science Reviews, v. 1, p. 55–82.
- Clayton, Lee, Moran, S.R., and Bluemle, J.P., 1980, Explanatory text to accompany the geologic map of North Dakota: North Dakota Geological Survey Report of Investigation 69, 93 p.
- Clayton, Lee, Moran, S.R., Bluemle, J.P., and Carlson, C.G., 1980, Geologic map of North Dakota: U.S. Geological Survey, scale 1:500,000.
- Clayton, Lee, Teller, J.T., and Attig, 1985, Surging of the southwestern part of the Laurentide ice sheet: Boreas, v. 14, p. 235–241.
- Colton, R.B., Lemke, R.W., and Lindvall, R.M., 1963, Preliminary glacial map of North Dakota: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-331, scale 1:500,000.
- Croft, M.G., 1985, Ground-water data for McKenzie County, North Dakota: North Dakota Geological Survey Bulletin 80, pt. 2, 455 p.
- Deal, D.E., 1970, Quaternary geology of Rolette County, North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 134 p.
- 1971, Geology of Rolette County, North Dakota: North Dakota Geological Survey Bulletin 58, 89 p.
- Elson, J.A., 1967, Geology of glacial Lake Agassiz, in Mayer-Oakes, W.J., ed., Life, land, and water: Winnipeg, University of Manitoba Press, p. 37–95.
- Fenton, M.M., 1974, The Quaternary stratigraphy of a portion of southeastern Manitoba, Canada: London, University of Western Ontario, Ph.D. dissertation, 286 p.
- Fenton, M.M., Moran, S.R., Teller, J.T., and Clayton, Lee, 1983, Quaternary stratigraphy and history in the southern part of the Lake Agassiz basin, in Teller, J.T., and Clayton, Lee, eds., Glacial Lake Agassiz: Geological Association of Canada Special Paper 26, p. 49–74.
- Fulton, Clark, 1976, The glacial geology of McKenzie County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 100 p.
- Hansen, D.E., and Kume, Jack, 1970, Geology and ground water resources of Grand Forks County—Part I, geology: North Dakota Geological Survey Bulletin 53, pt. 1, 76 p.
- Harris, K.L., 1987, The Quaternary geology of the Grand Forks–Red Lake Falls area, North Dakota and Minnesota: North Dakota Geological Survey Open-File Report OF-87-1, 32 p.
- Harris, K.L., and Luther, Mark, 1991, Surface geology of the Goose River map area: North Dakota Geological Survey Atlas Series AS-14–A1, scale 1:250,000.
- Harris, K.L., Luther, M.R., and Reid, J.R., eds., 1996, Quaternary geology of the southern Lake Agassiz basin: North Dakota Geological Survey Miscellaneous Series 82, 165 p.
- Harris, K.L., Moran, S.R., and Clayton, Lee, 1974, Late Quaternary stratigraphic nomenclature, Red River valley, North Dakota and Minnesota: North Dakota Geological Survey Miscellaneous Series 52, 47 p.
- Hobbs, H.C., 1975, Glacial stratigraphy of northeastern North Dakota: Grand Forks, University of North Dakota, Ph.D. dissertation, 42 p.
- Hobbs, H.C., and Bluemle, J.P., 1987, Geology of Ramsey County, North Dakota: North

- Dakota Geological Survey Bulletin 71, pt. 1, 69 p.
- Holowaychuk, Nicholas, and Bostright, W.C., 1938, Erosion and related land use conditions in the Minot area, North Dakota: U.S. Department of Agriculture, Soil Conservation Service, 37 p.
- Hutchinson, R.D., 1977, Ground water basic data for Ramsey County, North Dakota: North Dakota Geological Survey Bulletin 71, pt. 2, 344 p.
- Kehew, A.E., 1982, Catastrophic flood hypothesis for the origin of the Souris spillway, Saskatchewan and North Dakota: Geological Society of America Bulletin, v. 93, p. 1051–1058.
- 1983, Geology and geotechnical conditions of the Minot area, North Dakota: North Dakota Geological Survey Report of Investigation 73, 35 p.
- Kehew, A.E., and Clayton, Lee, 1983, Late Wisconsinan floods and development of the Souris-Pembina spillway system in Saskatchewan, North Dakota, and Manitoba, *in* Teller, J.T., and Clayton, Lee, eds., Glacial Lake Agassiz: Geological Association of Canada Special Paper 26, p. 187–209.
- Kehew, A.E., and Lord, M.L., 1986, Origin and large-scale erosional features of glacial-lake spillways in the northern Great Plains: Geological Society of America Bulletin, v. 97, p. 162–177.
- 1987, Glacial-lake outbursts along the mid-continent margins of the Laurentide ice sheet, *in* Mayer, L., and Nash, D., eds., Catastrophic flooding: Boston, Allen and Unwin, p. 95–120.
- Kehew, A.E., and Teller, J.T., 1994, History of late glacial runoff along the southern margin of the Laurentide ice sheet: Quaternary Science Reviews, v. 13, p. 859–877.
- Klassen, R.W., 1983, Chronology of late Wisconsinan glaciation in middle North America—A discussion: Quaternary Science Reviews, v. 1, no. 4, p. xxiii–xxvii.
- Lemke, R.W., 1958, Narrow linear drumlins near Velva, North Dakota: American Journal of Science, v. 256, p. 270–283.
- 1960, Geology of the Souris River area, North Dakota: U.S. Geological Survey Professional Paper 352, 138 p.
- Lemke, R.W., and Kaye, C.A., 1958, Two tills in the Donnybrook area, North Dakota, *in* Laird, W.M., Lemke, R.W., and Hansen, Miller, eds., Guidebook, Mid-western Friends of the Pleistocene, Ninth Annual Field Conference: North Dakota Geological Survey Miscellaneous Series 10, p. 93–98.
- Lemke, R.W., Laird, W.M., Tipton, M.J., and Lindvall, R.M., 1965, Quaternary geology of the northern Great Plains, *in* Wright, H.E., Jr., and Frey, D.G., eds., The Quaternary of the United States: Princeton, N.J., Princeton University Press, p. 15–27.
- Lord, M.L., 1984, Paleohydraulics of Pleistocene drainage development of the Souris, Des Lacs, and Moose Mountain spillways, Saskatchewan and North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 162 p.
- 1988a, Glacial Lake Souris—The history and sedimentology of a lake inundated by discharges from a glacial-lake outburst: Grand Forks, University of North Dakota, Ph.D. dissertation, 200 p.
- 1988b, Surface geology of the Souris River map area: North Dakota Geological Survey Atlas Series AS-4-A1, scale 1:250,000.
- 1991, Depositional record of a glacial-lake outburst—Glacial Lake Souris, North Dakota: Geological Society of America Bulletin, v. 103, p. 290–299.
- Lord, M.L., and Kehew, A.E., 1987, Sedimentology and paleohydrology of glacial-lake outburst deposits in southeastern Saskatchewan and northwestern North Dakota: Geological Society of America Bulletin, v. 99, p. 663–673.
- Mickelson, D.M., Clayton, Lee, Fullerton, D.S., and Borns, H.W., Jr., 1983, The late Wisconsin glacial record of the Laurentide ice sheet in the United States, *in* Porter, S.C., ed., Late-Quaternary environments of the United States, volume 1, the late Pleistocene: Minneapolis, University of Minnesota Press, p. 3–37.
- Moran, S.R., Arndt, B.M., Bluemle, J.P., Camara, Michael, Clayton, Lee, Fenton, M.M., Harris, K.L., Hobbs, H.C., Keatinge, R., Sackreiter, D.K., Salomon, N.L., and Teller, J., 1976, Quaternary stratigraphy and history of North Dakota, southern Manitoba, and northwestern Minnesota, *in* Mahaney, W.C., ed., Quaternary stratigraphy of North America: Stroudsburg, Pennsylvania, Dowden, Hutchinson, and Ross, p. 133–158.
- Moran, S.R., and Clayton, Lee, 1984, Chronology of late Wisconsinan glaciation in middle North America—Reply to the

- comments of R.W. Klassen: *Quaternary Science Reviews*, v. 3, no. 2/3, p. i–vi.
- Moran, S.R., Clayton, Lee, Hooke, R.L., Fenton, M.M., and Andriashek, L.D., 1980, Glacier-bed landforms of the prairie region of North America: *Journal of Glaciology*, v. 25, no. 93, p. 457–476.
- Moran, S.R., Clayton, Lee, Scott, M.W., and Brophy, J.A., 1973, Catalog of North Dakota radiocarbon dates: North Dakota Geological Survey Miscellaneous Series 53, 51 p.
- Moran, S.R., Harris, K.L., Deal, D.E., and Bluemle, J.P., 1985, Geologic map of Bottineau County, plate 1 in Bluemle, J.P., 1985, *Geology of Bottineau County*, North Dakota: North Dakota Geological Survey Bulletin 78, pt. 1, scale 1:62,500.
- Muhs, D.R., Stafford, T.W., Jr., Been, Josh, Mahan, S.A., Burdett, James, Skipp, Gary, and Rowland, Z.M., 1997, Holocene eolian activity in the Minot dune field, North Dakota: *Canadian Journal of Earth Sciences*, v. 34, p. 1442–1459.
- Nielson, D.N., 1969, Washboard moraines in northeastern North Dakota: Grand Forks, University of North Dakota, M.A. thesis, 51 p.
- 1970, Washboard moraines in northeastern North Dakota: *The Compass*, v. 47, p. 154–162.
- Pettyjohn, W.A., 1967, Multiple drift sheets in southwestern Ward County, North Dakota, in Clayton, Lee, and Freers, T.F., eds, *Glacial geology of the Missouri Coteau and adjacent areas*: North Dakota Geological Survey Miscellaneous Series 30, p. 123–129.
- Sackreiter, D.K., 1973, Latest Cenozoic stratigraphy of Lake Sakakawea area, northwestern Mercer County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 66 p.
- Salomon, N.L., 1974, *Geology of northwestern McKenzie County, North Dakota*: Grand Forks, University of North Dakota, senior thesis, 36 p.
- 1975, Glacial stratigraphy of northeastern North Dakota: North Dakota Academy of Science Proceedings, v. 27, pt. 2, p. 23–29.
- 1976a, Late Cenozoic drainage evolution in northwestern McKenzie County, North Dakota: North Dakota Academy of Science Proceedings, v. 28, pt. 2, p. 44–49.
- 1976b, Pleistocene stratigraphy of Cavalier and Pembina Counties and adjacent areas, in Arndt, B.M., *Geology of Cavalier and Pembina Counties*: North Dakota Geological Survey Bulletin 62, pt. 1, p. 40–57.
- Schnacke, A.W., 1982, Glacial geology and stratigraphy of southeastern Pierce and southwestern Benson Counties, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 138 p.
- Schulte, F.J., 1966, The Edinburg moraine of northeastern North Dakota: North Dakota Academy of Science Proceedings, v. 19, p. 45–53.
- Soller, D.R., 1993, Preliminary map showing the thickness and character of Quaternary sediments in the glaciated United States east of the Rocky Mountains: U.S. Geological Survey Open-File Report 93–543, scale 1:3,500,000.
- 1997, Map showing the thickness and character of Quaternary sediments in the glaciated United States east of the Rocky Mountains—Northern and Central Great Plains (90° to 102° West Longitude): U.S. Geological Survey Miscellaneous Investigations Series Map I–1970–C, scale 1:1,000,000.
- Teller, J.T., Moran, S.R., and Clayton, Lee, 1980, The Wisconsin deglaciation of southern Saskatchewan and adjacent areas—Discussion: *Canadian Journal of Earth Sciences*, v. 17, p. 539–541.
- Ulmer, J.H., 1973, Quaternary stratigraphy of Lake Sakakawea area, McLean County, North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 57 p.
- Ulmer, J.H., and Sackreiter, D.K., 1973, Late Cenozoic stratigraphy of the Lake Sakakawea bluffs north and west of Riverdale, North Dakota: North Dakota Geological Survey Report of Investigation 51.
- Unpublished map data provided by R.B. Colton and R.W. Lemke.

SASKATCHEWAN

- Aber, J.S., Bluemle, J.P., Sauchyn, D.J., and Ackerman, D.L., 1991, Great Plains glaciotectonics: North Dakota Geological Survey Miscellaneous Map 31, scale 1:2,500,000.
- Aber, J.S., Bluemle, J.P., Brigham-Grette, Julie, Dredge, L.A., Sauchyn, D.J., and Ackerman, D.L., 1995, Glaciotectonic map of North

- America: Geological Society of America Map and Chart Series MCH079, scale 1:6,500,000.
- Aber, J.S., Croot, D.G., and Fenton, M.M., 1989, Glaciotectonic landforms and structures: Boston, Kluwer Academic Publishers, 200 p.
- Anonymous, 1986a, Surficial geology of the Melville area (62 K,L), Saskatchewan: Saskatchewan Research Council Sedimentary Resources Map, scale 1:250,000.
- 1986b, Surficial geology of the Yorkton area (62 M,N), Saskatchewan: Saskatchewan Research Council Sedimentary Resources Map, scale 1:250,000.
- Barendregt, R.W., Thomas, F.F., Irving, E., Baker, J., Stalker, A.M., and Churcher, C.S., 1991, Stratigraphy and paleomagnetism of the Jaw Face section, Wellsch Valley site, Saskatchewan: Canadian Journal of Earth Sciences, v. 28, p. 1353–1364.
- Cherry, J.A., 1966, Geology of the Yorkton area, Saskatchewan: Urbana, University of Illinois, Ph.D. dissertation, 118 p.
- Cherry, J.A., and Whitaker, S.H., 1969, Geology and groundwater resources of the Yorkton area (62–M,N), Saskatchewan: Saskatchewan Research Council Geology Division Map 9, scale 1:250,000.
- Christiansen, E.A., 1956, Glacial geology of the Moose Mountain area, Saskatchewan: Saskatchewan Department of Mineral Resources Report 21, 35 p.
- 1960, Geology and ground-water resources of the Qu'Appelle area, Saskatchewan: Saskatchewan Research Council Geology Division Report 1, 53 p.
- 1965, Preglacial valleys in southern Saskatchewan: Saskatchewan Research Council Geology Division Map 3, scale 1:1,520,640.
- 1968, Pleistocene stratigraphy of the Saskatoon area, Saskatchewan, Canada: Canadian Journal of Earth Sciences, v. 5, p. 1167–1173.
- 1971a, Geology and groundwater resources of the Melville area (62–K,L), Saskatchewan: Saskatchewan Research Council Geology Division Map 12, scale 1:250,000.
- 1971b, Tills in southern Saskatchewan, Canada, in Goldthwait, R.P., ed., Till, a symposium: Columbus, Ohio State University Press, p. 167–183.
- 1972a, Southern Saskatchewan, in Rutter, N.W., and Christiansen, E.A., eds., Quaternary geology and geomorphology between Winnipeg and the Rocky Mountains: International Geological Congress Guidebook, 24th session, Montreal, Quebec, excursion C–22, p. 24–31.
- 1972b, ed., Guidebook on geology and its application to engineering practice in the Qu'Appelle Valley area: Regina Geotechnical Group and Saskatchewan Geological Society Field Trip Guidebook, 55 p.
- 1979, The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas: Canadian Journal of Earth Sciences, v. 16, p. 913–938.
- 1980, The Wisconsinan deglaciation of southern Saskatchewan and adjacent areas—Reply: Canadian Journal of Earth Sciences, v. 17, p. 541.
- 1991, Quaternary stratigraphy of southern Saskatchewan, Canada: Saskatoon, E.A. Christiansen Consulting, Limited, unpublished manuscript, 46 p.
- 1992, Pleistocene stratigraphy of the Saskatoon area, Saskatchewan, Canada—An update: Canadian Journal of Earth Sciences, v. 29, p. 1767–1778.
- Clayton, Lee, and Moran, S.R., 1982, Chronology of late Wisconsinan glaciation in middle North America: Quaternary Science Reviews, v. 1, p. 55–82.
- David, P.P., 1977, Sand dune occurrences of Canada—A theme and resource inventory study of eolian landforms in Canada: Canada Department of Indian and Northern Affairs, National Parks Branch, Contract 74–230, Report, 183 p.
- Elson, J.A., 1962, Surficial geology, Virden, Manitoba and Saskatchewan: Geological Survey of Canada Map 39–1961, scale 1:126,720.
- Fulton, R.J., 1996, Surficial geology, Elkhorn area, Manitoba-Saskatchewan (62F/14): Geological Survey of Canada Open File 3232, scale 1:50,000.
- Johnston, W.A., Wickenden, R.T.D., and Weir, J.D., 1948, Surface deposits, southern Saskatchewan: Geological Survey of Canada Paper 48–18, scale 1:375,000.
- Kehew, A.E., 1982, Catastrophic flood hypothesis for the origin of the Souris spillway, Saskatchewan and North Dakota:

- Geological Society of America Bulletin, v. 93, p. 1051–1058.
- Kehew, A.E., and Clayton, Lee, 1983, Late Wisconsinan floods and development of the Souris-Pembina spillway system in Saskatchewan, North Dakota, and Manitoba, *in* Teller, J.T., and Clayton, Lee, eds., Glacial Lake Agassiz: Geological Association of Canada Special Paper 26, p. 187–209.
- Kehew, A.E., and Lord, M.L., 1986, Origin and large-scale erosional features of glacial-lake spillways in the northern Great Plains: Geological Society of America Bulletin, v. 97, p. 162–177.
- 1987, Glacial-lake outbursts along the mid-continent margins of the Laurentide ice sheet, *in* Mayer, L., and Nash, D., eds., Catastrophic flooding: Boston, Allen and Unwin, p. 95–120.
- Kehew, A.E., and Teller, J.T., 1994, History of late glacial runoff along the southern margin of the Laurentide ice sheet: Quaternary Science Reviews, v. 13, p. 859–877.
- Klassen, R.W., 1966, The surficial geology of the Riding Mountain area, Manitoba-Saskatchewan: Saskatoon, University of Saskatchewan, Ph.D. dissertation, 162 p.
- 1972, Wisconsin events and the Assiniboine and Qu'Appelle Valleys of Manitoba and Saskatchewan: Canadian Journal of Earth Sciences, v. 9, p. 544–560.
- 1975, Quaternary geology and geomorphology of Assiniboine and Qu'Appelle Valleys of Manitoba and Saskatchewan: Geological Survey of Canada Bulletin 228, 61 p.
- 1979, Pleistocene geology and geomorphology of the Riding Mountain and Duck Mountain areas, Manitoba-Saskatchewan: Geological Survey of Canada Memoir 396, 52 p.
- 1983a, Assiniboine delta and the Assiniboine-Qu'Appelle valley system—Implications concerning the history of Lake Agassiz in southwestern Manitoba, *in* Teller, J.T., and Clayton, Lee, eds., Glacial Lake Agassiz: Geological Association of Canada Special Publication 26, p. 211–229.
- 1983b, Chronology of late Wisconsinan glaciation in middle North America—A discussion: Quaternary Science Reviews, v. 1, no. 4, p. xxiii–xxvii.
- 1989, Quaternary geology of the southern Canadian Interior Plains, *in* ch. 2 of Fulton, R.J., ed., Quaternary geology of Canada and Greenland: Geological Survey of Canada, Geology of Canada, no. 1 (*also* Geological Society of America, The Geology of North America, v. K-1), p. 138–172.
- 1992, Nature, origin, and age relationships of landscape complexes in southwestern Saskatchewan: Géographie physique et Quaternaire, v. 46, p. 361–388.
- Lord, M.L., 1984, Paleohydraulics of Pleistocene drainage development of the Souris, Des Lacs, and Moose Mountain spillways, Saskatchewan and North Dakota: Grand Forks, University of North Dakota, M.S. thesis, 162 p.
- 1988, Glacial Lake Souris—The history and sedimentology of a lake inundated by discharges from a glacial-lake outburst: Grand Forks, University of North Dakota, Ph.D. dissertation, 200 p.
- Lord, M.L., and Kehew, A.E., 1987, Sedimentology and paleohydrology of glacial-lake outburst deposits in southeastern Saskatchewan and northwestern North Dakota: Geological Society of America Bulletin, v. 99, p. 663–673.
- Lowdon, J.A., and Blake, W., Jr. 1973, Geological Survey of Canada radiocarbon dates XIII: Geological Survey of Canada Paper 73-7, 61 p.
- McCallum, K.J., and Wittenberg, J., 1962, University of Saskatchewan radiocarbon dates III: Radiocarbon, v. 4, p. 71–80.
- 1968, University of Saskatchewan radiocarbon dates V: Radiocarbon, v. 10, p. 365–378.
- Mitchell, J., Moss, H.C., and Clayton, J.S., 1947, Soil survey of southern Saskatchewan from Township 1 to 48 inclusive: Saskatoon, University of Saskatchewan, College of Agriculture, Soil Survey Report 12, 259 p.
- Moran, S.R., and Clayton, Lee, 1984, Chronology of late Wisconsinan glaciation in middle North America—Reply to the comments of R.W. Klassen: Quaternary Science Reviews, v. 3, no. 2/3, p. i–vi.
- Moran, S.R., Clayton, Lee, Fenton, M.M., and Andriashek, L.D., 1980, Glacier-bed landforms of the prairie region of North America: Journal of Glaciology, v. 25, no. 93, p. 457–476.
- Rutherford, A.A., Wittenberg, Jurgen, and Gordon, B.C., 1984, University of Saskatchewan radiocarbon dates X: Radiocarbon, v. 26, p. 241–292.
- Rutherford, A.A., Wittenberg, Jurgen, and McCallum, K.J., 1975, University of

- Saskatchewan radiocarbon dates VI [sic]: Radiocarbon, v. 17, p. 328–353.
- Sauer, E.K., 1978, The engineering significance of glacial ice-thrusting: Canadian Geotechnical Journal, v. 15, p. 457–472.
- Sauer, E.K., Egeland, A.K., and Christiansen, E.A., 1993, Preconsolidation of tills and intertill clays by glacial loading in southern Saskatchewan, Canada: Canadian Journal of Earth Sciences, v. 30, p. 420–433.
- Schreiner, B.T., 1990, Lithostratigraphic correlation of Saskatchewan tills—A mirror image of Cretaceous bedrock: Saskatchewan Research Council Publication R1210–3–E–90, v. 1, p. 1–114, v. 2, p. 115–286 [also, 1990, Saskatoon, University of Saskatchewan, Ph.D. dissertation].
- Simpson, M.A., 1987, Surficial geology of the Weyburn area (62 E,F), Saskatchewan: Saskatchewan Research Council Sedimentary Resources Map, scale 1:250,000.
- Sun, Stephen, and Fulton, R.J., 1996, Surficial geology, Gainsborough area, Manitoba-Saskatchewan (62F/3): Geological Survey of Canada Open File 3233, scale 1:50,000.
- Teller, J.T., Moran, S.R., and Clayton, Lee, 1980, The Wisconsin deglaciation of southern Saskatchewan and adjacent areas—Discussion: Canadian Journal of Earth Sciences, v. 17, p. 539–541.
- Whitaker, S.H., and Christiansen, E.A., 1972, The Empress Group in southern Saskatchewan: Canadian Journal of Earth Sciences, v. 9, p. 353–360.
- Williams, M.Y., 1929, The physiography of the southwestern plains of Canada: Royal Society of Canada Transactions, ser. 3, sect. 4, p. 61–79.
- Williams, M.Y., and Dyer, W.S., 1930, Geology of southern Alberta and Saskatchewan: Geological Survey of Canada Memoir 163, 160 p.
- Wolfe, Brent, 1993, Geological history of glacial Lake Assiniboine, Saskatchewan: Winnipeg, University of Manitoba, M.S. thesis, 391 p.
- Wolfe, Brent, and Teller, J.T., 1995, Sedimentation in ice-dammed glacial Lake Assiniboine, Saskatchewan, and catastrophic drainage down the Assiniboine Valley: Géographie physique et Quaternaire, v. 49, p. 251–263.

SUPPLEMENTAL REFERENCES FOR TABLES 1 AND 2 NOT LISTED IN SOURCES OF INFORMATION

- Aguirre, Emiliano, and Pasini, Giancarlo, 1985, The Pliocene-Pleistocene boundary: Episodes, v. 8, p. 116–120.
- Bard, Edouard, Arnold, Maurice, Fairbanks, R.G., and Hamelin, Bruno, 1993, ^{230}Th - ^{234}U and ^{14}C ages obtained by mass spectrometry on corals: Radiocarbon, v. 35, no. 1, p. 191–199.
- Bard, Edouard, Hamelin, Bruno, Fairbanks, R.G., and Zindler, Alan, 1990a, Calibration of the ^{14}C timescale over the past 30,000 years using mass spectrometric U-Th ages from Barbados corals: Nature, v. 345, p. 405–410.
- Bard, Edouard, Hamelin, Bruno, Fairbanks, R.G., Zindler, Alan, Mathieu, Guy, and Arnold, Maurice, 1990b, U-Th and ^{14}C ages of corals from Barbados and their use for calibrating the ^{14}C time scale beyond 9000 years B.P.: Nuclear Instruments and Methods in Physics Research, v. B52, p. 461–468.
- Bassinot, F.C., Labeyrie, L.D., Vincent, Edith, Quidelleur, Xavier, Shackleton, N.J., and Lancelot, Yves, 1994, The astronomical theory of climate and the age of the Brunhes-Matuyama magnetic reversal: Earth and Planetary Science Letters, v. 126, p. 91–108.
- Berger, W.H., Yasuda, M.K., Bickert, Torsten, Wefer, Gerold, and Takayama, Toshiaki, 1994, Quaternary time scale for the Ontong Java Plateau—Milankovitch template for Ocean Drilling Program site 806: Geology, v. 22, p. 463–467.
- Berggren, W.A., Hilgen, F.J., Langereis, C.G., Kent, D.V., Obradovich, J.D., Raffi, Isabella, Raymo, M.E., and Shackleton, N.J., 1995, Late Neogene chronology—New perspectives in high-resolution stratigraphy: Geological Society of America Bulletin, v. 107, p. 1272–1287.
- Berggren, W.A., Kent, D.V., Swisher, C.C., III, and Aubry, Marie-Pierre, 1995, A revised Cenozoic geochronology and chronostratigraphy, in Berggren, W.A., Kent, D.V., Aubry, Marie-Pierre, and Hardenbol, Jan, eds., Geochronology, time scales, and global stratigraphic correlation:

- SEPM (Society for Sedimentary Geology) Special Publication 54, p. 1272–1287.
- Chen, Jiajie, Farrell, J.W., Murray, D.W., and Prell, W.L., 1995, Timescale and paleoceanographic implications of a 3.6 m.y. oxygen isotope record from the northeast Indian Ocean (Ocean Drilling Program site 758): *Paleoceanography*, v. 10, p. 21–47.
- Clark, P.U., Licciardi, J.M., MacAyeal, D.R., and Jenson, J.W., 1996, Numerical reconstruction of a soft-bedded Laurentide ice sheet during the last glacial maximum: *Geology*, v. 24, p. 679–682.
- , 1997, Numerical reconstruction of a soft-bedded Laurentide ice sheet during the last glacial maximum—Reply: *Geology*, v. 25, p. 380–381.
- Dyke, A.S., Dredge, L.A., and Vincent, Jean-Serge, 1982, Configuration and dynamics of the Laurentide ice sheet during the late Wisconsin maximum: *Géographie physique et Quaternaire*, v. 36, p. 5–14.
- Dyke, A.S., and Prest, V.K., 1987, Late Wisconsinan and Holocene history of the Laurentide ice sheet: *Géographie physique et Quaternaire*, v. 41, p. 237–263.
- Fullerton, D.S., Bluemle, J.P., Clayton, Lee, Steece, F.V., Tipton, M.J., Bretz, Richard, and Goebel, J.E., 1995, Quaternary geologic map of the Dakotas 4° × 6° quadrangle, United States: U.S. Geological Survey Miscellaneous Investigations Series Map I–1420 (NL–14), 9 p., map scale 1:1,000,000.
- Ganasecki, C.A., Mahood, G.A., and McWilliams, M., 1998, New ages for the climactic eruptions at Yellowstone—Single-crystal ⁴⁰Ar/³⁹Ar dating identifies contamination: *Geology*, v. 26, p. 343–346.
- Hughes, T.J., 1985, The great Cenozoic ice sheet: *Palaeogeography, Palaeoclimatology, and Palaeoecology*, v. 50, p. 9–43.
- , 1987, Ice dynamics and deglaciation models when ice sheets collapsed, *in* Ruddiman, W.F., and Wright, H.E., Jr., eds., *North America and adjacent oceans during the last deglaciation*: Geological Society of America, *The Geology of North America*, v. K–3, p. 183–220.
- Izett, G.A., Pierce, K.L., Naeser, N.D., and Jaworowski, Cheryl, 1992, Isotopic dating of Lava Creek B tephra in terrace deposits along the Wind River, Wyoming—Implications for post 0.6 Ma uplift of the Yellowstone hotspot: *Geological Society of America Abstracts with Programs*, v. 24, no. 7, p. A102.
- Johnston, W.A., 1935, Western extension of Patrician glaciation: *Pan-American Geologist*, v. 68, p. 13–18.
- Lanphere, M.A., Champion, D.E., Clynne, M.A., and Muffler, L.J.P., 1999, Revised age of the Rockland tephra, northern California—Implications for climate and stratigraphic reconstructions in the western United States: *Geology*, v. 27, p. 135–138.
- Lourens, L.J., Hilgen, F.J., Raffi, Isabella, and Vergnaud-Grazzini, C., 1996, Early Pleistocene chronology of the Vrica section (Calabria, Italy): *Paleoceanography*, v. 11, p. 797–812.
- Martinson, D.G., Pisias, N.G., Hays, J.D., Imbrie, John, Moore, T.C., Jr., and Shackleton, N.J., 1987, Age dating and the orbital theory of the ice ages—Development of a high-resolution 0 to 300,000-year chronostratigraphy: *Quaternary Research*, v. 27, p. 1–29.
- Mauz, Barbara, 1998, The onset of the Quaternary—A review of new findings in the Pliocene-Pleistocene chronostratigraphy: *Quaternary Science Reviews*, v. 17, p. 357–364.
- Mooers, H.D., 1997, Numerical reconstruction of a soft-bedded Laurentide ice sheet during the last glacial maximum—Comment: *Geology*, v. 25, p. 379–380.
- Obradovich, J.D., 1992, Geochronology of the late Cenozoic volcanism of Yellowstone National Park and adjoining areas, Wyoming and Idaho: U.S. Geological Survey Open-File Report 92–408, 45 p.
- Obradovich, J.D., and Izett, G.A., 1991, ⁴⁰Ar/³⁹Ar ages of upper Cenozoic Yellowstone Group tuffs: *Geological Society of America Abstracts with Programs*, v. 23, no. 2, p. 84.
- Partridge, T.C. 1997, Reassessment of the position of the Plio-Pleistocene boundary—Is there a case for lowering it to the Gauss-Matuyama palaeomagnetic reversal?: *Quaternary International*, v. 40, p. 5–10.
- Pringle, M.S., Coe, R.S., and Singer, B.S., 1995, Misidentified polarity transitions from Maui and Jaramillo Creek—The need for complete stratigraphic and geochronologic control [abstract]: *EOS (American Geophysical Union Transactions)*, v. 76, no. 46, supplement, p. F176.
- Renne, P.R., Deino, A.L., Walter, R.C. Turrin, B.D., Swisher, C.C., III, Becker, T.A., Curtis, G.H., Sharp, W.D., and Jaouni, Abdur-Rahim, 1994, Intercalibration of

- astronomical and radioisotopic time: *Geology*, v. 22, p. 783–786.
- Rieck, H.J., Sarna-Wojcicki, A.M., Meyer, C.E., and Adam, D.P., 1992, Magnetostratigraphy and tephrochronology of an upper Pliocene to Holocene record in lake sediments at Tulelake, northern California: *Geological Society of America Bulletin*, v. 104, p. 409–428.
- Sarna-Wojcicki, A.M., Meyer, C.E., Bowman, H.R., Hall, N.T., Russell, P.C., Woodward, M.J., and Slate, J.L., 1985, Correlation of the Rockland ash bed, a 400,000-year-old stratigraphic marker in northern California and western Nevada, and implications for middle Pleistocene paleogeography of central California: *Quaternary Research*, v. 23, p. 236–257.
- Schwarcz, H.P., and Zymela, Steve, 1985, ESR dating of Pleistocene teeth from Alberta, Canada, *in* Ikeya, M., and Miki, T., eds., *ESR dating and dosimetry*: Tokyo, Ionics Publications Company, Limited, p. 325–333.
- Shilts, W.W., 1980, Flow patterns in the central North American ice sheet: *Nature*, v. 286, p. 213–218.
- _____, 1985, Geological models for the configuration, history, and style of disintegration of the Laurentide ice sheet, *in* Woldenberg, M.J., ed., *Models in geomorphology*: Boston, Allen and Unwin, p. 73–91.
- Suc, Jean-Pierre, Bertini, Adele, Leroy, S.A.G., and Suballyova, Danica, 1997, Towards the lowering of the Pliocene/Pleistocene boundary to the Gauss-Matuyama reversal: *Quaternary International*, v. 40, p. 37–42.
- Tauxe, L., Herbert, T., Shackleton, N.J., and Kok, Y.S., 1996, Astronomical calibration of the Matuyama-Brunhes boundary—Consequences for magnetic remanence acquisition in marine carbonates and the Asian loess sequences: *Earth and Planetary Science Letters*, v. 140, p. 133–146.
- Tyrrell, J.B., 1913 [1914], The Patrician glacier south of Hudson Bay: *International Geological Congress, XII session, Canada, Compte Rendu*, p. 523–534.
- Zymela, Steve, 1986, ESR dating of Pleistocene deposits: Hamilton, Ontario, McMaster University, B.S. thesis, 118 p.
- Zymela, Steve, Schwarcz, H.P., Grun, Rainer, Stalker, A.M., and Churcher, C.S., 1988, ESR dating of Pleistocene fossil teeth from Alberta and Saskatchewan: *Canadian Journal of Earth Sciences*, v. 25, p. 235–245.