


Base from U.S. Geological Survey, 1964



Data as of May 1975



INDEX TO TOPOGRAPHIC MAPPING  
IN LEADVILLE 1°x2° QUADRANGLE

## PRELIMINARY MAP OF LANDSLIDE DEPOSITS, LEADVILLE 1°x2° QUADRANGLE, COLORADO

By  
Roger B. Colton, Jeffrey A. Holligan, Larry W. Anderson  
and Penny E. Patterson  
1975



1°x2° QUADRANGLES  
INCLUDED IN LANDSLIDE STUDY

### EXPLANATION



Areas inferred to be underlain by landslide deposits resulting from landsliding, avalanching, block sliding, debris sliding or flowing, earthflows, mudflows, rocksliding, rockfalls, rotational slides, slab or flake sliding, slumping, talus accumulation, and translational sliding. Rock glacier deposits, colluvium, and solifluction deposits are included in some areas. Some till is mapped with landslide deposits because distinguishing these two deposits from one another is difficult. Furthermore, in some areas till has failed by landsliding and other types of mass movements. Movement within the deposits varies from none to rapid; rates of movement may also be variable in any given landslide within the same year. Ages of deposits range from early Pleistocene to Holocene.


### FACTORS AFFECTING MAP ACCURACY\*

Landslide deposits that formed since the aerial photographs were taken are not shown. Landslides are more difficult to recognize in heavily forested areas and consequently such areas are less accurately mapped than nonforested areas. Map accuracy varies according to the quality of aerial photographs used. Haze, cloud cover, poor sun angle, and shadows make photointerpretation difficult. Mapping of landslides by photointerpretation presents many problems such as: distinction between terrace-shaped slump-type landslide deposits and alluvial terrace deposits where both are adjacent to stream courses; recognition of landslide deposit boundaries (the upslope boundary is commonly defined by an easily recognized scarp but the toe or downslope boundary is seldom well defined and thus is difficult to locate exactly); recognition of stable masses of bedrock surrounded by landslide deposits, especially where only a small knob projects through; and separation of landslide deposits from glacial deposits.

### SUGGESTIONS FOR MAP USERS\*

This map should not be used to determine the probability of future landsliding, as geologic and climatic changes during the past few hundred thousand years have altered slope stability and because this map does not provide information regarding composition and type of movement of individual landslide deposits. Therefore, the map is not a substitute for careful detailed large-scale site investigations by engineering geologists and soils engineers. Areas susceptible to landslide and related activity should be carefully studied before any development begins. This map has been prepared to provide a regional context for interpreting detailed site investigations and should be used in conjunction with topographic, slope, surficial, bedrock, and soils maps, aerial photographs, and other available information. The limitations of this map should be obvious inasmuch as one inch (2.54 cm) on the map equals approximately 3.9 miles (6.4 km) on the ground.

\*Modified from Nilsen, T. H., 1972, Preliminary photointerpretation map of landslide and other surficial deposits of the Mount Hamilton quadrangle and parts of the Mount Boardman and San Jose quadrangles, Alameda and Santa Clara Counties, California: U.S. Geol. Survey Misc. Field Studies Map MF-339.



### SOURCES OF INFORMATION

Vertical and oblique aerial photographs covering the entire quadrangle at various scales (1:60,000 and larger) and in various years were interpreted by R. B. Colton in 1975. Most aerial photographs used are small-scale (1:60,000) Army Map Service Project 137AV, 1954-55 (available from U.S. Geological Survey).

1. Bass, N. W., and Northrop, S. A., 1963, Geology of Glenwood Springs quadrangle and vicinity, northwestern Colorado: U.S. Geol. Survey Bull. 1142-I, pl. 1.
2. Bryant, B. H., 1969, Geologic map of the Maroon Bells quadrangle, Pitkin and Gunnison Counties, Colorado: U.S. Geol. Survey Geol. Map Q-788.
3. Bryant, B. H., 1970, Geologic map of the Hayden Peak quadrangle, Pitkin and Gunnison Counties, Colorado: U.S. Geol. Survey Geol. Quad Map Q-863.
4. Bryant, B. H., 1971, Geologic map of the Aspen quadrangle, Pitkin County, Colorado: U.S. Geol. Survey Geol. Quad. Map Q-933.
5. Bryant, B. H., 1972, Geologic map of the Highland Peak quadrangle, Pitkin County, Colorado: U.S. Geol. Survey Geol. Quad. Map Q-932.
6. Freeman, V. L., 1972, Geologic map of the Woody Creek quadrangle, Pitkin and Eagle Counties, Colorado: U.S. Geol. Survey Geol. Quad Map Q-967.
7. Freeman, V. L., 1972, Geologic map of the Ruedi quadrangle, Pitkin and Eagle Counties, Colorado: U.S. Geol. Survey Geol. Quad. Map Q-1004.
8. Freeman, V. L., unpub. data.
9. Gaskill, D. L., and Godwin, L. H., 1966, Geologic map of the Marble quadrangle, Gunnison and Pitkin Counties, Colorado: U.S. Geol. Survey Geol. Quad. Map Q-312.
10. Godwin, L. H., 1968, Geologic map of the Chair Mountain quadrangle, Gunnison and Pitkin Counties, Colorado: U.S. Geol. Survey Geol. Quad. Map Q-704.
11. Lovering, T. S., and Tweto, O. L., 1944, Preliminary report on geology and ore deposits of the Minturn quadrangle, Colorado: U.S. Geol. Survey Strategic Minerals Inv. Open-file Report, pl. 1.
12. Moench, R. H., and Reed, J. C., Jr., unpub. data.
13. Mutschler, F. E., 1970, Geologic map of the Snowmass Mountain quadrangle, Pitkin and Gunnison Counties, Colorado: U.S. Geol. Survey Geol. Quad. Map Q-853.
14. Tweto, O. L., 1973, Reconnaissance geologic map of the Dillon 15-minute quadrangle, Summit, Eagle, and Grand Counties, Colorado: U.S. Geol. Survey Open-file Map.
15. Tweto, O. L., and Reed, J. C., Jr., 1973, Reconnaissance geologic map of the Mount Elbert 15-minute quadrangle, Lake, Chaffee, and Pitkin Counties, Colorado: U.S. Geol. Survey Open-file Map.
16. Tweto, O. L., 1973, Reconnaissance geologic map of the Mount Powell 15-minute quadrangle, Grand, Summit, and Eagle Counties, Colorado: U.S. Geol. Survey Open-file Map.
17. Tweto, O. L., and Reed, J. C., Jr., 1973, Reconnaissance geologic map of the Ute Peak 15-minute quadrangle, Grand and Summit Counties, Colorado: U.S. Geol. Survey Open-file Map.
18. Tweto, O. L., 1974, Reconnaissance geologic map of the Fairplay West, Mount Sherman, South Peak, and Jones Hill 7 1/2 minute quadrangles, Park, Lake, and Chaffee Counties, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-555.
19. Tweto, O. L., 1974, Geologic map of the Mount Lincoln 15-minute quadrangle, Eagle, Lake, Park, and Summit Counties, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-556.
20. Tweto, O. L., Moench, R. H., and Reed, J. C., Jr., unpub. data.
21. Tweto, O. L., unpub. data.
22. Reed, W. E., 1969, Quaternary geology of the Grand and Battlement Mesas area, Colorado: U.S. Geol. Survey Prof. Paper 617, pl. 1.