DEPARTMENT OF THE INTERIOR
UNITED STATES GEOLOGICAL SURVEY

MISCELLANEOUS FIELD STUDIES
MAP MF-705



Base from U.S. Geological Survey, 1953-63

Data as of May 1975

Scale 1:250,000

5 0 5 10 15 20 Statute Miles

5 0 5 10 15 20 25 30 Kilometers

5 0 5 10 15 Nautical Miles

CONTOUR INTERVAL 200 FEET
WITH SUPPLEMENTARY CONTOURS AT 100 FOOT INTERVALS
TRANSVERSE MERCATOR PROJECTION

1960 MAGNETIC DECLINATION FOR THIS SHEET VARIES FROM 13°45' EASTERLY FOR THE CENTER OF THE WEST EDGE TO 13°00' EASTERLY FOR THE CENTER OF THE EAST EDGE. MEAN ANNUAL CHANGE IS 0°02' WESTERLY.

PRELIMINARY MAP OF LANDSLIDE DEPOSITS, DENVER 1°X2° QUADRANGLE, COLORADO

By

Roger B. Colton, Jeffrey A. Holligan, and Larry W. Anderson

1975



INDEX TO TOPOGRAPHIC MAPPING
IN DENVER 1°X2° QUADRANGLE



1°x2° QUADRANGLES
INCLUDED IN LANDSLIDE STUDY

EXPLANATION

Areas inferred to be underlain by landslide deposits resulting from landsliding, avalanching, block gliding, debris sliding or flowing, earthflows, mudflows, rocksliding, rockfalls, rotational slides, slab or flake sliding, slumping, talus accumulation, and translational sliding. Rock glacier deposits, colluvium, and solifluction deposits are included in some areas. Some till is mapped with landslide deposits because distinguishing these two deposits from one another is difficult: Furthermore, in some areas till has failed by landsliding and other types of mass movements. Movement within the deposits varies from none to rapid; rates of movement may also be variable in any given landslide within the same year. Ages of deposits range from early Pleistocene to Holocene.

FACTORS AFFECTING MAP ACCURACY*

Landslide deposits that formed since the aerial photographs were taken are not shown. Landslides are more difficult to recognize in heavily forested areas and consequently such areas are less accurately mapped than nonforested areas. Map accuracy varies according to the quality of aerial photographs used. Haze, cloud cover, poor sun angle, and shadows make photointerpretation difficult. Mapping of landslides by photointerpretation presents many problems such as: distinction between terrace-shaped slump-type landslide deposits and alluvial terrace deposits where both are adjacent to stream courses; recognition of landslide deposit boundaries (the upslope boundary is commonly defined by an easily recognized scarp but the toe or downslope boundary is seldom well defined and thus is difficult to locate exactly); recognition of stable masses of bedrock surrounded by landslide deposits, especially where only a small knob projects through; and separation of landslide deposits from glacial deposits.

SUGGESTIONS FOR MAP USERS*

This map should not be used to determine the probability of future landsliding, as geologic and climatic changes during the past few hundred thousand years have altered slope stability and because this map does not provide information regarding composition and type of movement of individual landslide deposits. Therefore, the map is not a substitute for careful detailed large-scale site investigations by engineering geologists and soils engineers. Areas susceptible to landslide and related activity should be carefully studied before any development begins. This map has been prepared to provide a regional context for interpreting detailed site investigations and should be used in conjunction with topographic, slope, surficial, bedrock, and soils maps, aerial photographs, and other available information. The limitations of this map should be obvious inasmuch as one inch (2.54 cm) on the map equals approximately 3.9 miles (6.4 km) on the ground.

*Modified from Nilsen, T. H., 1972, Preliminary photointerpretation map of landslide and other surficial deposits of the Mount Hamilton quadrangle and parts of the Mount Boardman and San Jose quadrangles, Alameda and Santa Clara Counties, California: U.S. Geol. Survey Misc. Field Studies Map MF-339.



SOURCES OF INFORMATION

Vertical and oblique aerial photographs covering the entire quadrangle at various scales (1:60,000 and larger) and in various years were interpreted by R. B. Colton in 1975. Most aerial photographs used are small-scale (1:60,000) Army Map Service Project 126AP, 1953 (available from U.S. Geological Survey).

 Area of no known landslides and related deposits, or area of minor landslides and related deposits too small to be shown at the present scale.

1. Barker, Fred, and Wyant, D. G., unpub. data.
2. Bryant, B. H., 1975, written commun.
3. Bryant, B. H., Miller, R. D., and Scott, G. R., 1973, Geologic map of the Indian Hills quadrangle, Jefferson County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-1073 [1974].
4. Hamilton, J. L., and Owens, W. G., 1972, Geologic aspects, soils, and related foundation problems, Denver metropolitan area, Colorado: Colorado Geol. Survey, Environmental Geology No. 1, 20 p.
5. Machette, M. N., 1974, unpub. data.
6. Machette, M. N., 1975, Geologic map of the Lafayette quadrangle, Adams, Boulder, and Jefferson Counties, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-656.
7. Robinson, C. S., and Lee, F. T., 1974, General geology, *in* Engineering geologic, geophysical, hydrologic, and rock-mechanics investigations of the Straight Creek tunnel site and pilot bore, Colorado: U.S. Geol. Survey Prof. Paper 815.
8. Scott, G. R., 1963, Quaternary geology and geomorphic history of the Kassler quadrangle, Colorado: U.S. Geol. Survey Prof. Paper 421-A, pl. 1.
9. Scott, G. R., 1972, Map showing landslides and areas susceptible to landsliding in the Morrison quadrangle, Jefferson County Colorado: U.S. Geol. Survey Misc. Geol. Inv. Map I-790-B.
10. Sheridan, D. M., and Marsh, S. P., unpub. data.
11. Sheridan, D. M., Reed, J. C., Jr., and Bryant, B. H., 1972, Geologic map of the Evergreen quadrangle, Jefferson County, Colorado: U.S. Geol. Survey Misc. Geol. Inv. Map I-786-A [1973].
12. Taylor, R. B., 1975, Geologic map of Bottle Pass quadrangle, Grand County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-1224 (in press).
13. Theobald, P. K., 1965, Preliminary geologic map of the Berthoud Pass quadrangle, Clear Creek and Grand Counties, Colorado: U.S. Geol. Survey Misc. Geol. Inv. Map I-443.
14. Van Horn, Richard, 1972, Surficial and bedrock geologic map of the Golden quadrangle, Jefferson County, Colorado: U.S. Geol. Survey Misc. Geol. Inv. Map I-761-A.
15. Wells, J. D., 1967, Geology of the Eldorado Springs quadrangle, Boulder and Jefferson Counties, Colorado: U.S. Geol. Survey Bull. 1221-D, pl. 1.
16. Wobus, R. A., 1973, unpub. data.

U.S. GEOLOGICAL SURVEY RESTON, V.
FEB 2 1976
LIBRARY

Colorado (Denver quad.) Landslides 1:250,000. 1975
Cop. 1

M(200)
MF 705
c.1

USGS LIBRARY - RESTON
3 1818 00180754 2

M(271)245
D437c
c.1

For sale by U. S. Geological Survey, price 50 cents
☆U.S. GOVERNMENT PRINTING OFFICE: 1975—677-340/30