



SEISMICITY MAP OF THE STATE OF MINNESOTA

By
C. W. Stover, B. G. Reagor, and S. T. Algermissen
1981

INTRODUCTION

The earthquake data shown on this map and listed in table 1 are a list of earthquakes that were originally used in preparing the Seismic Risk Studies in the United States (Algermissen, 1969) which have been recompiled and updated through 1979. These data have been reexamined which resulted in some revisions of epicenters and intensities as well as assignment of intensities to earthquakes that previously had none assigned. Only earthquakes located within the boundary of the State are listed in table 1 even though earthquakes in bordering states or countries may be felt or cause damage in this state. Intensity values were updated from new and additional data sources that were not available at the time of original compilation. Some epicenters were relocated on the basis of new information. The data shown in table 1 are estimates of the most accurate epicenter, magnitude, and intensity of each earthquake, on the basis of historical and current information. Some of the aftershocks from large earthquakes are listed but are incomplete in many instances, especially for ones that occurred before seismic instruments were in universal usage.

The data in table 1 were used to compile the seismicity map. The latitude and longitude were rounded to the nearest tenth of a degree and sorted so that all identical locations were grouped together and counted. A triangle represents the epicenter plotted to a tenth of a degree. The number of earthquakes at each location is shown on the map by the number to the right of the triangle. A Roman numeral to the left of a triangle is the maximum Modified Mercalli intensity (Wood and Neumann, 1931) of all earthquakes located at that geographic position. The absence of an intensity value indicates that no intensities have been assigned to earthquakes at that location. A year shown below a triangle is the latest year for which the maximum intensity was recorded.

EXPLANATION OF THE TABLES

The data are listed chronologically in table 1 in the following categories: date, origin time, N. latitude, W. longitude, depth, hypocenter quality and referenced data sources, magnitude, and intensity (Modified Mercalli) and intensity source references. Table 1 has some basic limitations in terms of the size (magnitude or intensity) of the earthquakes listed. Prior to 1965 all recorded felt earthquakes are listed, after 1965 only felt earthquakes or those with magnitudes above the 2.5-3.0 range are listed; the lower magnitude levels apply mostly to the Eastern United States. If no magnitude was computed and the earthquake was felt it was included in the earthquake list. The low magnitude events located in recent years with dense seismograph networks have not been included.

Listed below is an explanation of the symbols and codes used in the tables:

1. Leaders (..) indicate information not available.
2. Latitude and longitude are listed to a hundredth of a degree if they have been published with that degree of accuracy, or greater; however, most historical events have been published only to the nearest degree or tenth of a degree and are therefore listed at this accuracy in table 1. An asterisk (*) to the right of the longitude indicates that the latitude and longitude were not given in the source reference, but were assigned by the compilers of the data file. An (x) to the right of the longitude indicates that the event is an explosion, a suspected explosion, rockburst, or a nontectonic event; these have not been plotted on the map.
3. The letter code in the HYPOCENTER, QUAL column is defined below:
 - a. Determination of instrumental hypocenters are estimated to be accurate within the ranges of latitude and longitude listed below; each range is letter coded as indicated:

A	0.0°-0.1°
B	0.1°-0.2°
C	0.2°-0.3°
D	0.3°-1.0°
E	1.0° or larger
 - b. Determination of noninstrumental hypocenters from felt data are estimated to be accurate within the ranges of latitude and longitude listed below; each range is letter coded as indicated:

F	0.0°-0.5°
G	0.5°-1.0°
H	1.0°-2.0°
I	2.0° or larger
4. The reference identification numbers in the HYPOCENTER, REF and INTENSITY, REF columns indicate the sources of the hypocenter and intensity. They are listed in numerical order in table 2.
5. The magnitudes listed under "USGS" are mb values (Outenberg and Richter, 1956) published in the Preliminary Determination of Epicenters (PDE) by the National Earthquake Information Service, U. S. Geological Survey and predecessor organizations. Associated with the magnitude values listed under "OTHER" are the source code and type. Type is defined by 1 = ML (Richter, 1935), 2 = mbg (Nuttall, 1973), 3 = MS (Gath, 1964), 4 = mb (Outenberg and Richter, 1956), and 5 = mbg modified. The source codes are listed below:

MIN	Mooney, H. H., 1979, Earthquake History of Minnesota, Minnesota Geological Survey, Report of Investigations 23.
SLM	St. Louis University, St. Louis, Mo.
6. An asterisk (*) in the INTENSITY, REF column indicates that the intensity was assigned by the compiler on the basis of the available data at the time the catalog was compiled.

REFERENCES

Algermissen, S. T., 1969, Seismic risk studies in the United States: Fourth World Conference on Earthquake Engineering, Santiago, Chile, January 13-18, 1969, Proceedings, v. 1, p. 11-27.

Bath, Markus, 1966, Earthquake energy and magnitude, in v. 7 of Physics and chemistry of the Earth: Oxford and New York, Pergamon Press, p. 115-165.

Outenberg, R., and Richter, C. F., 1956, Magnitude and energy of earthquakes: Annals of Geophysics, v. 9, no. 1, p. 1-15.

Nuttall, G. W., 1973, Seismic wave attenuation and magnitude relations for eastern North America: Journal of Geophysical Research, v. 78, no. 5, p. 876-885.

Richter, C. F., 1935, Elementary Seismology: San Francisco, Calif., W. H. Freeman and Co., Inc., 768 p.

Wood, H. O., and Neumann, F., 1931, Modified Mercalli intensity scale of 1931: Seismological Society of America Bulletin, v. 21, no. 4, p. 277-283.

Table 1.—Chronological listing of Earthquakes for the State of Minnesota

DATE	ORIGIN TIME(UTC)	LAT.	LONG.	DEPTH	HYPOCENTER	MAGNITUDE	INTENSITY
YEAR MONTH DAY	H M S	(N.)	(W.) (KM)		QUAL. REF.	USGS OTHER	NM REF.
1860	46.0	94.8	..	I 105	...
1865	44.4	93.9	..	H 105	...
1880	DEC 28	07 15	49.0	97.2	..	H 105	...
1917	FEB 06	17 26	47.9	95.0	..	H 105	...
1917	SEP 03	21 30	46.3	94.5	..	C 38	...
1928	DEC 23	08 10	47.6	93.9	..	C 105	...
1939	JAN 28	17 55	46.8	95.8	..	C 105	...
1950	FEB 15	10 05	46.1	95.2	..	C 105	...
1964	SEP 28	15 41	44.0	96.4	..	D 173	...
1975	JUL 09	14 54	45.1	96.04	010	B 89	...
1979	MAR 05	12 27	56.1	45.78	95.13

Table 2.—List of data sources

12. Bodie, R. B., 1941, United States Earthquakes 1939: U. S. Coast and Geodetic Survey, Serial No. 637, p. 1-69.
23. Murphy, L. H., and Ulrich, F. P., 1952, United States Earthquakes 1950: U. S. Coast and Geodetic Survey, Serial No. 755, p. 1-67.
38. Coffman, J. L., and von Hake, C. A., 1973, Earthquake History of the United States: U. S. National Oceanic and Atmospheric Administration, No. 41-(through 1970), p. 1-208.
89. Stover, C. W., Simon, R. B., Person, V. J., and Minich, J. H., 1977, Earthquakes in the United States, July-September 1975: U. S. Geological Survey Circular 749-C, p. 1-29.
105. Doobal, J., 1970, Earthquakes of the stable interior, with emphasis on the midcontinent, v. 2. A dissertation presented the faculty of the graduate college in the University of Nebraska in partial fulfillment of requirements for the degree of Doctor of Philosophy: Ann Arbor, Michigan, University Microfilms Ltd., p. 1-332.
173. Nuttall, G. W., and Herrmann, R. B., 1978, Credible earthquakes for the central United States, state-of-the-art for assessing earthquake hazards in the United States: U. S. Army, Chief of Engineers, Report 12, p. 1-99.
204. Mooney, H. H., 1979, Earthquake History of Minnesota: Minnesota Geological Survey, Report of Investigations 23, p. 1-23.