



By
B. G. Reagor, C. W. Stover, and S. T. Algermissen
1981

INTRODUCTION

The earthquake data shown on this map and listed in table 1 are a list of earthquakes that were originally used in preparing the Seismic Risk Studies in the United States (Algermissen, 1969) which have been recomputed and updated through 1979. These data have been reexamined which resulted in some revisions of epicenters and intensities as well as assignment of intensities to earthquakes that previously had none assigned. Only earthquakes located within the boundary of the State are listed in table 1 even though earthquakes in bordering states or countries may be felt or cause damage in this state. Intensity values were updated from new and additional data sources that were not available at the time of original compilation. Some epicenters were relocated on the basis of new information. The data shown in table 1 are estimates of the most accurate epicenter, magnitude, and intensity of each earthquake, on the basis of historical and current information. Some of the aftershocks from large earthquakes are listed but are incomplete in many instances, especially for ones that occurred before seismic instruments were in universal usage.

The data in table 1 were used to compile the seismicity map. The latitude and longitude were rounded to the nearest tenth of a degree and sorted so that all identical locations were grouped together and counted. A triangle represents the epicenter plotted to a tenth of a degree. The number of earthquakes at each location is shown on the map by the number to the right of the triangle. A Roman numeral to the left of a triangle is the maximum Modified Mercalli intensity (Wood and Neumann, 1931) of all earthquakes located at that geographic position. The absence of an intensity value indicates that no intensities have been assigned to earthquakes at that location. A year shown below a triangle is the latest year for which the maximum intensity was recorded.

EXPLANATION OF THE TABLES

The data are listed chronologically in table 1 in the following categories: date, origin time, N. latitude, W. longitude, depth, hypocenter quality and referenced data sources, magnitude, and intensity (Modified Mercalli) and intensity source references. Table 1 has some basic limitations in terms of the size (magnitude or intensity) of the earthquakes listed. Prior to 1965 all recorded felt earthquakes are listed, after 1965 only felt earthquakes or those with magnitudes above the 2.5-3.0 range are listed; the lower magnitude level applies mostly to the Eastern United States. If no magnitude was computed and the earthquake was felt it was included in the earthquake list. The low magnitude events located in recent years with dense seismograph networks have not been included.

Listed below is an explanation of the symbols and codes used in the tables:

- Leaders (...) indicate information not available.
- Latitude and longitude are listed to a hundredth of a degree if they have been published with that degree of accuracy, or greater; however, most historical events have been published only to the nearest degree or tenth of a degree and are therefore listed at this accuracy in table 1. An asterisk (*) to the right of the longitude indicates that the latitude and longitude were not given in the source reference, but were assigned by the compiler of the data file. An (x) to the right of the longitude indicates that the event is an explosion, a suspected explosion, rockburst, or a non-tectonic event; these have not been plotted on the map.
- The letter code in the HYPOCENTER, QUAL column is defined below:
 - Determination of instrumental hypocenters are estimated to be accurate within the ranges of latitude and longitude listed below; each range is letter coded as indicated:

A	0.0°-0.1°
B	0.1°-0.2°
C	0.2°-0.5°
D	0.5°-1.0°
E	1.0° or larger
 - Determination of noninstrumental epicenters from felt data are estimated to be accurate within the ranges of latitude and longitude listed below; each range is letter coded as indicated:

F	0.0°-0.5°
G	0.5°-1.0°
H	1.0°-2.0°
I	2.0° or larger
- The reference identification numbers in the HYPOCENTER, REF and INTENSITY, REF columns indicate the sources of the hypocenter and intensity. They are listed in numerical order in table 2.
- The magnitudes listed under "USGS" are mb values (Gutenberg and Richter, 1956) published in the Preliminary Determination of Epicenters (PDE) by the National Earthquake Information Service, U. S. Geological Survey and predecessor organizations. Associated with the magnitude values listed under "OTHER" are the source code and type. Type is defined by 1 = M (Richter, 1935), 2 = mbG (Stout, 1972), 3 = MS (Bath, 1966), 4 = mb (Gutenberg and Richter, 1956), and 5 = mbG modified. The source codes are listed below:

GS	National Earthquake Information Service (and predecessor organizations), U. S. Geological Survey, Golden, Col.
SIM	St. Louis University, St. Louis, Mo.
- An asterisk (*) in the INTENSITY, MM column indicates that the intensity was assigned by the compiler on the basis of the available data at the time the catalog was compiled.

REFERENCES

Algermissen, S. T., 1969, Seismic risk studies in the United States: Fourth World Conference on Earthquake Engineering, Santiago, Chile, January 13-18, 1969, Proceedings, v. 1, p. 1-27.

Bath, Markus, 1966, Earthquake energy and magnitude, in *V. 7 of Physics and Chemistry of the Earth: Oxford and New York*, Pergamon Press, p. 115-165.

Gutenberg, B., and Richter, C. F., 1956, Magnitude and energy of earthquakes: *Annali di Geofisica*, v. 9, no. 1, p. 1-15.

Nuttli, O. W., 1973, Seismic wave attenuation and magnitude relations for eastern North America: *Journal of Geophysical Research*, v. 78, no. 5, p. 876-885.

Richter, C. F., 1935, *Elementary Seismology*: San Francisco, Calif., W. H. Freeman and Co., Inc., 768 p.

Wood, W. O., and Neumann, F., 1931, Modified Mercalli Intensity Scale of 1931: *Seismological Society of America Bulletin*, v. 21, no. 4, p. 277-283.

Table 1.—Chronological Listing of Earthquakes for the State of South Dakota

YEAR	MONTH	DAY	ORIGIN TIME (UTC)			LAT. (N.)	LONG. (W.)	DEPTH (KM)	HYPOCENTER QUAL	REF	MAGNITUDE		INTENSITY MM	REF	
			H	M	S						USGS	OTHER			
1872	FEB	09	44.7	100.7	..	G	105	III	105	
1876	AUG	17	05	25	..	44.1	99.6	..	H	105	IV	105	
1879	DEC	29	06	30	..	42.9	97.3	..	C	105	V	105	
1895	OCT	11	23	55	..	43.9	103.3	..	G	105	IV*	105	
1895	OCT	12	01	25	..	43.9	103.3	..	G	105	IV	105	
1899	DEC	06	12	00	..	44.5	98.0	..	G	105	IV	105	
1900	MAR	14	03	00	..	45.6	98.5	..	G	105	III*	105	
1900	MAR	14	05	00	..	45.6	98.5	..	G	105	III*	105	
1906	MAY	10	00	27	..	43.0	91.3	..	G	105	VI	105	
1911	JUN	02	22	34	..	44.2	98.2	..	G	38	V	105	
1915	OCT	23	06	05	..	43.8	101.5	..	G	38	III	105
1916	FEB	24	04	30	..	43.0	102.5	..	G	105	V	105
1916	JUN	29	07	45	..	43.4	99.9	..	G	105	III	105
1920	JUL	14	23	00	..	43.2	103.2	..	G	105	III	105
1921	MAR	16	23	45	..	43.5	98.7	..	G	105	III	84
1921	SEP	24	00	30	..	43.7	98.7	..	G	105	IV	105
1922	JAN	02	14	50	..	43.8	99.3	..	G	105	VI	105
1924	DEC	30	22	10	..	43.5	103.5	..	G	105	IV	105
1924	DEC	30	22	15	..	43.5	103.5	..	G	105	IV	105
1924	DEC	30	22	20	..	43.5	103.5	..	G	105	IV	105
1924	DEC	30	22	30	..	43.5	103.5	..	G	105	IV	105
1928	NOV	16	13	45	..	44.1	103.7	..	G	105	V	105
1931	JAN	17	18	45	..	43.7	98.7	..	G	105	IV	105
1934	JAN	29	12	30	..	45.9	97.7	..	G	105	IV	105
1934	AUG	30	03	30	..	43.5	99.1	..	G	105	IV	105
1935	NOV	01	10	00	..	44.0	98.6	..	G	105	IV	105
1936	OCT	30	10	30	..	43.5	103.5	..	G	105	IV	105
1938	JAN	02	17	05	..	44.5	98.3	..	H	105	IV	11
1938	OCT	01	22	15	..	43.8	99.3	..	G	105	V	105
1938	OCT	11	09	37	..	43.6	98.7	..	G	105	V	105
1938	NOV	04	22	10	..	43.2	98.9	..	H	105	IV	105
1938	NOV	04	22	15	..	43.2	98.9	..	H	105	IV	105
1939	JUN	10	18	30	..	43.0	98.9	..	G	105	IV	105
1941	MAY	25	06	25	..	43.5	103.5	..	G	105	IV*	105
1942	MAR	11	17	55	..	44.4	103.5	..	G	105	IV	105
1943	MAY	16	20	40	..	43.5	103.5	..	G	105	IV	105
1945	NOV	10	09	00	..	42.9	97.8	..	G	105	IV	105
1946	JUL	23	06	45	..	44.1	98.6	..	G	105	VI	38
1947	AUG	25	14	00	..	43.1	98.7	..	G	105	IV	105
1949	MAY	07	44.5	99.0	..	G	105	III	105
1949	JUN	03	02	06	45	45.0	100.0	..	I	105	IV	105
1949	DEC	14	03	15	..	43.2	99.7	..	G	105	III	105
1952	NOV	14	44.1	103.5	..	G	105	IV	105
1953	DEC	21	22	45.2	102.8	..	G	105	IV*	105
1953	DEC	31	20	30	..	43.1	99.3	..	G	105	IV	105
1957	DEC	03	07	30	..	43.8	98.2	..	G	105	IV	105
1959	JAN	12	13	44.9	98.1	..	G	105	IV	105
1961	DEC	31	16	55	58.7	44.4	100.5	..	G	34	VI	34
1964	MAR	4	06	12	..	43.5	103.5	..	G	105	V	105
1964	AUG	26	16	58	51.6	43.8	102.2	015	G	105	IV	105
1966	JUN	26	11	59	44.2	44.3	103.3	033	G	38	4.1	VI	38
1967	NOV	23	06	23	38.6	43.7	99.4	016	G	38	4.4	V	105
1971	OCT	19	21	07	30.9	44.0	101.0	015	G	44	IV	44
1975	MAY	16	05	57	01.5	43.26	103.68	005	G	89	2	89
1975	AUG	25	10	00	17.0	44.25	100.45	005	G	89	2	89

Table 2.—List of data sources

- Neumann, F., 1940, United States Earthquakes 1938: U. S. Coast and Geodetic Survey, Serial No. 429, p. 1-59.
- Lander, J. P., and Cloud, W. K., 1963, United States Earthquakes 1961: U. S. Coast and Geodetic Survey, p. 1-106.
- Goffman, J. L., and von Hake, C. A., 1973, Earthquake History of the United States: U. S. National Oceanic and Atmospheric Administration, No. 41-1 (through 1970), p. 1-208.
- Goffman, J. L., and von Hake, C. A., 1973, United States Earthquakes 1971: U. S. National Oceanic and Atmospheric Administration, p. 1-74.
- Woodward, G. P., 1968, A catalogue of earthquakes in the United States prior to 1925 based on unpublished data compiled by Harry Fielding Reid and unpublished sources prior to 1930: Hawaii Institute of Geophysics, University of Hawaii, Data Report 80, 10.
- Pearson, M. J., Simon, R. B., and Stover, C. W., 1977, Earthquakes in the United States, April-June 1975: U. S. Geological Circular 749-B, p. 1-27.
- Stover, C. W., Simon, R. B., Pearson, M. J., and Minisch, J. H., 1977, Earthquakes in the United States, July-September 1975: U. S. Geological Survey Circular 749-C, p. 1-29.
- Doekal, J., 1970, Earthquakes of the stable interior, with emphasis on the midcontinent, v. 2. A dissertation presented the faculty of the graduate college in the University of Nebraska in partial fulfillment of requirements for the degree of Doctor of Philosophy, Ann Arbor, Michigan, University Microfilms Ltd., p. 1-332.