



Compiled by  
David A. John  
1983

CONTACT--Dashed where approximately located;  
queried where inferred

[illegible]

<sup>a</sup>Quadrangle names used index map.

<sup>b</sup>Figures are percentages unless otherwise noted. Data in millions of years. Pre-1976 K-E age calculated using 1976 J.L.D.G. constants (Steiger and Jager, 1977). Mineral dates follow age. Mineral plots from one sample separated by commas. All Rb-Sr ages calculated using 1976 J.L.D.G. constants (Steiger and Jager, 1977). B-S age calculated from C. Robinson and R. W. Kinzie (after common, 1982).

<sup>c</sup>For "Hafslund" see text.

<sup>d</sup>Davies (1963).

<sup>e</sup>See text for discussion of the granulite facies of Vermont Lake rocks in the Tower Peak quadrangle (Clyde Wachter's, unpublished data) and in the Soons Pass quadrangle (Ossimo, 1982).

<sup>f</sup>See text; Noble and others (1973).

<sup>g</sup>See text; also subject of mafic minerals, in particular, the relative proportions of Montie, hornblende, and sill, were not determined.

Interior—Geological Survey, Reston, Va.—U.S. Geological Survey  
Plate 1066—Branches of Distribution, U.S. Geological Survey,  
June 1986. Federal Catalog No. GPO 1986 272-273