


NOTE: Pattern of closely spaced dots is used to show correlations of shoreline sandstone deposits; pattern of widely spaced dots is used to show correlation of marine sandy shelf and slope deposits. SP, spontaneous potential; Cond., conductivity curve; Res., resistivity curve. Drill-hole locations shown as 35-13N-105W for Sec. 35, T. 13 N., R. 105 W.

1. Wheeler, H. W., 1965, Pre-LaRamade restored section, Late Cretaceous rocks, southwest Wyoming and northwest Colorado, in *Sedimentation of Late Cretaceous and Tertiary outcrops: Wyoming Geological Association Symposium*, 1965, 1st Annual Field Conference Guidebook, Casper, Wyo., p. 101-112.
2. Smith, J. H., 1961, A summary of stratigraphy and paleontology, Upper Colorado and Montana groups, south-central Wyoming, in *Symposium on Late Cretaceous rocks, Wyoming and adjacent areas: Wyoming Geological Association Guidebook*, 15th Annual Field Conference, Casper, Wyo., p. 101-112.
3. Hale, L. A., 1950, *Stratigraphy of the Upper Cretaceous Montana Group in the Rock Springs uplift, Sweetwater county, Wyoming*, in *Geology of south-central Wyoming: Wyoming Geological Association Guidebook*, 5th Annual Field Conference, Casper, Wyo., p. 49-58.



INDEX MAP SHOWING THE LOCATION OF DRILL HOLES

By  
Henry W. Roehlen  
1985