


This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.



EXPLANATION

- 5 -----
----- 4 -----
- ISOPACH OF COAL BED--Showing thickness in feet. Isopach interval 1 foot (0.3m). Arrow points toward reserve base coal.
- 1350 -----
----- 1340 -----
- STRUCTURE CONTOURS--Drawn on the top of the coal bed. Long dashed where inferred, short dashed where projected through noncoal-bearing area. Contour interval is 10 feet (3.1m). Datum is mean sea level.
- 700 -----
- OVERBURDEN ISOPACH--Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval is 100 feet (30.5m).

To convert feet to meters, multiply feet by 0.3048.


T. 146 N.
T. 145 N.

T. 146 N.
T. 145 N.

BASE FROM U.S. GEOLOGICAL SURVEY, 1970

R. 91 W. R. 90 W.

COMPILED IN 1978



COAL RESOURCE OCCURRENCE MAP OF THE GOLDEN VALLEY NW QUADRANGLE,
DUNN AND MERCER COUNTIES, NORTH DAKOTA

BY
WOODWARD-CLYDE CONSULTANTS

1978

PLATE 6
ISOPACH, STRUCTURE CONTOUR AND OVERBURDEN MAP
OF THE GARNER CREEK COAL BED