


EXPLANATION

- 5600 —
 - - - 5520 - - -
- STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 80 feet; long dashed where vertical accuracy possibly not within 80 feet; short dashed where projected above ground surface. Contour interval 80 feet (24 m). Datum is mean sea level.
- 5545
○
- DRILL HOLE - Showing altitude of top of coal bed, in feet.
- ▲ 5960
- POINT OF MEASUREMENT - Showing altitude of top of coal bed, in feet. Includes all points of measurement other than drill holes.
- Em - Emery coal zone
- COAL BED SYMBOLS AND NAMES - Coal beds identified by bracketed numbers are not formally named, but are numbered for identification purposes in this quadrangle only.
- 32
↙
- STRIKE AND DIP OF BEDS
- Em ↙
- TRACE OF COAL ZONE OUTCROP - Showing symbol of name of coal zone as listed above. Arrow points toward coal-bearing area. Dashed where inferred.
- + —
- AXIS OF SYNCLINE - Dashed where approximately located.
- C
- INFERRED LIMIT OF BURNED AND CLINKERED COAL - Arrow points toward area of baked and fused rock.
- To convert feet to meters, multiply feet by 0.3048.

111°07'30" Base from U.S. Geological Survey, 1953

111°00' Compiled in 1978/79



This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.

COAL RESOURCE OCCURRENCE MAP OF THE SOUTHEAST QUARTER OF THE NOTOM 15-MINUTE QUADRANGLE, GARFIELD COUNTY, UTAH
BY DAMES AND MOORE
1979