


SPECIFICATIONS

1. SURVEY FLOWN WITH GEOMETRICS PROTON PRECESSION MAGNETOMETER MODEL G-803.
2. SAMPLING RATE 1.0 SEC./0.25 GAMMA SENSITIVITY.
3. FLIGHT ELEVATION 2000 FEET BAROMETRIC.
4. FLIGHT LINES NORTH-SOUTH 1 MILE APART.
5. CONTOUR INTERVAL 100 AND 20 GAMMAS.
6. GRID INTERVAL 0.5 MILES
7. 5000 GAMMA OFFSET ADDED.
8. CORRECTED FOR IGRF 1980 UPDATED TO DATE FLOWN.
9. FLOWN OCTOBER 1983.

Flown and compiled by:
Applied Geophysics, Inc.
Salt Lake City, Utah

This map was prepared under contract to the U.S. Geological Survey and has not been reviewed for conformity with USGS editorial standards. Opinions and conclusions expressed herein do not necessarily represent those of the USGS. Any use of trade names is for descriptive purposes only and does not imply endorsement by the USGS.



AEROMAGNETIC MAP OF PART OF THE SPRINGFIELD 1° X 2° QUADRANGLE, MISSOURI

BY
U.S. GEOLOGICAL SURVEY
1984

