DEPARTMENT OF THE INTERIOR
UNITED STATES GEOLOGICAL SURVEY

OPEN-FILE REPORT
84-770

PLATE 1









LOCATION MAP



Base map from U. S. Geological Survey quadrangles: Horn Lake, Miss., 1932; Caruthersville, Mo., 1951, Wickliffe, Ky., 1952; Cairo, Ill., 1953; Hickman, Ky., 1954; Memphis, Tenn., 1960; Millington, Tenn., 1960; Dyersburg, Tenn., 1961; Wales Point, Tenn., 1961; Halls, Tenn., 1961; Jericho, Ark., 1961; Rialto, Tenn., 1961; Osceola, Ark., 1963. Mississippi River Commission quadrangle: Bayouville, Ms., 1972.
U. S. Geological Survey 1:24,000 scale quadrangles: Hornbeak, Tenn., 1964; Ridgely, Tenn., 1964; Samburg, Tenn., 1964; Northeast Memphis, Tenn., 1965; Clayton, Tenn., 1966.

SCALE 1:62 500
1 0 1 2 3 4 5 MILES
1 0 1 2 3 4 5 6 7 KILOMETERS

Compiled in 1983

This map is preliminary and has not been reviewed for conformity with U. S. Geological Survey editorial standards and stratigraphic nomenclature.

LANDSLIDE INVENTORY MAP OF THE MISSISSIPPI RIVER BLUFFS IN WESTERN TENNESSEE AND KENTUCKY

by

Randall W. Jibson and David K. Keefer

1984

EXPLANATION

LANDSLIDE TYPE

OC - Old Coherent Landslide
YS - Young Rotational Slump
EF - Earth Flow

CERTAINTY OF IDENTIFICATION

D - Definite
P - Probable
Q - Questionable

LANDSLIDE NUMBER

Numbered consecutively by type from north end of study area