Table 1.- Continued.

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
	[illegible] - Continued.																
[illegible]	Town of Ferndale	S 160±	Dr	106	12	104	30±	76	Gravel	Unconfined	62.3	Aug. 6, 1948	T	PS	140	18	No. 6
[illegible]	[illegible]	S 60	Dr	90±	4	90±	. .	. .	. . .	. . .	30±	1947	P	D, S	115	23	
[illegible]	[illegible]	St 50	Dr	69	4	69	66	3	Sand, fine	Confined	9	Aug. 6, 1947	N	D, S	90	24	Flowing 3 gallons per minute on Aug. 6, 1947; see table 2 for log.
[illegible]	[illegible]	[illegible]	[illegible]	. .	. .	. .	. .	. .	Sand (?)	Unconfined	. .	. . .	P, 2	[illegible]	. .	. .	Water reported to have slight iron content.
[illegible]	[illegible]	St 55	Dr	106	4	105±	96	10	"Quicksand"	. . .	. .	. . .	[illegible]	D, Ind	15	65	See table 2 for log.
[illegible]	[illegible]	St 40	Dr	14[illegible]	6	135	135	7	Sand	Confined	8	Aug. 27, 1948	[illegible]	Ind	95	18	Do.
[illegible]	[illegible]	St 30	Dg	[illegible]	[illegible]	6.8	. .	. .	do.	Unconfined	5.0	Aug. 14, 1947	P, 16	Ind	60	. .	
[illegible]	Harold Ahlstedt	St 30	Dg	12.4	72	12.4	. .	. .	do.	do.	6.7	do.	P, 4	PS	. .	. .	Well across road to west, 90 feet deep, reported to have saline water.
[illegible]	[illegible]	[illegible]	Dg	17.6	[illegible]	17.6	. .	. .	Sand, fine	do.	7.5	Aug. 4, 1947	P, 3	D, S	110	55	
[illegible]	[illegible]	[illegible]	Dg	24.9	30	24	. .	. .	Sand	do.	19.5	do.	P, 3	D, S	. .	. .	Water reported to have trace of iron.
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	. .	. .	Sand, [illegible]	do.	18.2	do.	P, 3	D, S	. .	. .	Water reported to be free of iron.
[illegible]	[illegible]	[illegible]	[illegible]	. .	. .	. .	. .	. .	Sand, fine	do.	. .	. . .	P, 3	D	. .	. .	Do.
[illegible]	[illegible] Park Cemetery	St 50	Dg	11.4	5	. .	. .	. .	Sand	do.	6.9	Aug. 5, 1947	P, 6	D	. .	. .	
[illegible]	[illegible]	St 60	Dn	20±	1½	. .	. .	. .	do.	do.	. .	. . .	P, 3	D	. .	. .	Water reported to be free of iron; water from well across creek to south said to contain iron.
[illegible]	[illegible]	St 55	Dn	15	15	15	. .	. .	do.	do.	7	. . .	P, 3	D	. .	. .	
[illegible]	[illegible]	St 30	Dg	18	. .	. .	. .	. .	. . .	. . .	. .	. . .	P, 3	D	. .	. .	Water reported to be free of iron.

Unpublished records subject to revision