Table 1.- Continued.

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
	T. 39 N., R. 2 E.- Continued.																
3Q1	Spencer Johnson	St 50	Dg	..	..	..	..	..	Sand (?)	Unconfined	..	...	J	D, S	..	..	Water said to be free of iron.
4P1	Harry Pflinger	Ap 50	Dg	..	36	..	..	..	Sand	do.	9	...	..	D	..	..	Water reported to have slight iron content.
5A1	G. G. Reynolds	Ap 57	Dg	11.5	12	..	..	..	do.	do.	6.3	Aug. 14, 1947	P, 4	D, S			Water said to have no iron
5B1	W. C. Krienke	Ap 60	Dg, J	21	12	21	..	..	do.	do.	10	1947	P, 4	D	..	..	Water reported to have moderate iron content.
6Q1	John M. Stevens	Ap 50	Dn	12	1½	12	..	..	do.	do.	..	...	P, 3	D	..	..	Do.
7A1	G. B. Brown	Ap 70	Dg	..	24	..	..	..	do.	do.	..	...	P, 3	D	..	..	Water reported to have slight iron content.
7N1	Orchard Water Association	S 220	Dr	190	6	190	170	20	Sand and gravel	Confined	160	May 1946	..	D	[illegible]	[illegible]	Supplies [illegible]; see table 2 for log.
8B1	H. W. Fryer	St 73	Dg, J	35.3	30	35	..	..	Sand	Unconfined	10.0	Aug. 14, 1946	G, 350	Kmr	45	..	
8K1	Peter Koehn	S 95	Dr	63	6	63	55	5	do.	Confined	22	Oct. 1946	J	D	..	..	See table 2 for log.
8K1	C. L. Wemp	St 70	Dg J	14.9	24	15	..	..	do.	Unconfined	7.1	Aug. 14, 1947	P, 4	D, S	..	..	Supplies 2 hosts.
8P1	Carl Gullickson	St 70	J	18.0	18	18	..	..	do.	do.	10.4	do.	..	D	..	..	
8Q1	Ralph Bailey	St 70	J	29.0	36	29	..	..	do.	do.	11.6	do.	..	Kmr			
9N1	W. Vanderyacht	St 40	Dg	7.0	30	7	..	..	do.	do.	3.4	Aug. 20, 1947	P, 3	D, S	..	..	Water reported to have slight iron content.
10L1	Stanley Graham	St 55	Dg, J	29.6	30	30	..	..	do.	do.	15.4	Aug. 2, 1947	J, 5	D, S	40	9	Do.
11A1	John Kooy	St 60	Dn	8	2	8	..	..	do.	do.	6	...	4	D, S	..	..	Do.
11D1	Henry Otterlei	St 60	Dg	20	18	20	..	..	do.	do.	8	...	P, 3	D, S	..	..	Do.
11Q1	D. R. Quimby	St 60	Dg	13	..	13	..	..	...	do.	..	...	P, 3	D	..	..	Water said to be free of iron
12A1	H. A. Witte	Ap 85	Dg	18.3	36	16	..	..	Sand, fine	do.	10.3	July 29, 1947	G, 9	D, S	70	10	Do.
12H1	Unknown	Ap 75	Dg	22.5	30	23	..	..	Sand	do.	5.8	do.	J, 4	D	..	..	
12R1	H. Weatherby	Ap 75	Dn	18	..	18	..	..	...	do.	11	...	J	D	..	..	Water reported to have high iron content.

Unpublished records subject to revision