

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Chloride content of water from wells screened in the  
Lloyd sand member of the Raritan formation on  
Long Island, New York

By

C. M. Roberts

Prepared in cooperation with the  
New York Water Power and Control Commission  
Nassau County Department of Public Works  
Suffolk County Board of Supervisors  
Suffolk County Water Authority

Mineola, New York  
December 1950

50-93

Chloride content of water from wells screened in the  
Lloyd sand member of the Raritan formation on  
Long Island, New York

Since 1932 the United States Geological Survey, in cooperation with the New York Water Power and Control Commission, the Nassau County Department of Public Works, the Suffolk County Board of Supervisors, and later also with the Suffolk County Water Authority, has been making general and specific studies dealing with the occurrence, movement, quantity, quality, and temperature of ground water found in the several water-bearing formations on Long Island. In the first years most of the emphasis was placed on studying the shallow water-table beds, although geologic and hydrologic information was obtained for the Lloyd sand member of the Raritan formation, the deepest water-bearing beds on Long Island, as well as for other shallower artesian formations.

However in 1945 it seemed necessary to begin a detailed and well-rounded program for a more complete study of the Lloyd sand member. Such a plan was endorsed and supported by all cooperating and interested parties. The following principal objectives were outlined:

- (1) Compilation of long-term records of the fluctuation and trend of water levels at selected wells on at least a monthly basis, and collection of water-level data about once a year at nearly all measurable wells that tap the Lloyd sand member.
- (2) Determination of the hydraulic characteristics of the Lloyd sand member (the coefficients of permeability and storage) at as many locations as possible.

- (3) Assembly of a complete set of data on the chloride content and other chemical characteristics of water pumped from the Lloyd sand member.
- (4) Collection of data on the amounts of water withdrawn from the Lloyd sand member.
- (5) Accumulation of geologic data for use in delineating the position, extent, and thickness of the Lloyd sand member, and the overlying confining clay member of the Raritan formation.

The present tabulation on 16 sheets indicates the progress made in the collection of data on the chloride content of ground water pumped from the Lloyd sand member on Long Island. It is a supplement to the typewritten report released on March 27, 1945, under the title "Ground-water chloride data for Long Island, N. Y." In the main, the present tabulation of chloride data includes most of the information obtained from 1944 through the winter of 1948-49. It also contains information for a few old wells that were not listed previously, and for wells recently drilled and screened in the Lloyd sand member.

The opportunity to collect water samples at wells tapping the Lloyd sand member was made possible through the kindness and courtesy of many water districts and private companies; municipal, county, State, and Federal agencies; and numerous well owners. All these permitted members of the U. S. Geological Survey access to their wells, started the operation of pumping stations, quite often to their own inconvenience, and frequently gave physical assistance. Many furnished well data and earlier records of chemical analyses.

Determinations of the chloride content of water at wells listed in this release were made by the Mount Prospect Laboratory of the City of New York Department of Water Supply, Gas and Electricity, the New York State Department of Health, the Nassau County Department of Health, and the U. S. Geological Survey.

The cooperation of all those who participated in one way or another, directly or indirectly, in making possible the assemblage of the data is gratefully acknowledged.

Detailed geologic information for most of the wells covered by this report is available in bulletins published by the New York State Water Power and Control Commission, Bulletins GW-3, GW-5, GW-6, GW-8, GW-9, GW-10, GW-11, GW-13, and GW-17.

The data included in this release may be consulted at the following places:

U. S. Geological Survey  
230 Old Country Road  
Mineola, N. Y.

Nassau County Dept. of  
Public Works  
County Court House  
Mineola, N. Y.

U. S. Geological Survey  
Ground Water Branch  
2209 General Services Bldg.  
Washington, D. C.

Suffolk County Board of  
Supervisors, and  
Suffolk County Water Authority  
Riverhead, N. Y.

N. Y. State Water Power & Control Comm.  
147-09 Archer Avenue  
Jamaica, N. Y.

Suffolk County Dept. of Highways  
Port Jefferson, N. Y.

N. Y. City Dept. of Water Supply,  
Gas & Electricity  
Municipal Bldg.  
New York, N. Y.

Chloride content of water from wells screened in the  
Lloyd sand member of the Raritan formation on  
Long Island, New York

---

(Results in parts per million)

K-464 Up-to-date Silk and Yarn Dyeing Co., Strickland and Mill Avenues,  
Flatlands.

Depth: 494 feet. Industrial well.

Date	Chloride content	Date	Chloride content
5/25/44	6.0	9/17/46	15
8/29/44	8.0	2/24/47	10
12/29/44	7.0	10/15/47	8.0
5/ 2/45	9.0	2/18/48	7.0
9/13/45	12	3/16/48	7.0
1/17/46	2.0	4/22/48	5.8
5/17/46	10	5/18/48	7.0

K-521 Flatbush Water Corp., Utica Ave. and Beverly Road.

Depth: 418 feet. Abandoned Water Supply Well.

11/22/29	28	5/ 4/32	134
12/ 1/29	29	6/ 1/32	140
1/15/30	31	7/ 8/32	146
2/10/30	28	9/ 2/32	149
3/12/30	25	10/ 5/32	150
4/ 9/30	23	11/ 2/32	155
5/14/30	21	12/ 7/32	133
6/ 4/30	20	1/ 4/33	214
7/ 9/30	19	2/ 1/33	242
8/ 6/30	19	3/ 3/33	257
9/ 3/30	18	4/ 7/33	265
10/ 8/30	17	5/ 5/33	242
11/ 5/30	17	6/ 7/33	259
12/24/30	16	7/ 7/33	257
1/ 7/31	16	9/ 6/33	257
2/ 4/31	15	10/ 4/33	262
3/ 4/31	15	11/ 3/33	264
4/ 1/31	15	12/ 6/33	260
5/ 6/31	14	1/10/34	244
6/ 3/31	16	2/ 7/34	238
7/ 1/31	17	3/10/34	233
8/ 5/31	23	4/ 4/34	240
9/ 2/31	30	5/ 4/34	240
10/ 7/31	43	6/ 8/34	244
11/ 4/31	55	7/ 6/34	247
12/ 2/31	68	8/ 3/34	257
1/ 6/32	71	9/ 5/34	262
2/ 3/32	103	? /36	53
3/ 2/32	114	1/12/39	51
4/ 6/32	125	4/12/39	69
		5/ 8/39	55

## K-521 (continued)

6/ 7/39	115	1/ /42	506
7/ 7/39	76	2/ /42	503
8/ 2/39	70	3/ /42	507
9/ 8/39	87	4/ /42	505
10/ 6/39	78	5/ /42	513
12/ 6/39	173	6/ /42	515
1/ 3/40	360	7/ /42	517
2/ 7/40	366	8/ /42	525
3/ 6/40	370	9/ /42	520
4/ 3/40	373	10/ /42	522
5/ 1/40	384	11/ /42	519
6/ 7/40	385	5/ /43	480
7/ 3/40	388	6/ /43	509
8/ 2/40	394	7/ /43	479
9/11/40	396	8/ /43	467
10/ 2/40	406	9/ /43	447
11/ 6/40	445	10/ /43	433
12/ 4/40	402	11/ /43	425
1/ 8/41	404	12/ /43	420
2/ 6/41	410	1/ /44	425
3/ 5/41	413	2/ /44	438
4/ 2/41	417	3/ /44	464
5/ 7/41	427	4/ /44	493
6/ 4/41	450	5/ /44	517
7/ 2/41	440	6/ /45	508
8/ 1/41	443	7/ /45	565
9/ 7/41	455	8/ /45	575
10/ 3/41	460	9/ /45	530
11/ 5/41	474	10/ /45	535
12/ 3/41	500	3/ /46	500

K-619 Kings County Ice and Fuel Company, 601 Van Sinderen Avenue, East New York.  
 Depth: 451 feet. Well used during summer only for production of ice.

8/26/44 28  
 9/13/45 28  
 9/17/46 40  
 2/14/47 40



N-23 Citizens Water Supply Company. Well 5. Cutter Hill Road, Great Neck  
Depth: 434 feet. Public Water Supply well.

6/23/47 3.0 2/ 3/49 6.2

N-24 Manhasset - Lakeville Water District. Well 53. East Shore Road,  
Manhasset.

Depth: 428 feet. Public Water Supply well.

3/26/45 10 4/ 9/47 4.4

N-30 Citizens Water Supply Company. Well 1. Wildwood Road and Cherry Lane,  
Kings Point.

Depth: 203 feet. Public Water Supply well.

9/24/40 5.0 5/ 6/41 12.  
1/10/49 5.2

N-33 Port Washington Water District. Deep well 5. Sandy Hollow Road, Port  
Washington.

Depth: About 365 feet. Public Water Supply well.

9/24/40	6.0	11/13/44	14
9/13/44	11	11/20/44	15
9/24/44	10	11/26/44	16
10/ 3/44	13	1/ 2/45	16
10/10/44	13	4/ 2/ 45	15
10/19/44	15	5/ 9/45	22
10/24/44	14	6/22/45	16
10/30/44	14	7/15/48	17
11/ 6/44	16		

N-35 Port Washington Water District. Deep Well #4. Sandy Hollow  
Port Washington.

Depth: 399 feet. Public Water Supply well

7/16/44 700 ~~pos.~~



N-36 Village of Sands Point, Round Hill Lane, Sands Point.  
 Depth: 209 feet. The chloride determinations were made from composite samples obtained from wells N-36 and N-37, a shallow well that does not penetrate the Lloyd sand. Public Water Supply well.

7/ 1/48 6.6

N-40 City of Long Beach. Well 2. Park Place and Riverside Boulevard, Long Beach.  
 Depth: 1300 feet. Well flows at land surface. Public Water Supply well.

1/ 7/43	28	12/ 7/45	2.0
3/ 3/43	14	6/ 6/46	10
8/ 5/43	35	12/18/46	10
5/31/44	7.0	1/26/47	5.4
9/ 1/44	-7.0	5/20/47	10
11/28/44	7.0	8/22/47	24
2/28/45	7.0	12/16/47	7.0
5/31/45	12	3/18/48	8.0
9/ 6/45	7.0	7/ 6/48	15

N-41 City of Long Beach. Well 3. Park Place and Riverside Boulevard, Long Beach.  
 Depth: 1135 feet. Well flows at land surface. Public Water Supply well.

5/31/44	7.0	8/14/46	10
9/ 1/44	6.5	9/17/46	10
11/28/44	6.0	12/18/46	10
2/28/45	10	1/27/47	4.0
5/31/45	72	5/20/47	18
12/ 7/45	2.0	8/25/47	5.0
4/ 3/46	4.0	12/16/47	7.0
6/ 6/46	8.0		



N-42 City of Long Beach. Well 4. Park Place and Riverside Boulevard, Long Beach.  
 Depth: 1184 feet. Well flows at land surface. Public Water Supply well.

5/31/44	141	6/ 6/46	8.0
9/ 1/44	400	8/14/46	10
11/28/44	11	12/18/46	10
5/ 31/45	8.0	1/27/47	4.4
9/ 6/45	6.0	5/20/47	20.
12/ 7/45	4.0	8/25/47	5.0
4/ 3/46	4.0	12/16/47	7.0

N-43 City of Long Beach. Well 5. Magnolia Boulevard and Water Street, Long Beach.  
Depth: 1264 feet. Well flows at land surface. Public Water Supply well.

5/31/44	8.0	9/ 6/45	6.0
11/28/44	7.0	8/14/46	10
2/28/45	10	1/12/49	6.6

N-44 City of Long Beach. Well 6. Laurelton Boulevard and Pine Street, Long Beach.  
Depth: 1259 feet. Well flows at land surface. Public Water Supply well.

5/30/44	5.0	4/ 3/46	4.0
9/ 1/44	8.0	6/ 6/46	8.0
12/28/44	8.0	8/15/46	10
2/28/45	12	12/18/46	10
5/31/45	22	5/20/47	20
9/ 6/45	7.0	12/16/47	7.0
12/ 6/45	2.0	1/12/49	6.4

N-45 City of Long Beach. Well 7. West Park and Indiana Avenues, Long Beach.  
Depth: 1122 feet. Water flows at land surface. Public Water Supply well.

5/30/44	8.0	4/ 3/46	4.0
9/ 1/44	15	6/ 6/46	12
11/28/44	8.0	8/16/46	10
2/28/45	40	12/18/46	20
5/31/45	18	1/27/47	6.6
9/ 5/45	3.0	5/20/47	10
12/ 6/45	4.0	12/16/47	9.5

N-46 Channel Management Corporation, Lido Boulevard, Point Lookout.  
Depth: 1260 feet. Well flows at land surface. Public Water Supply well.

5/30/44	4.0	6/ 6/46	4.0
9/ 1/44	6.0	8/14/46	7.0
12/ 6/44	4.0	9/17/46	10
2/28/45	22	12/18/46	5.0
5/31/45	12	5/20/47	10
9/ 6/45	4.0	6/22/47	4.0
12/ 7/45	2.0	12/16/47	1.0
4/ 3/46	2.0	4/19/48	2.6

N-67 Village of Freeport. Sunrise Highway, Freeport  
Depth: About 1052 feet. Deep well at municipal power plant now being used  
by power plant.

2/ 5/46	2.0	6/22/47	5.0
10/17/46	10	4/19/48	4.4
5/22/47	10		

N-115 Paul G. Penoyer, Duck Pond Road, Locust Valley.  
Depth: 456 feet. Used for domestic stock and irrigation.

9/12/46	7.0	5/16/48	3.8
---------	-----	---------	-----

N-118 Locust Valley Water District. Well 4. Buckram and Bayville Roads, Locust  
Valley.  
Depth: 476 feet. Public Water Supply well.

1/11/49	5.6
---------	-----

N-119 Locust Valley Water District. Well 5. Buckram Road and Baldwin Avenue,  
Locust Valley.  
Depth: 572 feet. Public Water Supply well.

7/16/46	10
---------	----

N-123 George F. Baker, Jr. at north end of Peacock Lane, Lattingtown.  
Depth: 291 feet. Used for domestic stock and irrigation.

8/13/46	10
---------	----

N-172 Arthur H. Davis, Clefts Road, Mill Neck.  
Depth: 434 feet. Water used for domestic purposes

9/ 5/46	20
---------	----

N-176 Thurston Smith, Centre Island Road, Centre Island.  
Depth: About 327 feet. Water used for domestic purposes.

8/23/46 10

---

N-202 Oyster Bay Water District, West Shore Road, Oyster Bay.  
Depth: 420 feet. Well flows. Well not used because of high iron content of water.

8/10/46 10 3/ 4/49 5.8

---

N-204 Village of Centre Island, Centre Island Road, Centre Island.  
Depth: 351 feet. Well flows at land surface. Used for domestic purposes.

8/26/46 9.0  
8/27/47 6.0 3/ 4/49 5.0

---

N-501 Stein Estate, Centre Island.  
Depth: About 378 feet. Water used for domestic purposes.

8/22/46 10

---

N-502 G. N. Fletcher, Centre Island.  
Depth: 360 feet. Water used for domestic purposes.

8/22/46 10

---

N-506 C. W. Wetmore, Centre Island.  
Depth: 318 feet. Water used for domestic purposes.

9/ 3/46 10

---

N-507 Dr. O. L. Jones, Bayville.  
Depth: About 295 feet. Water used for domestic purposes.

9/ 4/46 20

---

N-511 Irving Cox, Mill Neck.  
Depth: 330 feet. Used by U.S.G.S. as observation well. Water flows.

4/21/48 3.9

---

N-599 Flancone Golf Club, Stonington Road, Flancone.  
Depth: 454 feet. Used for irrigation.

7/ 6/48 3.2

---

N-656 Metropolitan Sand and Gravel Company, west Shore Road, Bar Beach.  
Depth: 400 feet. Well flows at land surface. Industrial well.

7/16/46 40 7/ 1/48 16

---

N-657 Town of North Hempstead, Bar Beach, West Shore Road.  
Depth: About 327 feet. Used now by U.S.G.S. as observation well.

11/17/38	850	3/26/41	1240
1/ 4/39	890	4/10/41	1270
4/11/39	910	5/15/41	1290
5/16/39	960	6/17/41	1250
6/20/39	970	7/11/41	1250
7/24/39	970	9/ 2/41	1400
9/1/39	970	10/ 3/41	1400
9/26/39	1020	11/ 4/41	1400
10/27/39	1010	12/ 2/41	1300
11/30/39	1020	1/ 5/42	1470
1/ 5/40	1040	2/ 2/42	1460
2/ 9/40	1100	3/ 6/42	1470
3/ 6/40	1100	4/ 3/42	1490
4/12/40	1050	5/ 1/42	1510
5/ 9/40	1100	6/17/42	1500
7/17/40	1200	6/29/42	1500
9/24/40	1190	1/ 7/43	1540
10/28/40	1240	3/ 3/43	1540
12/31/40	1220	6/19/44	1780

---

N-660 Chemco Inc. New Street and The Place, Glen Cove. Industrial well.  
Depth: About 404 feet.

10/10/45 6.0 2/ 3/49 4.0

N-661 Chenco Inc. New Street and The Place, Glen Cove. Industrial well.  
Depth: 396 feet.

10/10/45 3.0 gpm.

N-675 Port Washington Sewer District, Sunset Park, Port Washington  
Depth: 286 feet. Industrial well.

7/16/46 10 gpm. 7/ 1/48 3.8 gpm.

N-824 Port Washington Water District. Deep Well #1. Between Sandy Hollow  
Road & Bayview Ave., Port Washington.  
Depth: 592 feet. Public Water Supply Well.

3/ 9/43	4.4 gpm.	10/30/44	7.0
7/18/44	4.4	11/ 6/44	7.0
9/13/44	5.0	11/13/44	7.0
9/24/44	5.0	11/20/44	7.0
10/10/44	7.0	11/28/44	8.0
10/19/44	7.0	1/ 2/45	7.0
10/24/44	7.0		

N-825 Port Washington Water District. Deep Well #2. Between Sandy Hollow Road  
and Bayview Avenue, Port Washington.  
Depth: 394 feet. Public Water Supply well.

3/ 9/43	8.0 gpm.	11/ 6/44	25
10/23/43	8.0	11/13/44	25
7/18/44	8.0	11/20/44	28
9/13/44	22	11/28/44	28
9/24/44	24	1/ 2/45	34
10/10/44	23		
10/24/44	22		
10/30/44	21		

N-825 Port Washington Water District. Deep Well #3. Between Sandy Hollow Road  
and Bayview Avenue, Port Washington.  
Depth: 372 feet. Public Water Supply well.

3/ 9/43	29	9/24/44	86
4/20/43	18	10 /10/44	100
7/18/44	27	10/19/44	105
9/13/44	66	10/24/44	87

## W-826 (continued)

10/30/44	83		11/20/44	112
11/ 5/44	93		11/28/44	107
11/13/44	109		1/ 2/45	93

W-906 Sea Cliff Water Company. Well 6. Shore Road, Sea Cliff.  
Depth: 419 feet. Well flows at land surface. Public Water Supply well.

7/18/46	15		1/17/49	4.0
---------	----	--	---------	-----

W-1298 Citizens Water Supply Company of Newtown. Great Neck Estates, Great Neck.  
Depth: 336 feet. Public Water Supply well.

6/21/46	9.0			
---------	-----	--	--	--

W-1328 Manhasset-Lakeville Water District. Shelter Rock Road, Manhasset.  
Depth: 742 feet. Public Water Supply well.

7/ 1/48	3.4			
---------	-----	--	--	--

W-1618 Manhasset-Lakeville Water District. West side of New Hyde Park Road,  
Manhasset.  
Depth: 550 feet. Public Water Supply well.

10/27/42	5.0		1/17/49	3.6
----------	-----	--	---------	-----

W-1718 Port Washington Water District. Well No. 1. Long Island R.F. and Neulist  
Avenue, Port Washington.  
Depth: 480 ft. Public Water Supply well.

1/11/49	4.8			
---------	-----	--	--	--

N-1802 Manhasset-Lakeville Water District. Lakeville Road and Union Turnpike,  
Lake Success.

Depth: 691 feet. Public Water Supply well.

8/21/47

4.0 gpm.

1/17/49

4.4 gpm.

N-1877 Roslyn Water District, west Shore Road and Mott Avenue Roslyn

Depth: 556 feet. Well flows at land surface. Public Water Supply well.

7/ 1/ 48

4.6 gpm.

N-1917 Wah Chang Trading Corp. 63 Herdhill Road, Glen Cove.

Depth: 308 ft. Industrial well.

10/10/45

4.0 gpm.

2/ 3/49

4.2 gpm.

N-1926 U. S. Merchant Marine Academy, Kings Point.

Depth: 278 feet. Industrial well.

4/22/46

6.4 gpm.

N-1927 City of Long Beach. Well E. Park Avenue and Curley Street, Long Beach.

Depth: 1230 feet. Well flows at land surface.

Public Water Supply well.

12/ 6/44

5.0 gpm.

9/17/46

8.0 gpm.

2/26/45

5.0 gpm.

12/18/46

5.0 gpm.

4/ 9/45

6.0 gpm.

5/20/43

5.0 gpm.

5/31/45

5.0 gpm.

1/27/47

2.8 gpm.

9/ 6/45

6.0 gpm.

8/25/47

4.0 gpm.

12/ 6/45

2.0 gpm.

12/16/47

6.0 gpm.

4/ 3/46

2.0 gpm.

7/ 6/48

3.6 gpm.

6/ 6/46

6.0 gpm.

N-1958 Jamaica Water Supply Company, East 4th Street and Hillside Avenue, New  
Hyde Park.

Depth: 727 feet. Public Water Supply well.

1/10/49

4.2 gpm.

N-2002 Long Island Lighting Company, Shore Road, Glenwood Landing.  
Depth: 487 feet. Industrial well.

9/ 4/46 10 4/15/48 4.8

N-2071 Appleby Estate, Herb Hill Road, Glen Cove.  
Depth: 263 feet. Used by U.S.G.S. as observation well. Well flows.

4/16/48 3.4

N-2116 Junius Morgan. Well No. 1. Lattingtown Road and Dosoris Lane, Dosoris Island.  
Depth: 220 feet. Used for domestic purposes.

7/25/46 10 8/ 8/46 10

N-2117 Junius Morgan. Well No. 2. Lattingtown Road and Dosoris Lane, Dosoris Island. Used for domestic purposes.  
Depth: 226 feet.

8/ 8/46 10

N-2697 City of Long Beach, Westbury Dr. and Lafayette Blvd., Long Beach.  
Depth: 1335 feet. Public Water Supply well.

1/12/49 4.2

Q-27 Durkee Famous Foods, Incorporated, 94th Street and 45th Avenue, Corona.  
Depth: 276 feet. Industrial well.

10/ 9/44 11 4/15/48 9.6  
8/26/47 11,

Q-31 Long Island Railroad, Woodhaven Boulevard and Union Turnpike, Glendale  
Depth: 491 feet. Industrial well.

4/15/48 5.2

Q-34 Knickerbocker Ice Company, Wall 2, Collins Place and 35th Avenue,  
Flushing.

Depth: 345 feet. Used for ice production but has not been operated for several years. Salinity apparently affected by variations in public supply pumping in northern Queens rather than variations in pumping in well Q-34.

6/ 9/48 70

Q-64 Knickerbocker Ice Company, 83rd Street and 45th Avenue  
Depth: About 560 feet. Industrial well.

6/14/36	28	8/ 9/39	180
1/14/37	27	8/15/40	181
6/25/37	29	9/ 8/41	24
9/30/37	23		

Q-111 Queens Boro Gas & Electric Company, Beach 24th Street and Wright Road.  
Depth: About 1016 feet. Industrial well.

10/ 7/32	7.0	8/31/42	82
7/18/39	14	4/19/48	14

Q-275 City of New York Department of Water Supply, Alley Pond Parkway and  
Hefce Harding Boulevard.

Depth: About 456 feet Public Water Supply well.

1932	31	1942	8.2
3/36	12		

Q-278 City of New York Department of Water Supply, Douglaston Well 3, Alley  
Pond Parkway, Douglaston.

Depth: 512 feet. Well not used for several years. Public Water Supply well.

1940	7.9	1946	6.5
1942	5.2		

Q-256 Murray Ice Co., Beach Channel Drive and Beach 98th Street.  
Depth: About 800 feet. Industrial well.

4/17/39 69

Q-290 Rockaway Operating Company, Inc. Rockaway Point  
Depth: About 728 feet. Public Water Supply well.

1932 2.8 7/18/39 2.0

Q-562 Jamaica Water Supply Company. Well 6 C. 108th Avenue and 167th Street  
Jamaica.  
Depth: 608 feet. Public Water Supply well.

2/ 2/40 7.0

Q-567 Jamaica Water Supply Company. Well 18 A. 164 Street and 84th Avenue.  
Jamaica.  
Depth: 621 feet. Public Water Supply well.

2/ 3/49 7.0

Q-1874 I. B. Kleinert Rubber Company, 20-09 127th Street, College Point.  
Depth: About 524 feet. Industrial well.


9/13/47 1917

S-8 New York Water Service Corporation, Hill Street, Huntington  
Depth: About 600 feet. Public Water Supply well.

10/12/32 4.2 9/ 8/47 4.4

S-48 U. S. Veteran's Hospital. Well 1. Middleville Road, Northport.  
Depth: 740 feet. Used for domestic, irrigation and cooling

3/27/46 6.0



S-49 U. S. Veteran's Hospital. Well 2. Middleville Road, Northport.  
Depth: 728 feet. Used for domestic, irrigation and cooling.

3/27/48 5.0 gpm.

---

S-229 Catholic Seminary, West Neck Avenue, West Neck, Huntington.  
Depth: About 565 feet. Used for domestic and irrigation.

3/15/48 4.4 gpm.

---

S-4466 Marshall Field Estate. Lloyd Neck, Huntington.  
Depth: About 377 feet. Used for domestic purposes.

4/15/48 3.8 gpm.

---