

CONTENTS

	Page
Introduction	1
Table of well records	
Indian River County	2
Orange County	2
Seminole County	2
Volusia County	3
Brevard County	4

ILLUSTRATIONS

Figure 1. Map of Brevard County showing the piezometric surface and location of wells	41
2. Map of Brevard County showing the chloride content of water from nonartesian wells	42
3. Map of Brevard County showing the chloride content of water from artesian wells	43
4. Map of Brevard County showing approximately the altitude of the top of the limestone of Eocene age	44
5. North-South geologic cross section of Brevard County along line A-A' in figure 4	45

BASIC DATA OF THE 1946-47 STUDY OF THE GROUND-WATER RESOURCES OF
BREVARD COUNTY, FLORIDA

By
Robert M. Neill
SS-120

INTRODUCTION

A reconnaissance investigation of the ground-water resources of Brevard County was made in 1946-47 by the United States Geological Survey in cooperation with the Florida Geological Survey. The following tables of well records and illustrations were compiled from data collected during that investigation.

The material is being released to the open file for use by agencies interested in the planning of conservation and water-supply programs in the area.

The collection and compilation of these data were under the general direction of A. N. Sayre, Chief of the Ground Water Branch of the U. S. Geological Survey and under the direct supervision of the District Engineer, H. H. Cooper, Jr., succeeded in 1954 by M. I. Rorabaugh. Most of the data in this release were collected and compiled by R. M. Neill and the illustrations were prepared by R. M. Neill and Ralph C. Heath.

The geologic names used in the illustrations conform to the stratigraphic nomenclature used by the Florida Geological Survey but not in all reports to the nomenclature used by the U. S. Geological Survey.

INDIAN RIVER COUNTY

Well Number	Location	Owner	Driller	Completed	Depth of Well (feet)	Depth of Casing (feet)	Diameter of Casing (inches)	Measuring Point		Water Level		Chloride Content		Water temperature, degrees Fahrenheit	Use of Well	Remarks
								Description	Altitude above mean sea level (feet)	Above measuring point (feet)	Date of measurement	Parts Per Million	Date of determination			
1	Fellsmere, about 0.65 mile east, in a grove north side of drainage canal. NW $\frac{1}{4}$ sec. 24, T. 31 S., R. 37 E.	Mrs. W. H. George, Daytona Beach	C. W. Manning	1928	528	190	4	Top of 4-inch tee, 1.7 feet above land surface.	27.01	24.3	8/14/32	200	9/26/47	79	Irrigation	
2	Fellsmere, about 1 mile southwest. Sec. 22, T. 31 S., R. 37 E.	A. W. Crandall	---	1923	660	150	4	Top of 3/4-inch faucet, 1.5 feet above land surface.	28.0	27.7	8/14/34	---	--	79	Irrigation	
3	Sebastian, under water tower in yard, northwest of filling station on U. S. Highway 1. NE $\frac{1}{4}$ sec. 6, T. 31 S., R. 39 E.	H. B. Bohannon, Sebastian	Frank Young	1914	400	200	2	Top of southeast corner of concrete base, 2.2 feet above land surface.	13.56	29.3 25.5 25.6	8/14/34 9/28/47 2/10/48	---	--	80	Unused	
4	Sebastain, in pumphouse, about 10 feet east of well 3. NE $\frac{1}{4}$ sec. 6, T. 31 S., R. 39 E.	H. B. Bohannon, Sebastain	John Yorgeson	1924	507	190	6	Top of 5-inch valve, 1 foot above land surface.	12.0	36	Aug. 1934	---	--	80	Domestic	
6	Vero Beach, about 100 feet north of northeast intersection of State Highway 60 and 37th St.	F. F. Cobb, Vero Beach	---	----	550	140	4	Top of 4-inch tee, 2.0 feet above land surface.	25.0	17.5 20.2	2/13/34	275	10/9/47	77	Irrigation	
7	Vero Beach, southwest corner of park at 21st Street and 14th Avenue. SE $\frac{1}{4}$ sec. 2, T. 33 S., R. 39 E.	Town of Vero Beach	---	----	400?	---	4	Top of 4-inch ell, 0.5 foot above land surface.	15.54	6.5 27.2	2/13/34 10/9/47	---	--	74	Public supply	
12	Sebastian, south side of city park, south of the city hall.	Town of Sebastian	Knight-King	1947	400	150?	4	Top of 4-inch tee, 1.1 feet above land surface.	12.82	31.7 32.3	9/36/47 2/10/48	---	--	--	Fire	
13	Winter Beach, in yard southeast of residence, on east side of U. S. Highway 1. NE $\frac{1}{4}$ sec. 3, T. 32 S., R. 39 E.	J. D. Reeves, Winter Beach	---	----	---	---	3	Top of 3-inch tee, 1.38 feet above land surface.	13.11	32.5	10/9/47	275	10/9/47	--	Irrigation	
14	Vero Beach, about 4 miles west, in well house about 200 feet north of a residence, about 1 mile north of State Highway 60. SW $\frac{1}{4}$ sec. 32, T. 32 S., R. 39 E.	W. E. Cherry, Vero Beach	---	1927	550	290	4	Top of concrete base, 2.5 feet above land surface.	18.0	25.0	10/9/47	625	10/9/47	--	Domestic	
15	Vero Beach, about 6.2 miles west, in pasture about 250 feet northeast of residence, on north side of State Highway 60.	William Webb, Jr., Vero Beach	---	1946	---	---	4	Top of 4-inch tee, 0.65 foot above land surface.	25.36	24.0	10/9/47	650	10/9/47	--	Stock and Domestic	
16	Vero Beach, about 8.3 miles west, in pasture about 500 feet north of State Highway 60. SW $\frac{1}{4}$ sec. 4, T. 33 S., R. 38 E.	Eddie War, Vero Beach	---	----	---	---	4	Top of 4-inch tee, 2.3 feet above land surface.	27.10	24.0	10/9/47	---	--	--	Stock	
O R A N G E C O U N T Y																
65	Bithlo, in old concrete block building, 0.2 mile south of Chaney Highway. SW $\frac{1}{4}$ sec. 27, T. 22 S., R. 32 E.	B. C. Dodd, Winter Park	---	1926	211	205	10	Top of concrete rim around well pit.	68.96	22.6 26.9 25.7 23.5	May 1933 6/19/43 8/2/43 10/18/47	---	--	--	Unused	Well 55 in FGS Report of investigations No. 5.
66	Fort Christmas, about 2.5 miles east, south side of Chaney Highway.	---	---	----	---	200?	4	Top of northeast corner of concrete base, 1.0 foot above land surface.	15.45	7.1 18.0 16.1	11/28/33 3/12/46 10/18/47	648	11/6/53	--	Unused	Well 66 in FGS Report of investigations No. 5.
S E M I N O L E C O U N T Y																
5	Oviedo, about 1 mile north, east side of State Highway 203.	---	---	----	100?	---	3	Top of 3-inch casing, 2.0 feet above land surface.	31.0	7.0 9.0 10.0	5/19/33 12/4/35 10/1/47	---	--	--	Unused	
6	Oviedo, about 2 miles north, north side of a county road. SW $\frac{1}{4}$ sec. 34, T. 20 S., R. 31 E.	Alex Leinhart, Oviedo	McCullough	1921	100	70	2	Top of 2-inch valve, 1.0 foot above mean sea level.	--	14.0 17.0	5/15/33 10/1/47	---	--	--	Irrigation	
16	Slavia, east side of a grocery store, on east side of State Highway 426.	Martin Stanko, Slavia	---	1926	190	---	3	---	--	1.0 3.9	5/15/33 10/4/47	---	--	--	Domestic	
35	Southeast edge of Lake Jessup, 4 miles northeast of Oviedo.	C. Niblack, Oviedo	---	----	---	---	4	Top of mouth of valve.	8.72	16.7 17.9 18.9 19.0 18.2 19.0 18.5 16.5 16.6 17.1	11/18/38 2/2/39 8/28/41 11/23/41 5/30/42 7/25/42 8/18/42 5/9/43 6/8/43 7/30/43	---	--	--	Observation	Recorder installation. Well 35 in FGS Report of investigations No. 5.

Well Number	Location	Owner	Driller	Completed	Depth of well (Feet)	Depth of casing (Feet)	Diameter of casing (Inches)	Measuring Point		Water level		Chloride Content		Use of well	Remarks
								Description	Altitude above mean sea level (Feet)	Above measuring point (Feet)	Date of measurement	Parts per Million	Date of determination		
36	Sanford, east of Celery Avenue, north side of Celery Avenue, at east side of driveway across road from residence of John Brumley. Sec. 28, T. 19 S., R. 31 E.	John Brumley, Sanford	---	----	90	80	4	Top of horizontal 2-inch pipe, over concrete irrigation pipe.	14.89	9.7	8/26/43	---	--	Irrigation	
37	Sanford, about 3 miles southwest. NE $\frac{1}{4}$ sec. 11, T. 20 S., R. 30 E.	City of Sanford	Layne-Atlantic Co.	1943	160	90	12	---	--	--	--	---	--	Public supply	FGS well No. W-765
38	Geneva, about 200 feet southwest of intersection of State Highway 46 and 426, about 50 feet west of State Highway 426. SE $\frac{1}{4}$ sec. 21, T. 20 S., R. 32 E.	State Road Department	---	----	---	---	---	Top of 2-inch casing, 1.4 feet above land surface.	65.16	41.0	10/3/47	---	--	Unused	
39	Geneva, at Dix Service Station and Grocery Store. NE $\frac{1}{4}$ sec. 21, T. 20 S., R. 32 E.	R. N. Strevell, Geneva	A. D. Rosier, Sanford	1943	150	70	2	Top of 2-inch casing.	--	42.0	10/1/47	---	--	Domestic	
40	Oviedo, about 2.3 miles north, in yard east of a residence, east side of a county road. SE $\frac{1}{4}$ sec. 34, T. 20 S., R. 31 E.	Jack King, Oviedo	---	----	98	70	4	Top of 4-inch valve plate.	--	19.0	3/29/47	---	--	Domestic irrigation	
41	Oviedo, about 2.3 miles north, about 500 feet east of well 40. SE $\frac{1}{4}$ sec. 34, T. 20 S., R. 31 E.	Jack King, Oviedo	---	----	110	70	4	---	--	--	--	---	--	Irrigation	
42	Oviedo, about 2.3 miles north, about 1,000 feet east of well 40. SE $\frac{1}{4}$ sec. 34, T. 20 S., R. 31 E.	Jack King, Oviedo	---	----	118	70	4	Top of 4-inch valve, flush with land surface.	--	19.0	9/29/47	200	9/29/47	Irrigation	
VOLUSIA COUNTY															
6	Oak Hill.	R. Steinhouser	---	----	140	---	2	Top of 2-inch ell, 1.1 feet above land surface.	--	2.65	1/28/48	---	--	72 Domestic	
14	Oak Hill, about 3.8 miles southwest, at northeast corner of a concrete pool, at Log Cabin Grove, west side of U. S. Highway 1. T. 19 S., R. 34 E. Delespine and McIntosh Grant.	Theodore Travis Oak Hill	---	1936	450	---	8	Top of 6-inch reducer, 1.0 foot above land surface.	--	8.0	5/12/47	---	--	Public supply and irrigation	
15	Oak Hill, about 3.8 miles southwest, in a grove, south of a county road, about 0.6 mile west of U. S. Highway 1. T. 19 S., R. 34 E. Delespine and McIntosh Grant.	Theodore Travis Oak Hill	---	1936	350	---	6	---	--	--	--	---	--	Irrigation	
16	Oak Hill, about 3.7 miles southwest, in a grove north of county road, about 0.6 mile west of U. S. Highway 1. T. 19 S., R. 34 E., McIntosh Grant.	Theodore Travis Oak Hill	---	1936	350	---	6	Top of 6-inch tee, 1.00 feet above land surface.	--	1.5	10/10/47	---	--	Irrigation	
17	Mims, about 7.5 miles west, about 30 feet north of a barn, about 600 feet southwest of a cattle pen, on south side of State Highway 46. NW $\frac{1}{4}$ sec. 12, T. 21 S., R. 33 E.	Norrie Cattle Co., Ocala	Wilson	----	300	100	3	Top of 3x1.5-inch reducer, 2.0 feet above land surface.	17.18	-2.65 -0.90 -1.0	1/28/47 9/29/47 10/18/47	---	--	Unused	
18	Scottsmeer, about 2.3 miles northeast in center of an orange grove, east side of a county road, about 0.03 mile north of Brevard County line. NW $\frac{1}{4}$ sec. 31, T. 19 S., R. 35 E.	W. C. Cantrell, Scottsmeer	---	----	197	---	4	Top of 4-inch ell, 1.8 feet above land surface.	9.37	4.7 4.7 4.7	5/12/47 9/10/47 10/10/47	950*	5/12/47	71 Irrigation	
19	Mims, about 12 miles northwest, at residence on southeast shore of Lake Harney. SE $\frac{1}{4}$ sec. 20, T. 20 S., R. 33 E.	Morgan Alderman Mims	Morgan Alderman	----	50	50	1.25	---	--	--	--	5676	9/29/47	Domestic	
20	Mims, about 11.5 miles northwest, about 10 feet west of a cabin in orange grove, west side of a sand road, about 1.6 miles northwest of State Highway 46. NE $\frac{1}{4}$ sec. 29, T. 20 S., R. 33 E.	Morgan Alderman Mims	Arie	1946	---	---	3	Top of southwest corner of concrete base, 0.3 feet above land surface.	13.14	5.5	9/29/47	5625	9/29/47	76 Domestic	
21	Samsula, east side of a residence, east side of State Highway 415. Sec. 13, T. 17 S., R. 32 E.	R. J. Whilden, Samsula	---	1947	137	90	3	Top of 3-inch casing, 2.38 feet above land surface.	27.42	-3.68 -3.42	10/6/47 1/6/48	---	--	Domestic	
22	Samsula, about 2.5 miles southwest, at Indian Springs, east side of State Highway 415. Sec. 23, T. 17 S., R. 32 E.	Mr. Carter, Indian Springs	---	----	---	---	2	Top of 2-inch casing, 3 feet above land surface.	42.63	-13.44	1/29/48	---	--	Domestic	
23	New Smyrna, about 3 miles southwest, in well field.	Town of New Smyrna	---	----	---	---	6	Top of 6-inch casing, 0.5 feet above land surface.	16.2	6.66	1/27/48	---	--	Public supply	Reorderer installed

BREVARD COUNTY

Well Number	Location	Owner	Driller	Completed	Depth of well (feet)	Depth of casing (feet)	Diameter of casing (inches)	Measuring Point		Water Level		Chloride Content		Water temperature, degrees Fahrenheit	Use of well	Remarks
								Description	Altitude above mean sea level (feet)	Above measuring point (feet)	Date of measurement	Parts per Million	Date of determination			
1	Titusville, at pool east of hotel, about 150 feet west of Indian River. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 3, T. 22 S., R. 35 E.	Dixie Hotel	---	----	400	---	--	Top of 3/4-inch pipe at pool, 1 foot above land surface.	8	3.9	8/16/34	14,500	10/22/46	80	Pool	
2	Orsino, 2.1 miles southwest, in drainage ditch on west side of an orange grove. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 12, T. 23 S., R. 36 E.	M. S. Whaley, Rockledge	Peck Harris	1932	137	---	12	Top of casing, flush with land surface.	3	25.0	1932	---	--	--	Irrigation	
3	Courtenay, south side of residence. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 27, T. 23 S., R. 36 E.	R. B. LeRoche	Thomas Sams, Tampa	1922	400	100	4	Top of 3/4-inch faucet, 150 feet south of well, 1.5 feet above land surface.	6	22.0	8/10/34	4,000	8/10/34	78	--	
4	Courtenay, on south bank of drainage ditch, about 200 feet east of State Highway 3. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 27, T. 23 S., R. 36 E.	E. P. Porcher, Estate, Cocoa	Thomas Sams, Tampa	1932	615	---	12	Top of 12-inch valve, 5 feet above land surface.	8	16.0	--	9,020	5/21/47	80	Drainage (Siphon)	
5	Courtenay, 2.8 miles southeast, in Hall Hammock, north of a shell road. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 36, T. 23 S., R. 36 E.	E. P. Porcher Estate, Cocoa	Peck Harris	1929	415	---	12	Top of 2-inch valve, 6 inches above 12-inch casing, 2.5 feet above land surface.	6	13.0	8/16/34	---	--	76	Irrigation	
6	Courtenay, about 2.5 miles southeast, in Hall Hammock. Sec. 36, T. 23 S., R. 36 E.	E. P. Porcher Estate, Cocoa	H. Brunteeh	1929	626	80	8	Top of 8-inch valve, 1 foot above land surface.	4	14.0	--	---	--	78	--	
7	Cape Canaveral Light House, 10 miles northeast from Cocoa Beach, about 60 feet east of light house. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 23 S., R. 36 E.	U. S. Government	---	1890	313	81.5	4	Top of 3/4-inch valve, south side of house, north of light house, 1.6 feet above land surface.	11.44	17.5 16.3 16.5	8/10/34 7/7/42 9/24/47	1,800 460	8/10/34 May 1947	77	Domestic	
8	Cocoa.	E. P. Porcher Estate, Cocoa	H. Brunteeh	1916	310	100	10	Top of 10-inch casing, 4 feet above land surface.	7	34.0	--	---	--	79	--	
9	Merritt Island, 1.1 miles north, at residence, 600 feet east of Indian River. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 27, T. 24 S., R. 36 E.	C. A. Jones, Merritt Island	E. C. Smith	1931	420	80	8	Top of 3/4-inch faucet at northeast corner of house, 1.0 foot above land surface.	4	24.5	8/10/34	900	8/10/34	79	Domestic	
10	Rockledge, 1.5 miles south, 150 feet west of Indian River. Sec. 14, T. 25 S., R. 36 E.	M. S. Whaley, Rockledge	Peck Harris	1932	227	90	4	Top of 4-inch valve, 4.0 feet above land surface.	12	24.0	8/16/34	770	8/16/34	79	Domestic	
11	Cocoa, about 6.7 miles south, in grove near a residence on Indian River, about 0.3 mile east of U. S. Highway 1. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 36, T. 25 S., R. 36 E.	J. D. Hynie	---	1932	350	---	6	Top of 3/4-inch faucet on well, 1 foot above land surface.	5	38.0	8/15/34	---	--	80	Unused	
12	Eau Gallie, 2.5 miles north, south of Horse Creek, under residence, on east side of U. S. Highway 1. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 5, T. 27 S., R. 37 E.	E. A. Dobler, Eau Gallie	E. C. Smith	1926	400	100	6	Top of 6-inch tee, 1.5 feet above concrete floor.	11	36.3 23.5 34.6	8/19/34 7/9/42 2/11/48	---	--	80	Industrial	
13	Eau Gallie, about 0.7 mile south of post office, on west shoulder of U. S. Highway 1, about 150 yards south of Eau Gallie Creek. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 21, T. 27 S., R. 37 E.	Town of Eau Gallie	E. C. Smith	1927	511	110	6	Top of 6-inch cross, 4.0 feet above land surface.	21	23.6 22.0 21.8	8/9/34 7/8/42 4/26/47	600	8/8/34	79	Fire well	
14	Eau Gallie, about 0.5 mile northwest of post office, at northwest corner of pump house. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 18, T. 27 S., R. 37 E.	Town of Eau Gallie	E. C. Smith	1927	600	---	12	Top of concrete pump base, 1 foot above land surface.	15	31.5 28.9	1934 2/10/48	---	--	79	Public supply	
15	Eau Gallie, about 2.1 miles northeast, north side of State Highway 3, at east end of Mathers Bridge. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 27 S., R. 37 E.	Mathers Estate	E. C. Smith	1928	400	80	6	Top of casing, 2 feet above land surface.	9	39.1	1934	---	--	78	Hydro-electric	
16	Eau Gallie, about 2.1 miles northeast, south side of State Highway 3, 60 feet west of Banana River. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 27 S., R. 37 E.	Mathers Estate	---	----	400	110	4	Top of 3/4-inch faucet, 1.0 foot above land surface.	11	35.0 32.3	8/10/34 7/8/42	600	8/10/34	79	Domestic	
17	Eau Gallie, about 2.2 miles northeast, at Mathers Bridge, about 8 feet east of bridge tender's house. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 27 S., R. 37 E.	Mathers Estate	E. C. Smith	----	300	110	6	Top of concrete plug in 6-inch casing, about 10 feet above River level.	11	22.0 32.3 33.5	8/10/34 7/8/42 2/10/42	525	10/16/47	79	Domestic	
18	Palm Bay, 150 feet west of Indian River. NW $\frac{1}{4}$ sec. 24, T. 28 S., R. 37 E.	Mrs. W. B. Couch, Palm Bay	Hedger	1923	620	100	6	Top of 6-inch casing, 4 feet above land surface.	--	42.0	--	---	--	79	--	
19	Melbourne, about 9 miles west, about 40 feet north of U. S. Highway 192, 30 feet west of St. Johns River. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 28 S., R. 36 E.	R. H. Wall, Melbourne	Hedger	1929	413	80	2	Top of 2-inch tee, 1 foot above land surface.	20.04	26.7 27.1 26.2 26.9 28.9	8/15/34 11/26/46 3/12/47 10/17/47 2/10/48	332*	5/22/47	79	Domestic	
20	Malabar, 9.5 miles west, east side of a residence, northeast corner of orange grove, 10 feet south of State Highway 514. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 4, T. 29 S., R. 36 E.	Mr. Webber, Orlando	---	1929	447	125	4	Top of 4-inch tee, 1.0 foot above land surface.	24	29.9 27.5 26.8 27.7 26.7 26.8	8/14/34 7/9/42 11/27/47 May 1947 10/17/47 2/10/48	550*	5/22/47	--	Irrigation	

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point		Water Level		Chloride content		Water temperature, degrees Fahrenheit	Use of well	Remarks
								Description	Altitude above mean sea level (Feet)	Date of measurement	Parts per Million	Date of determination				
21	Malabar, 4 miles west. Sec. 3, T. 28 S., R. 37 E.	C. L. Davidson, Malabar	---	1927	610	120	6	Top of 1-inch valve, at southwest corner of pool, 1 foot above land surface.	29	19.5	8/14/34	--	--	78	Domestic	
22	Malabar. NE $\frac{1}{4}$ sec. 6, T. 29 S., R. 38 E.	Marshall Lumber Co., Malabar	E. C. Smith	1926	350	150	6	Top of 3/4-inch faucet, 2 feet above land surface.	26	23	8/14/34	--	--	79	Industrial	
23	Grant, about 1,000 feet east of post office. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 29 S., R. 38 E.	Couch Manufacturing Co., Grant	H. Bruntesh	1929	872	170	8	Top of concrete pump base, flush with surface.	7	39.1	1929	--	--	79	Industrial	FGS Well W-104
24	Grant, 1,000 feet east of post office. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 29 S., R. 38 E.	Couch Manufacturing Co., Grant.	H. Bruntesh	1929	1000	156	12	Top of concrete pump base, flush with surface.	7	39.1	--	--	--	--	Industrial	
25	Grant, 1,000 feet east of post office. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 29 S., R. 38 E.	Couch Manufacturing Co., Grant	H. Bruntesh	1922	630	160	6	Top of concrete pump base, flush with surface.	47	39.1	--	--	--	--	Industrial	
26	Micoo, 10.0 feet west of Indian River. Sec. 11, T. 30 S., R. 38 E.	S. W. Patcher, Micoo	---	1929	1000	260	8	Top of 8-inch valve, flush with land surface.	14	33.0 31.5	8/9/34 7/8/42	400	8/9/34	79	Domestic	
27	Mims, 4.5 miles north, southeast corner of orange grove, west side of a shell road, about 0.7 mile east of U. S. Highway 1. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 20 S., R. 35 W.	N. W. Bryan, Titusville	Brevard Drilling Company	1946	143	79	6	Top of 6-inch tee, 1.4 feet above land surface.	13.47	1.56	Aug. 1946	--	--	--	Irrigation	
28	About 15 feet south of well 27. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 20 S., R. 35 W.	N. W. Bryan, Titusville	Brevard Drilling Company	1946	143	75.5	6	Top of 6-inch ell, 1.0 foot above land surface.	13.26	1.77	Aug. 1946	--	--	--	Irrigation	
29	Mims, 4.5 miles north, in orange grove by shed about 150 feet north of sand road. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 20 S., R. 35 W.	C. B. Davis, Titusville	Brevard Drilling Company	1946	163	96	6	Top of cap on 6-inch tee, 1.2 feet above land surface.	16.60	-1.57	Aug. 1946	--	--	--	Irrigation	
30	Mims, 3.8 miles north, in orange grove 0.1 mile north of a sand road, 0.7 mile east of U. S. Highway 1. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 20, T. 20 S., R. 35 E.	S. R. Davies, Mims	Brevard Drilling Company	1946	145	93	6	Top of 6-inch tee, flush with land surface.	11.79	2.50	11/15/46	62*	5/21/47	--	Irrigation	
31	Mims, about 4.7 miles north, north edge of grove on sand road, about 0.9 mile east of U. S. Highway 1. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 20 S., R. 35 E.	N. W. Bryan, Titusville	Brevard Drilling Company	1946	145	81.5	6	---	--	--	--	--	--	--	Irrigation	
32	Scottsmeer, 1.7 miles northeast, in orange grove 0.4 mile south of county line, 800 feet north of a house on south side of grove, about 0.25 mile east of a shell road.	C. W. Carlisle, LeGrange	Brevard Drilling Company	1946	173	106	3	Top of 2-inch valve, 1.2 feet above land surface.	6.57	8.90	10/25/46	425*	10/25/46	--	Irrigation	
33	Scottsmeer, 1.7 miles northeast, in orange grove, about 450 feet southeast of well 32.	C. W. Carlisle, LeGrange	Brevard Drilling Company	1946	130	84	4	Top of 3-inch tee, 1.0 foot above land surface.	8.16	7.50 6.25	10/25/46 10/13/47	--	--	--	Irrigation	
34	Scottsmeer, 1.7 miles northeast, in orange grove, 0.4 mile south of county line, about 425 feet northwest of well 32.	C. W. Carlisle, LeGrange	Brevard Drilling Company	1946	130	84	4	Top of 4-inch ell, 2.40 feet above land surface.	8.34	6.85	Oct. 1946	--	--	--	Irrigation	
35	Scottsmeer, 1.7 miles northeast, in orange grove, 0.4 mile south of county line, 0.1 mile east of well 32 on irrigation ditch.	C. W. Carlisle, LeGrange	Brevard Drilling Company	1946	130	84	4	Top of 4-inch ell, 0.66 foot above land surface.	5.40	9.34	Oct. 1946	--	--	--	Irrigation	
36	LeGrange, in orange grove, on irrigation ditch 200 feet east of a paved road. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 29 S., R. 35 E.	S. P. Giddens, LeGrange	Brevard Drilling Company	1946	162	91	6	Top of 6-inch casing, 0.8 foot above land surface.	24.52	-8.2	11/30/46	--	--	--	Irrigation	
37	Mims, 2.8 miles north in Turnbull Hammock, 1.1 miles east of U. S. Highway 1, in orange grove about 400 feet east of a shed. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 21 S., R. 35 E.	L. A. Brady, Titusville	Brevard Drilling Company	1946	133	83	6	Lower pipe thread on 6-inch casing, 0.15 foot above land surface.	8.57	6.0 5.4	10/24/46 10/13/47	800*	10/24/46	--	Irrigation	
38	Mims, 1.4 miles northeast, about 460 feet southeast of a shed on shell road, 1.25 miles east of U. S. Highway 1. SE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 21 S., R. 35 E.	Crofton-Wilson, Titusville	Brevard Drilling Company	1946	122	102	6	Top of 6-inch ell, 1.4 feet above land surface.	10.14	4.1	10/22/46	765*	10/22/46	--	Irrigation	
39	Indian River City, in fish pool, east side of box room, northeast corner of intersection of U. S. Highway 1 and State Highway 50.	Frank Clark, Indian River City	---	--	240	--	4	---	--	--	--	--	--	--	---	
40	Merritt Island, 3 miles north, about 150 feet west of packing house on west side of State Road 3. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	W. S. Bell, Cocoa.	E. C. Smith	1944	220	60	3	Top of 3-inch discharge pipe, 1.5 feet above land surface.	15.0		8/14/46	1260	11/19/46	--	Irrigation	FGS well 934
41	Indian River City, .15 mile south of post office, east side of U. S. Highway 1, south of small building on bank of Indian River.	Charles L. Graham, Indian River City	Brevard Drilling Company	1946	--	--	--	Top of concrete floor in building north of well, 1.6 foot above land surface.	4.64 11.5		9/5/46 10/13/47	1200*	9/25/46	--	Domestic	
42	Indian River City, east side of pump house, north of residence, one block west of post office.	Mrs. Earl Griggs, Indian River City	Wilson, Port Orange	1946	140	--	2	---	--	--	--	837	10/13/47	--	Domestic	

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point			Water Level		Chloride Content		Water temperature degrees Fahrenheit	Use of Well	Remarks
								Description	Altitude above mean sea level (Feet)	Above casing measurement (Feet)	Date of measurement	Parts per Million	Date of determination				
42	Indianola, east of residence on bank of Indian River. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	Joe Field, Cocoa	Mr. Field	1910	160	90	3	---	--	--	--	--	--	--	Domestic and irrigation		
44	Merritt Island, about 2.7 miles north, in edge of orange grove, about 600 feet west of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	J. E. Field, Indianola	E. C. Smith	1945	245	63	3	Top of 3-inch casing, 1.5 feet above land surface.	11.14	15.0 16.5	8/14/46 10/14/47	--	--	77	Irrigation		
45	Merritt Island, about 2.9 miles north, in field, north side of drainage canal. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 14, T. 24 S., R. 36 E.	J. E. Field, Indianola	A. L. Smith	1945	245	83	4	Top of 4-inch casing, 1.5 feet above land surface.	2.09	27.0 27.0 27.0	8/14/46 3/10/47 2/10/48	1220*	3/10/47	77	Irrigation	FGS well W-929	
46	Merritt Island, about 2.9 miles north, in orange grove, northeast of residence on Indian River. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	P. H. J. Grant, Indianola	J. E. Field	1910	310	--	3	---	--	--	--	--	--	--	Irrigation		
47	Merritt Island, about 2.8 miles north, in orange grove, east of residence on Indian River. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	P. H. J. Grant, Indianola	A. L. Smith	1944	160	110	3	---	--	--	--	--	--	--	Irrigation		
48	Cocoa, in a field, about 450 feet southeast of intersection of King Street and a country road, about 1.7 miles west from U. S. Highway 1. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 24 S., R. 36 E.	W. W. Moore, Cocoa	Breward Drilling Co.	1946	190	80	4	Top of 4-inch tee, 1.2 feet above land surface.	21.13	12.0 12.8	8/16/46 10/14/47	1340*	9/24/46	--	Irrigation	FGS well W-1361	
49	Merritt Island, about 3.6 miles north, west of State Highway 3, on Indian River, about 150 feet southeast of residence. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 24 S., R. 36 E.	W. W. Grant, Indianola	A. L. Smith	1944	180	80	3	Lower pipe thread on 3-inch casing, 1.0 foot above land surface.	7.22	19.0	8/20/46	--	--	78	Irrigation		
50	Titusville, about 10.8 miles northeast, about 100 feet south of residence on east side of State Highway 3, 0.35 mile southeast of Haulover Canal. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 30, T. 20 S., R. 36 E.	John Ragin, Titusville	Breward Drilling Co.	1945	165	119	4	Top of 4-inch coupling on casing, 1.0 foot above land surface.	6.86	-0.05	9/10/47	12,375	9/10/47	--	Unused		
51	Orsino, 4.5 miles north, east side of State Highway 3, west of residence. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 22 S., R. 37 E.	D. A. Briggs, Orsino	D. A. Briggs	1945	145	145	2	Top of concrete pump base, 0.5 foot above land surface.	3.11	16.5 14.4 17.6	8/21/46 12/12/46 10/14/47	1,160*	11/19/46	74	Domestic		
52	Merritt Island, about 4.5 miles north, east side of irrigation pond, about 0.3 mile east of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 24 S., R. 36 E.	Deerfield Grove Co., Wabasso	A. L. Smith	1945	282	80	4	Top of 4-inch ell, 2.0 feet above land surface.	--	12.5	8/21/46	1,390*	11/19/46	--	Irrigation		
53	Merritt Island, about 4.3 miles north, east side of irrigation ditch, about 0.3 mile east of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 24 S., R. 36 E.	Deerfield Grove Co., Wabasso	A. L. Smith	1945	257	100	4	Top of 4-inch tee, 2.0 feet above land surface.	--	13.0	8/21/46	--	--	--	Irrigation		
54	Merritt Island, about 4.3 miles north, east side of irrigation ditch in orange grove, about 0.25 mile west of State Highway 3. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 3, T. 24 S., R. 36 E.	Mr. Lefavor, City Point	A. L. Smith	--	---	--	3	Lower thread on 3-inch casing, 0.7 foot above land surface.	--	15.7	8/21/46	--	--	--	Irrigation and drainage		
55	Merritt Island, about 4.7 miles north, on drainage canal, in southwest corner of orange grove, 0.25 mile west of State Highway 3. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 3, T. 24 S., R. 36 E.	Deerfield Grove Co., Wabasso	O. F. Pippin	1946	325	109	6	Top of 6-inch tee, 0.6 foot above land surface.	2.93	22.4 10.0 20.9	8/28/46 4/28/47 2/11/48	1,560*	11/19/46	--	Irrigation and drainage	FGS well W-1382	
56	Merritt Island, 4.3 miles north, on shoulder of State Highway 3. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 3, T. 24 S., R. 36 E.	L. W. Rensbur	A. L. Smith	--	170	--	4	Lower thread on 4-inch casing, 2.0 feet above land surface.	11.16	12.5	8/28/46	--	--	--	Irrigation		
57	Courtenay, about 0.25 mile north, 10 feet east of State Highway 3. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 23 S., R. 36 E.	E. P. Porcher Estate	---	--	---	--	3	Top of 3-inch casing, 1.5 feet above land surface.	--	12.0	8/28/46	3,900*	11/19/46	76	Irrigation		
58	Courtenay, about 1.0 mile south, 3 miles west of State Highway 3, in orange grove. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 27, T. 23 S., R. 36 E.	E. P. Porcher Estate	---	--	---	--	4	Cross mark on 4-inch casing, 1.0 foot above land surface.	--	13.0 13.2	8/21/46 10/13/47	--	--	--	Irrigation		
59	Courtenay, about 0.9 mile south, 600 feet east of State Highway 3, in orange grove. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 27, T. 23 S., R. 36 E.	E. P. Porcher Estate	---	--	---	--	3	3-inch pipe between valve and tee, 2.0 foot above land surface.	--	9.2 9.7	8/22/46 10/13/47	1,510*	5/21/47	76	Irrigation		
60	Courtenay, about 0.9 mile south, 1,300 feet east of State Highway 3, in orange grove. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 27, T. 23 S., R. 36 E.	E. P. Porcher Estate	---	--	---	--	3	Lower thread on top of 3-inch casing, 0.5 foot above land surface.	--	11.5 12.3	8/22/46 10/15/47	--	--	--	Irrigation		
61	Courtenay, about 0.3 mile east, on ditch bank, south side of orange grove, south of shell road. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 27, T. 23 S., R. 36 E.	E. P. Porcher Estate	---	--	---	--	2	---	--	--	--	--	--	--	Irrigation		
62	Courtenay, about 1.4 miles south, 20 feet west of State Highway 3. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 34, T. 23 S., R. 36 E.	W. C. Williams	---	--	---	--	3	Top of 4-inch tee, 1.5 feet above land surface.	--	12.5 13.0	8/28/46 10/13/47	--	--	--	Irrigation		

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point		Water Level		Chloride Content		Water temperature, degrees Fahrenheit	Use of well	Remarks
								Description	Altitude above mean level (Feet)	Above measuring point (Feet)	Date of measurement	Parts per Million	Date of determination			
63	Courteney, about 1.7 miles south, in row of Australian pines, west side of State Highway 3. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 34, T. 23 S., R. 36 E.	B. Carlton	---	--	---	---	4	Top of 4-inch tee, 1.5 feet above land surface.	--	13.0	8/28/46	--	--	--	Irrigation	
64	Merritt Island, about 4.6 miles north, on drainage ditch, about 0.25 mile east of State Highway 3, about 0.1 mile north of well 54. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 3, T. 24 S., R. 36 E.	Mr. LaFavor, City Point	---	--	---	---	4	Top of 4-inch tee, 1.0 foot below land surface.	--	15.5	8/28/46	--	--	--	Irrigation (Syphon)	
65	Courteney, about 0.3 mile south, north side of small pond in orange grove, 300 feet west from State Highway 3. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 27, T. 23 S., R. 36 E.	E. P. Porcher Estate, Cocoa	---	--	---	---	3	Lower thread on 3-inch casing, 0.5 foot above land surface.	--	7.5	8/28/46	2,220	5/21/47	75	Irrigation	
66	Courteney, about 0.4 mile south, 600 feet east of State Highway 3, in grapefruit grove. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 27, T. 23 S., R. 36 E.	E. P. Porcher Estate, Cocoa	---	--	---	---	3	Lower thread on top of 3-inch casing, 1.0 foot above land surface.	--	6.0	8/28/46	--	--	--	Irrigation	
67	Courteney, about 0.8 mile southeast, on ditch bank, in orange grove, about 1,000 feet north of a shell road. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 22, T. 23 S., R. 36 E.	Mr. Butler, Courteney	---	--	---	---	3	Lower thread on top of 3-inch casing, 1.4 feet above land surface.	--	10.5	8/28/46	--	--	76	Irrigation	
68	Courteney, about 1.2 miles northeast, on drainage ditch in southeast corner of an orange grove, west of residence. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26, T. 23 S., R. 36 E.	Jose Crisafulli Courteney	---	--	375	375	12	---	--	--	--	1,290	5/21/47	--	Irrigation (Syphon)	
69	Courteney, about 1.3 miles northeast, in orange grove, west of a residence. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26 T. 23 S., R. 36 E.	Jose Crisafulli Courteney	---	--	---	---	3	---	--	--	--	--	--	--	Irrigation	
70	Courteney, about 1.6 miles south, northwest corner of orange grove, on ditch. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 3, T. 24 S., R. 36 E.	Dearfield Grove Co., Webasso	O. F. Pippin	1946	335	109	6	Top of 6-inch tee, 1.6 feet above land surface.	2.46	21.0 21.5	9/3/46	--	--	--	Irrigation (Syphon)	70S well W-1380
71	Courteney, about 2.0 miles northeast, about 20 feet south of shell road, north side of pump house. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 23 S., R. 36 E.	C. Bensen, Courteney	Peck Harris	1933	354	100	6	Top of concrete bulk head around well, level with land surface.	--	15.0	8/28/46	--	--	--	Irrigation (Syphon)	
72	Cocoa, about 5.4 miles west, north side of Lake Poinsett road, south side of residence. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 34, T. 24 S., R. 36 E.	S. S. Jones, Cocoa	Peck Harris	1940	170	100	4	Top of 4-inch tee, 1.7 feet above land surface.	20.12	19.3	9/3/46	--	--	71	Domestic	
73	Cocoa, about 5.2 miles west, on drainage ditch, about 30 feet south of Lake Poinsett road. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 34, T. 24 S., R. 36 E.	Roy Harvey, Harvey Groves, Rockledge	Brevard Drilling Co.	--	234	100	6	---	--	--	--	--	--	--	Irrigation	
74	Cocoa, about 5.0 miles west, about 20 feet south of Lake Poinsett road, on ditch bank. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 34, T. 24 S., R. 36 E.	L. B. Hill, Cocoa	Brevard Drilling Co.	--	325	100	6	Top of 6-inch tee, 0.9 foot above land surface.	20.08	20.1	9/3/46	--	--	--	Irrigation (Syphon)	
75	Cocoa, about 4.2 miles west, about 25 feet west of Lake Poinsett road, on bank of drainage ditch. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 34, T. 24 S., R. 36 W.	Roy Brook, Cocoa	Brevard Drilling Co.	1946	160	---	6	Top of 6-inch tee, 0.8 foot above land surface.	21.03	18.1	9/3/46	--	--	--	Irrigation	
76	Cocoa, about 1.7 miles southwest, about 200 feet west of sand road, 0.3 mile south of shell road. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 24 S., R. 36 E.	Bert Thompson, Cocoa	Brevard Drilling Co.	1946	220	110	4	Top of 4-inch coupling on casing, 2.0 feet above land surface.	--	15.0	1/16/47	1,125	1/16/47	--	Irrigation	
77	Cocoa, about 1.5 miles southwest, in orange grove, about 500 feet north of a shell road.	Bert Thompson, Cocoa	Brevard Drilling Co.	1946	174	110	4	Top plate of 4-inch valve, 2.4 feet above land surface.	20.83	13.2	--	--	--	76	Irrigation	
78	Cocoa, about 1.5 miles southwest, at east end of concrete dam in ditch, about 150 feet south of a shell road. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 3, T. 24 S., R. 36 E.	J. V. D'Albore, Cocoa	Brevard Drilling Co.	--	170	90	6	Top of 6-inch tee, flush with land surface.	18.7	16.0	1/14/47	--	--	--	Irrigation	
79	Scottsmeer, about 1.7 miles northeast, 0.5 mile south of county line in edge of orange grove, east side of a shell road.	C. W. Carellie, Lagrange	Brevard Drilling Co.	--	160	85	4	Top of 4-inch ell, 0.7 foot above land surface.	9.68	6.0 6.0 4.4 5.1 5.0 5.7	6/26/46 8/29/46 5/12/47 9/10/47 10/10/47 2/11/48	300*	6/26/46	71	Irrigation	
80	Courteney, about 0.3 mile south, at pond in orange grove, east of State Highway 3. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 27, T. 23 S., R. 36 E.	E. P. Porcher Estate, Cocoa	---	--	---	---	3	Top of 3-inch discharge line at pond, 1.0 foot above land surface.	--	10.0	8/28/46	--	--	--	Irrigation	
81	Cocoa, about 6 miles southwest, at a saw mill. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 25 S., R. 36 E.	A. Duda & Sons, Oviedo	A. L. Smith	1945	300	---	4	Top of 4-inch cross, 1.0 foot above land surface.	25.07	18.0 18.7	5/2/47 10/17/47	652	5/2/47	--	Stock and Irrigation	
82	Cocoa, about 7.5 miles southwest, at intersection of road to Mocoasin Island with a sand road. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 3, T. 26 S., R. 36 E.	A. Duda & Sons, Oviedo	A. L. Smith	1945	---	---	4	Top of 4-inch tee, 1.0 foot above land surface.	--	4.6 15.5	1/24/47 10/17/47	650	5/2/47	--	Stock and Irrigation	

Well Number	Location	Owner	Driller	Completed	Depth of well (feet)	Depth of casing (feet)	Diameter of casing (inches)	Measuring Point		Water Level		Chloride Content		Water temperature, degrees Fahrenheit	Use of well	Remarks
								Description	Altitude above mean sea level (feet)	Above point measurement (feet)	Date of measurement	Parts per Million	Date of determination			
83	Cocoa, about 10 miles southwest, on Moccasini Island mound, at southwest corner of old house. SW $\frac{1}{4}$ sec. 4, T. 26 S., R. 35 E.	A. Duda & Sons, Oviedo	---	---	---	---	4	Top of concrete base, 1.0 foot above land surface.	--	13.6	1/29/47	637	1/29/47	--	Stock	
84	Eau Gallie, about 9 miles northwest, on north shoulder of a sand road along drainage canal. SE $\frac{1}{4}$ sec. 19, T. 25 S., R. 36 E.	A. Duda & Sons, Oviedo	---	---	300	300	4	Top of 4-inch cross, 1.0 foot above land surface.	24.72	23.0 24.9 25.4	5/2/47 10/17/47 2/10/48	637	5/2/47	76	Stock and irrigation	
85	Eau Gallie, about 12.7 miles northwest, on northeast side of Turtle Mound. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 21, T. 25 S., R. 35 E.	A. Duda & Sons, Oviedo	---	---	---	---	4	Top of 4-inch coupling, 1.0 foot above land surface.	--	14.5	5/2/47	620	5/2/47	76	Stock and irrigation	
86	Eau Gallie, about 5.6 miles northwest, at intersection of two sand roads. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 22, T. 26 S., R. 36 E.	A. Duda & Sons, Oviedo	A. L. Smith	1946	300	---	4	Top of 4-inch tee, 3.0 feet above land surface.	--	14.5	5/2/47	625	5/2/47	--	Stock and irrigation	
87	Eau Gallie, about 8.7 miles northwest, about 0.5 mile south of drainage canal, at cattle pen. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 30, T. 26 S., R. 36 E.	A. Duda & Sons, Oviedo	---	---	---	---	2	Top of 2-inch ell, 3.0 feet above land surface.	--	4.0	5/2/47	600	5/2/47	--	Stock and irrigation	
88	Eau Gallie, about 5.9 miles northwest, in pasture east of cattle pen, east side of a shell road. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 35, T. 26 S., R. 36 E.	A. Duda & Sons, Oviedo	A. L. Smith	1946	300	---	4	Top of 4-inch tee, 1.8 feet above land surface.	--	--	--	550	5/2/47	76	Stock	
89	Cocoa, about 1.7 miles southwest, about 20 feet west of road, south of a residence in edge of orange grove. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 24 S., R. 36 E.	J. W. Hooper, Cocoa	A. L. Smith	---	250	100	4	Top of 4-inch cross, 1.0 foot above land surface.	19.08	15.15	1/24/47	1062	2/19/47	--	Domestic and irrigation	
90	Eau Gallie, about 8 miles north, in grove west of residence, on west side of U. S. Highway 1. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 12, T. 26 S., R. 36 E.	H. E. Harris, Pineda	H. E. Harris	---	200	100	3	Top of 3-inch tee, 1.3 feet above land surface.	--	21.48	2/11/48	--	--	76	Public supply	
91	Indian Atlantic, near bridge.	Dr. Fisher, Melbourne	E. R. Hedges	1923	309	92	4	---	--	--	--	--	--	--	---	FGS well W-65
92	Eau Gallie, at residence on Horse Creek, east of Yatch Basin.	Mrs. C. F. Peddison, Eau Gallie	McAllister	1887	337	136	1.25	Top of 3/4-inch faucet, 2.2 feet above land surface, about 150 feet north of well.	42 20.79	1887 2/10/48	--	--	--	--	Domestic	
93	Eau Gallie.	IR and LW Fish and Ice Co., Eau Gallie	Alex Near	1905	333	100	4	---	18	32 Est.	1905	--	--	--	---	FGS well W-246
94	Eau Gallie.	Mrs. Mary Young, Eau Gallie	Alex Near	1905	315	9	2	---	--	--	--	--	--	--	---	FGS well W-247
95	Courtenay.	L. P. Allen, Cocoa	H. E. Harris	1940	230	106	4	---	--	--	--	--	--	--	Irrigation	FGS well W-603
96	Cocoa, about 2.8 miles east, edge of Sykes Creek, about 100 feet southwest of bridge. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 36, T. 24 S., R. 36 E.	State of Fla., State Road Department	H. E. Harris	1941	180	106	4	Top of 4-inch tee, 1.9 feet above bottom of River.	2.03	25.25 25.5	3/18/47 10/17/47	845*	5/21/47	76	Unused	FGS well W-604
97	Cocoa Beach, about 5.3 miles south, at water plant, Banana River Air Base.	U. S. Navy	H. E. Harris Stevens-Southern Co.	1940 1944	319 392	102 195	9 8	---	--	--	--	--	--	--	Public Supply	FGS well W-605
98	Indian River City, about 0.5 mile west, at a residence on south side of State Highway 50. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 27, T. 22 S., R. 35 E.	A. D. Allbritton, Indian River City	H. E. Harris	1941	43	---	---	---	--	--	--	--	--	--	Domestic	FGS well W-606
99	Melbourne, at former U. S. Naval Air Training Station.	City of Melbourne	Layne-Atlantic Co.	1942	457	427	8	Top of 4-inch pipe at elbow to stand pipe, 0.8 foot above land surface.	--	23.50	--	550	4/20/47	--	Public supply	FGS well W-638 U. S. Navy well 1
100	Melbourne, at former U. S. Naval Air Training Station.	City of Melbourne	Layne-Atlantic Co.	1942	75	---	---	---	--	--	--	64	11/11/44	--	Public supply	FGS well W-716
101	Melbourne, at former U. S. Naval Air Training Station.	City of Melbourne	Layne-Atlantic Co.	1942	75	---	---	---	--	--	--	64	11/11/44	--	Public supply	FGS well W-717 U. S. Navy well 3
102	Melbourne, at former U. S. Naval Air Training Station.	City of Melbourne	Layne-Atlantic Co.	---	---	---	---	---	--	--	--	64	11/11/44	--	Public supply	FGS well W-718 U. S. Navy well 6
103	Melbourne, at former U. S. Naval Air Training Station.	U. S. Navy	---	---	79	---	---	---	--	--	--	64	11/11/44	--	Public supply	FGS well W-719 U. S. Navy well 7
104	Eau Gallie, about 8 miles northwest, about 1 mile west of U. S. Highway 1. NW $\frac{1}{4}$ sec. 24, T. 26 S., R. 36 E.	U. S. Navy	Libby-Freeman Co.	1945	143	---	6	Top of 6-inch casing.	36.39	--	--	406	1/17/45	--	Test well	FGS well W-893
105	Cocoa, about 4.3 miles south, 1.4 miles east of road leading from Virginia Park. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 25 S., R. 35 E.	William Faulk, Jr., Cocoa	Libby-Freeman Co.	1946	221	---	4	Top of 4-inch valve, 2.0 feet above land surface.	27.33	12.5 12.3 12.4	1/29/47 5/14/47 10/17/47	--	--	75	Irrigation	FGS well W-909

Well Number	Location	Owner	Driller	Completed	Depth of Well (feet)	Depth of Casing (feet)	Diameter of Casing (inches)	Measuring Point		Water Level		Chloride Content		Use of Well	Remarks	
								Description	Altitude above mean sea level (feet)	above measuring point (feet)	Date of measurement	Parts per Million	Date of determination			Water temperature, degrees Fahrenheit
106	Eau Gallie, about 1.6 miles northwest, on property of Ralph Stuart. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 22 S., R. 37 E.	U. S. Navy	Libby-Freeman Co.	1945	---	---	3	Top of 3-inch casing.	24.94	--	--	90	5/9/47	--	Test well	FGS well W-915
107	Eau Gallie, about 7.8 miles northwest, about 1 mile west of U. S. Highway 1, on north side of sand road. SW $\frac{1}{4}$ sec. 13, T. 26 S., R. 36 E.	U. S. Navy	Libby-Freeman Co.	1944	175	134.6	6	Top of 6-inch casing.	36.49	--	--	318	1/6/45	--	Test well	FGS well W-846
108	Cocoa, about 3.4 miles southwest, north of a residence, south side of a county road, 1.8 miles south of golf course. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 25 S., R. 36 E.	William Faulk, Jr., Cocoa	---	---	50	---	2	---	--	--	--	775	10/17/47	--	Domestic	
109	Mims, about 0.7 miles southeast, in second grove north of a shell road, about 0.5 mile east of U. S. Highway 1. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 21 S., R. 35 E.	Acosta Groves, New Smyrna Beach	---	---	49	46	1.5	---	--	--	--	20*	10/25/46	--	Irrigation	
110	Titusville, about 1.7 miles north, on bank of ditch on east side of a sand road to orange grove, about 0.4 mile east of U. S. Highway 1. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 21 S., R. 35 E.	C. W. Carlisle, LaGrange	Brevard Drilling Co.	1946	103	90	6	Top of 6-inch casing, flush with land surface.	6.21	7.5 7.0 7.1 7.5	10/23/46 9/12/47 9/13/47 9/28/47	1020*	11/16/47	73	Irrigation	FGS well W-1671
111	Scottsmoor, about 1.4 miles northeast, in orange grove about 400 feet northwest of tool shed, on bank of canal. Sec. 11, T. 20 S., R. 35 E.	Davidson Bros. Daytona Beach	Mr. Cornell	1934	138	95	4	Top of concrete pit, 2.0 feet above land surface.	--	7.0	10/22/46	2800*	9/22/46	--	Irrigation	
112	Cocoa, about 2 miles southwest, on canal bank, at west edge of Wilkins grove. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 24 S., R. 35 E.	J. W. Hooper, Cocoa	A. L. Smith	---	275	100	6	Top of 6-inch tee.	--	18.00	1/24/47	--	--	--	Irrigation	
113	Scottsmoor, about 1.6 miles east, about 400 feet west of Florida East Coast Railroad, 60 feet south of Layrats. Sec. 11, T. 20 S., R. 35 E.	Acosta Groves, New Smyrna	---	---	---	---	3	Top of 3-inch casing.	1.97	--	--	--	--	--	None	
114	LaGrange, about 10 feet east of pumphouse in fernery. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 21 S., R. 35 E.	A. P. Thomas, Cocoa	Brevard Drilling Co.	1946	230	94	6	Chiseled cross on south side of casing, flush with land surface.	40.91	-24.37	10/28/47	780*	11/21/46	--	Irrigation	FGS well W-1673
115	LaGrange, about 50 feet northeast of parking shed. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 21 S., R. 35 E.	A. P. Thomas, Cocoa	Brevard Drilling Co.	1946	45	42	2	---	--	--	--	20	9/15/47	--	Irrigation	
116	Titusville, about 1.4 miles northwest, west side of a pumphouse at residence. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 21 S., R. 35 E.	Jessie Carlisle, Titusville	Brevard Drilling Co.	1946	192	120	4	Top of 4-inch casing, flush with land surface.	--	-16.38	10/28/46	--	--	--	None	
117	LaGrange, about 20 feet west of pumphouse at rear of residence. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 21 S., R. 35 E.	C. W. Carlisle	---	---	---	---	2	Top of 2-inch casing, 0.4 foot above land surface.	36.31	-18.72	10/23/46	--	--	--	None	
118	LaGrange, about 10 feet west of pumphouse at rear of residence. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 29, T. 21 S., R. 35 E.	C. W. Carlisle	---	---	---	---	2	Top of 2-inch casing, flush with land surface.	--	-19.06	10/23/46	--	--	--	None	
119	Scottsmoor, about 1.2 miles northeast, south of sand road in edge of orange grove. Sec. 11, T. 20 S., R. 35 E.	E. C. Langston Orlando	---	---	---	---	2	Top of 2-inch tee, 1.8 feet above land surface.	10.18	4.25 3.8	3/24/47 5/12/47	--	--	--	Irrigation	
120	Scottsmoor, about 0.6 mile east, east of barn, south of Layrats road. Sec. 11, T. 20 S., R. 35 E.	Acosta Groves, New Smyrna	---	---	---	---	2	Top of 2-inch pipe.	15.04	--	--	--	--	--	Irrigation	
121	Mims, about 3.6 miles north, south side of pumphouse in grapefruit grove, west of shell road. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 20, T. 20 S., R. 35 E.	S. R. Davies, Mims	Mr. Wilson	1927	140	100	4	Top of collar on 4-inch tee.	12.31	--	--	--	--	--	Irrigation	
122	Mims, about 3.6 miles north, in pumphouse near well 121. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 20, T. 20 S., R. 35 E.	S. R. Davies, Mims	Mr. Wilson	1928	140	100	6	---	--	--	--	225*	11/15/46	--	Irrigation	
123	Mims, about 4 miles north, north side of garage at rear of residence, west side of U. S. Highway 1. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21.	S. R. Davies, Mims	---	---	15	15	2	---	--	--	--	33*	11/15/46	--	Domestic	
124	Mims, about 4 miles north, north side of garage at rear of residence, west side of U. S. Highway 1. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21.	S. R. Davies, Mims	Brevard Drilling Co.	---	135	110	3	Top of 3-inch casing, 1.0 foot above land surface.	30.82	15.0	11/15/46	--	--	--	Domestic	
125	Titusville, about 1.9 miles north, in orange grove, about 500 feet north of a shell road, 0.4 mile east of U. S. Highway 1. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 21 S., R. 35 E.	S. P. Giddens, LaGrange	Brevard Drilling Co.	1946	110	90	6	Top of 6-inch tee, 1.1 feet above land surface.	5.97	8.25	11/21/46	1580*	11/20/46	75	Irrigation	
126	Rockledge, about 1.2 miles south of golf course, 50 feet east of a road, at intersection of two canals. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 25 S., R. 36 E.	A. P. Thomas, Cocoa	Brevard Drilling Co.	1946	190	100	6	Top of 6-inch tee, 2.3 feet above land surface.	--	14.5 16.2	11/20/46 2/10/48	--	--	--	Irrigation	

Well Number	Location	Owner	Driller	Completed	Depth of Well (feet)	Depth of Casing (feet)	Diameter of Casing (Inches)	Measuring Point			Water Level		Chloride Content		Water Temperature, degrees Fahrenheit	Use of Well	Remarks
								Description	Altitude above mean level (feet)	Above measuring point (feet)	Date of measurement	Parts per Million	Date of determination				
127	Rockledge, about 1.2 miles south of golf course, 0.25 mile east of a road, on canal bank. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 25 S., R. 36 E.	A. P. Thomas, Cocoa	A. L. Smith, Sau Gallie	1944	230	120	4	Top of 4-inch tee, 2.8 feet above land surface.	--	13.4	11/20/46	--	--	--	Irrigation		
128	Rockledge, about 1.5 miles south of golf course, 0.25 mile east of shell road, on canal bank. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 25 S., R. 36 E.	A. P. Thomas, Cocoa	A. L. Smith, Sau Gallie	1944	230	120	4	Top of 4-inch tee, 1.0 foot above land surface.	--	15.75	11/20/46	810*	11/20/46	71	Irrigation		
129	Rockledge, about 1.6 miles south of golf course, 0.25 mile east of shell road, on ditch bank. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 25 S., R. 36 E.	A. P. Thomas, Cocoa	E. C. Smith, Sau Gallie	1942	240	120	4	---	--	--	--	--	--	--	Irrigation		
130	Rockledge, about 1.6 miles south of golf course, north side of office and warehouse. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 25 S., R. 36 E.	A. P. Thomas, Cocoa	A. L. Smith, Sau Gallie	1944	180	120	3	Top of 3-inch tee, 1.0 foot above land surface.	--	21.5	11/20/46	810	10/17/47	--	Domestic		
131	Rockledge, about 1.6 miles south of golf course, 100 feet west of road, east side of a residence. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 25 S., R. 36 E.	William Faulk, Jr., Cocoa	Peck Harris	1940	365	---	8	Top of 8-inch casing, 1.8 feet above land surface.	--	23.0	11/20/46	--	--	--	Domestic Irrigation		
132	Rockledge, about 1.8 miles south of golf course, in Australian pine row, 100 feet west of a road. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 25 S., R. 36 E.	William Faulk, Jr., Cocoa	E. C. Smith	---	---	---	4	Top of 4-inch tee, 2.0 feet above land surface.	--	23.5 23.6	11/20/46 10/17/47	--	--	--	Irrigation		
133	Rockledge, about 1.3 miles south of golf course, on west side of road, in northeast corner of orange grove. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 25 S., R. 36 E.	William Faulk, Jr., Cocoa	Peck Harris	---	185	---	4	Top of 4-inch tee, 1.5 feet above land surface.	--	20.0	11/20/46	--	--	--	Irrigation		
134	Titusville, about 3 miles northwest, at Sharpes Dairy. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 29, T. 21 S., R. 36 E.	H. H. Sharp, LeOrange	---	---	150	---	3	Top of 3-inch collar, 0.3 foot above land surface.	24.78	-4.68	11/21/46	32*	11/21/46	--	Industrial		
135	Cocoa Beach, about 0.5 mile north, about 100 feet west of house, on east side of State Highway 1A1. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 25 S., R. 37 E.	R. P. Arango, Cocoa Beach	Brevard Drilling Co.	1946	310	---	4	Top of 4-inch tee, 0.7 foot above land surface.	16.00	19.0 19.7 20.5	4/18/47 Sept. 1947 10/16/47	695*	11/19/46	75	Domestic		
136	Scottsboro, about 1.4 miles southeast, in Flounder Creek grove, 400 feet north of road. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 1, T. 20 S., R. 35 E.	C. W. Carlisle, LeOrange	Brevard Drilling Co.	1946	160	90	4	Top of 4-inch ell, 1.75 feet above land surface.	12.92	2.25 2.41	12/2/46 10/15/47	360*	12/2/46	73	Irrigation		
137	Cocoa, about 5.7 miles west, south side of Lake Pointeac road, at Forrest fishing camp. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 34, T. 24 S., R. 35 E.	Perry Forrest, Cocoa	---	---	---	---	3	Top of 3-inch reducer, 2.0 feet above land surface.	18.71	2.2	10/13/47	1625	10/13/47	--	Domestic		
138	Indianola, about 0.2 mile west, about 20 feet west of a barn, in orange grove, north side of shell road. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	Robert Hill, Indianola	---	---	---	---	3	Top of 3/4-inch faucet west side of barn, 2.5 feet above land surface.	--	7.0	11/27/46	1207*	11/27/46	71	Irrigation		
139	Indianola, about 0.2 mile west, in orange grove, north side of a shell road. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	Robert Hill, Indianola	---	1870	---	---	3	Top of 3-inch reducer, 1.5 feet above land surface.	--	13.5	11/27/46	--	--	--	Irrigation		
140	Indianola, about 0.2 mile west, in orange grove, about 250 feet north of a residence. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	Robert Hill, Indianola	---	---	---	---	-	---	--	--	--	--	--	--	Irrigation		
141	Indianola, about 0.5 mile north, in orange grove, about 0.5 mile west of State Highway 3. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	Robert Hill, Indianola	---	---	---	---	3	---	--	--	--	--	--	--	Irrigation (Syphon)		
142	Indianola, about 0.5 mile north, in grapefruit grove, about 0.5 mile west of State Highway 3. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	Robert Hill, Indianola	---	---	---	---	3	Top of 3-inch valve flange, 1.25 feet above land surface.	--	14.25	11/27/46	--	--	--	Irrigation		
143	Mims, about 3.5 miles west, about 30 feet north of a residence, south side of State Highway 46. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 15, T. 21 S., R. 34 E.	George Sharp, Mims	Mr. Wilson	1946	140	100	3	Top of 3-inch casing, 1.8 feet above land surface.	16.18	-4.42 -2.67 -2.77 -3.15	1/28/47 9/29/47 10/19/47 2/11/48	--	--	--	Unused		
144	Titusville, about 8.5 miles west, at Indian field mound, east side of St. Johns River. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 21 S., R. 34 E.	Mrs. C. V. Cooper, Titusville	---	---	16	16	2	Top of 2-inch casing, 1.3 feet above land surface.	--	1.5	2/12/46	1600*	12/2/46	--	Unused		
145	Titusville, about 9 miles west, at county line, at Hat Hill Camp, about 3.8 miles south of State Highway 46. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 21 S., R. 34 E.	W. B. Kysor, Mims	W. B. Kysor	---	28	--	1.5	Top of concrete retainer, 1.3 feet above land surface.	--	3.55	11/28/46	1630*	11/28/46	73.5	Domestic		
146	Mims, first house north of northwest intersection of U. S. Highway 1 and State Highway 46. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 21 S., R. 35 E.	W. B. Kysor, Mims	---	1928	248	--	2	Top of 2-inch collar, 1.4 feet above land surface.	34.31	--	--	--	--	--	Domestic		
147	Indianola, south side of residence on west side of State Highway 3. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	Ashley Buck, Indianola	---	----	12	9	1.25	---	--	--	--	143*	11/20/46	--	Domestic		

Well Number	Location	Owner	Driller	Completed	Depth of well (feet)	Depth of Casing (feet)	Diameter of casing (inches)	Measuring Point		Water Level		Chloride Content		Water temperature, degrees Fahrenheit	Use of well	Remarks
								Description	Altitude above mean sea level (feet)	Above measuring point (feet)	Date of measurement	Parts per Million	Date of determination			
148	Cocoa, about 2.25 miles west, south side of Lake Pointsett road, in orange grove. N $\frac{1}{2}$ N $\frac{1}{2}$ sec. 31, T. 24 S., R. 36 E.	W. P. Warren, Cocoa	A. L. Smith	1946	206	105	4	Top of 4-inch tee, 1.3 feet above land surface.	80.79	11.4 11.8 11.5	10/10/46 9/16/47 2/10/48	900*	11/19/46	--	Irrigation	
149	Cocoa, about 3.1 miles northwest, in orange grove, about 50 feet west of county road, about 0.8 mile north of State Highway 520. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 24 S., R. 35 E.	N. W. Bryan, Titusville	---	----	---	---	3	---	--	--	--	1650	1/9/47	--	Irrigation	
150	Cocoa, about 5.7 miles west, on north edge of a road, about 8 feet south of southwest corner of a residence. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 34, T. 24 S., R. 35 E.	C. D. Kidd, Cocoa	Brevard Drilling Co.	1946	180	87	4	Top of 2-inch discharge line, 1.0 foot below land surface.	16.12	23.0 23.4	11/27/46 9/18/47	1727	11/27/46	--	Domestic	FGS well W-1672
151	Orsino, about 0.6 mile west of post office, 50 feet west of a residence. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 23 S., R. 37 E.	William Brown, Orsino	O. F. Pippin	1946	150	105	3	Top of 3-inch tee, 0.75 foot above land surface.	4.63	14.1	12/14/46	810*	1/17/47	--	Domestic	
152	Mims, about 2 miles southeast, southwest side of water tower in orange grove, about 0.25 mile west of Jay Jay Packing House. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 21 S., R. 35 E.	J. J. Parrish, Titusville	Brevard Drilling Co.	1946	97	97	3	---	--	--	--	3120*	1/2/47	76.5	Plugged and abandoned	
153	Titusville, about 5.5 miles east, in yard, about 20 feet northwest of a residence, north side of State Highway 400. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 21 S., R. 36 E.	E. A. Smith, Titusville	Brevard Drilling Co.	1944	294	---	2	Top of 2-inch tee, 1.70 feet above land surface.	6.05	10.0 9.2 9.0	12/14/46 9/15/47 10/13/47	2900*	12/12/46	--	Irrigation (Syphon)	
154	Orsino, about 2.3 miles northwest, on south bank of drainage ditch, about 400 feet west of a residence, 1 mile west of State Highway 3. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 25, T. 22 S., R. 36 E.	Roy F. Roberts, Titusville	H. E. Harris	----	300	100	6	Top of 4-inch ell, 0.55 feet above top of concrete base.	--	11.39	12/14/46	2020*	12/14/46	--	Irrigation (Syphon)	
155	Orsino, about 1.5 miles southwest, in an orange grove, about 30 feet northeast of residence. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 23 S., R. 37 E.	Phillipio Furani, Orsino	---	----	210	83	3	Top of 3-inch cross, 1.65 feet above land surface.	4.81	14.0 12.6	12/14/46 10/14/47	1290*	12/14/46	--	Domestic	
156	Cocoa, about 3.4 miles northwest, south side of orange grove road, about 200 feet east of a house in Margaret Ann grove. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 24, T. 24 S., R. 35 E.	N. W. Bryan, Titusville	---	----	---	---	-	---	--	--	--	1720*	1/9/47	--	Domestic and irrigation	
157	Canaveral Light House, about 1 mile north, south side of a sand road, about 200 feet north of a residence. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 20, T. 23 S., R. 38 E.	J. I. Crowder, Canaveral	H. E. Harris	1926	320	90	6	---	--	--	--	580*	1/9/47	--	Domestic	
158	Cocoa, about 3.9 miles northwest, north side of a grove road, in Margaret Ann grove. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 25, T. 24 S., R. 35 E.	N. W. Bryan, Titusville	---	----	---	---	-	---	--	--	--	1340*	1/9/47	--	Irrigation	
159	Orsino, about 3.0 miles north, by a small pond, about 300 feet south of a barn. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 19, T. 22 S., R. 37 E.	H. R. Jackobson, Orsino	Libby-Freeman Co.	1946	210	144	6	Top of 6-inch valve, 1.70 feet above land surface.	5.47	15.5 15.5 15.5	12/14/46 4/19/47 10/16/47	1700	12/14/46	--	Irrigation	FGS well W-927
160	Merritt Island, about 2.1 miles south, east side of State Highway 3. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 1, T. 25 S., R. 36 E.	---	---	----	---	---	4	Top of 4-inch coupling, 1.5 feet above land surface.	--	18.8	1/13/47	970*	1/30/47	--	Irrigation	
161	Orsino, about 2.4 miles northeast, on ditch bank, southeast corner of orange grove, east side of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 19, T. 22 S., R. 37 E.	Merritt Island Lodge, Orsino	---	----	---	---	6	Top of southeast corner of concrete base, 1.8 feet above land surface.	7.90	13.0	10/8/47	1450	10/8/47	--	Drainage (Syphon)	
162	Mims, about 4 miles north, at residence west of Fla. East Coast Railroad, about 1 mile west of U. S. Highway 1. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 22, T. 20 S., R. 34 E.	W. T. McCollough, Mims	W. T. McCollough	1905	15	15	26.2	Top of tile curbing, 1.9 feet above land surface.	--	-9.45	1/30/47	20*	1/30/47	--	Drainage	
163	Courtenay, about 1.4 miles northeast, south side of sand road, about 300 feet east of a residence. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 24, T. 23 S., R. 36 E.	Jose Crisafulli Bros., Courtenay	---	----	---	---	3	Top of 3-inch cross, 1.1 feet above land surface.	--	15.0	1/31/47	1040*	1/31/47	--	Irrigation	
164	Cocoa, about 4.8 miles northwest, north side of a small field, west of a county road, about 0.75 mile north of State Highway 520. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 27, T. 24 S., R. 35 E.	A. P. Thomas, Cocoa	Brevard Drilling Co.	1946	280	100	6	Top plate of 4-inch valve, 1.5 feet above land surface.	--	11.0	1/14/47	1960*	1/14/47	74	Irrigation	
165	Cocoa, about 2.9 miles northwest, north side of dairy barn, about 0.7 miles north of State Highway 520. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 24 S., R. 35 E.	L. B. Finner, Cocoa	Brevard Drilling Co.	1946	---	---	-	---	--	--	--	1320*	1/14/47	--	Domestic	
166	Titusville, about 10.5 miles northeast, south side of Coast Guard barrack No. 9. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 26, T. 20 S., R. 36 E.	U. S. Coast Guard	---	----	---	---	3	Top of 3-inch ell, 1.65 feet above land surface.	7.84	1.25	1/30/47	14,300*	1/30/47	76	Unused	

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point			Water Level		Chloride Content		Water temperature, degrees Fahrenheit	Use of well	Remarks
								Description	Altitude above mean sea level (feet)	above measuring point (feet)	Date of measurement	Parts per Million	Date of determination				
167	City Point, about 3.0 miles west, about 20 feet south of a sand road, in northeast corner of abandoned orange grove. NW¼NW¼ sec. 14, T. 24 S., R. 36 E.	---	---	---	---	---	3	Top of 3-inch valve, 5.1 feet above land surface.	--	2.5	1/14/47	2500*	1/14/47	75	Unused		
168	Merritt Island, about 1.5 miles north, about 0.2 mile west of State Highway 3, in River grove No. 2. SW¼SE¼ sec. 22, T. 24 S., R. 36 E.	J. J. Parrish, Titusville	---	---	---	---	6	Lower surface of bushing, 1.5 feet above land surface.	--	19.5	12/16/46	1380*	12/16/46	--	Irrigation		
169	Oraino, about 2.5 miles southwest, in Australian pipe row, about 0.2 miles west of State Highway 3. NE¼NE¼ sec. 13, T. 23 S., R. 36 E.	J. J. Parrish, Titusville	---	1943	---	---	8	Top of 8-inch cross, 1.3 feet above concrete base, flush with land surface.	--	13.5	12/16/44	1760*	12/16/46	72	Irrigation		
170	Merritt Island, about 3.3 miles south, north side of tool shed in orange grove, about 250 feet east of State Highway 3. SE¼NW¼ sec. 13, T. 23 S., R. 36 E.	J. V. D'Albora, Cocoa	---	---	164	---	4	Top of 2-inch tee, 1.8 feet above land surface.	--	20.0	3/10/47	1200	3/10/47	73.5	Irrigation		
171	Merritt Island, about 3.3 miles south, on ditch bank, south side of sand road, in orange grove, 0.35 mile east of State Highway 3. SW¼NE¼ sec. 13, T. 23 S., R. 36 E.	J. V. D'Albora, Cocoa	Brevard Drilling Co.	1946	174	80	6	Top of 6-inch cross, 2.2 feet above land surface.	--	26.6	3/10/47	1550	3/10/47	76	Irrigation		
172	Oraino, about 1.2 miles west, on north side of a shell road, at northeast intersection of drainage canals. SE¼SE¼ sec. 35, T. 22 S., R. 36 E.	J. V. D'Albora, Cocoa	---	---	---	---	-	Top of 6-inch tee, 0.4 foot above land surface.	3.24	--	--	--	--	--	Drainage (Syphon)		
173	Courtenay, about 2.5 miles northeast, on ditch bank, north side of grove, about 250 feet west of State Highway 3. SW¼SE¼ sec. 13, T. 23 S., R. 36 E.	J. V. D'Albora, Cocoa	---	1945	314	90	4	Top of 4-inch tee, 1.0 foot above land surface.	4.24	13.7 13.0	3/10/47 10/18/47	--	--	74.5	Irrigation		
174	Courtenay, about 2.1 miles northeast, south side of road in orange grove, about 0.35 mile south of State Highway 3. NE¼NW¼ sec. 24, T. 23 S., R. 36 E.	J. V. D'Albora, Cocoa	---	---	344	---	6	Top of 6-inch tee, 1.0 foot above land surface.	3.50	--	--	--	--	--	Irrigation		
175	Courtenay, about 2.2 miles northeast, on ditch bank, east side of orange grove, about 0.25 mile south of State Highway 3.	J. V. D'Albora, Cocoa	---	---	344	---	6	Top of 6-inch tee, 1.3 feet above land surface.	5.10	--	--	--	--	--	Irrigation		
176	Oraino, about 2.2 miles southwest, in ditch, east side of grove, west of a county road. SW¼SE¼ sec. 12, T. 23 S., R. 36 E.	M. S. Whaley, Rockledge	O. F. Pipplin	1946	---	---	6	Top of a cap in 6-inch tee, 1.0 foot above land surface.	3.68	13.0	10/8/47	1375	10/8/47	76.4	Irrigation		
177	Oraino, about 1.3 miles southwest, on ditch bank, by pumphouse. NW¼NE¼ sec. 12, T. 23 S., R. 36 E.	M. S. Whaley, Rockledge	O. F. Pipplin	1946	300	106	6	Top of cap in 6-inch tee, flush with land surface.	1.64	--	--	--	--	--	Drainage (Syphon)		
178	Courtenay, about 2.5 miles northeast, on ditch bank in orange grove, about 30 feet south of a shell road. NW¼NE¼ sec. 24, T. 23 S., R. 36 E.	M. S. Whaley, Rockledge	Peck Harris	1932	400	105	6	Top of 4-inch ell.	3.59	--	--	--	--	--	Drainage (Syphon)		
179	Courtenay, about 1.0 miles northeast, on ditch bank in grapefruit grove, about 0.3 mile south of State Highway 3. NE¼SE¼ sec. 22, T. 23 S., R. 36 E.	M. S. Whaley, Rockledge	Peck Harris	1932	325	105	6	---	--	--	--	--	--	--	Drainage (Syphon)		
180	Courtenay, about 1.2 miles northeast, on ditch bank in orange grove, about 0.2 mile north of State Highway 3. SE¼NE¼ sec. 22, T. 23 S., R. 36 E.	M. S. Whaley, Rockledge	O. F. Pipplin	1946	300	105	6	---	--	--	--	--	--	--	Drainage (Syphon)		
181	Mims, about 1.7 miles west, east side of tool shed, north of a residence. SE¼SW¼ sec. 13, T. 24 S., R. 34 E.	I. A. Holder, Mims	I. A. Holder	1945	35	32	2	---	--	--	--	111	9/15/47	--	Domestic		
182	Mims, about 1.7 miles west, in yard north side of a residence. SE¼SW¼ sec. 13, T. 24 S., R. 34 E.	I. A. Holder, Mims	I. A. Holder	1945	40	40	2	Top of 1½-inch ell, 3.15 feet above land surface.	23.81	--	--	--	--	--	Domestic		
183	Mims, about 2 miles southwest, in orange grove, west of a residence. SW¼SW¼ sec. 13, T. 21 S., R. 34 E.	I. A. Holder, Mims	I. A. Holder	1932	120	---	2	---	--	--	--	--	--	--	Unused		
184	Mims, about 1.6 miles southwest, about 40 feet west of a tool shed in pasture south of a shell road. SW¼SE¼ sec. 13, T. 21 S., R. 34 E.	I. A. Holder, Mims	A. R. Arle	1946	209	208	2	Top of 2-inch well casing, 0.4 foot above land surface.	16.51	-1.00 -0.60	9/15/47 10/18/47	7310	9/15/47	--	Unused		
185	Mims, about 2.7 miles southwest, east side of pumphouse, south of a residence. NW¼SE¼ sec. 23, T. 21 S., R. 34 E.	Jake O'Stricker, Mims	Mr. Wilson	1945	100	---	2	Top of 2-inch casing, 2.3 feet above land surface.	20.94	-5.6 -5.7	12/12/46 10/18/47	--	--	--	Unused		
186	Mims, about 2.7 miles southwest, east side of pumphouse, south of a residence. NW¼SE¼ sec. 23, T. 21 S., R. 34 E.	Jake O'Stricker, Mims	Mr. Wilson	1945	61	61	2	---	--	--	--	--	--	--	Domestic		

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point		Water Level		Chloride Content		Use of Well	Remarks	
								Description	Altitude above Mean sea level (Feet)	Above point measurement (Feet)	Date of measurement	Parts per Million	Date of determination			Water temperature, degrees Fahrenheit
187	Indian River City, about 9 miles west, on north shoulder of State Highway 50, about 30 feet west of concrete bridge. SE $\frac{1}{4}$ sec. 29, T. 22 S., R. 34 E.	J. L. Savage, Christmas	---	1924	490	---	-	Top of pine sill by 2-inch discharge line, under house, about 5 feet above water in river level.	10.96	21.2	3/12/47	1862	3/12/47	77	Domestic	
188	Rockledge, about 0.56 mile south of post office, at residence on west side of State Highway 515. NW $\frac{1}{4}$ sec. 10, T. 25 S., R. 36 E.	H. R. Sharp, Rockledge	---	----	---	---	1.25	---	--	--	--	48	12/10/46	--	Domestic	
189	Rockledge, about 30 feet west of a garage, at residence on Valentia Drive.	Scribante Holstein, Rockledge	Brevard Drilling Co.	1946	450	---	6	Top of 6-inch casing, 0.3 foot above land surface.	--	-10.0	2/24/47	1075	2/24/47	--	Irrigation	
190	Rockledge, about 12 feet south of Orange Avenue, about 250 feet east of hospital.	Roy Harvey, Rockledge	---	----	---	---	4	---	--	--	--	925	2/14/47	--	Irrigation	
191	Rockledge, about 12 feet south of Orange Avenue, about 130 feet east of U. S. Highway 1.	---	---	----	---	---	3	Top of concrete base, 1.55 feet above land surface.	--	0.95	2/14/47	962	2/14/47	--	Unused	
192	Cocoa, about 2.7 miles northwest, on ditch bank west side of grove, about 0.25 mile west of house in grove. SE $\frac{1}{4}$ sec. 19, T. 24 S., R. 36 E.	Paul Reid, Cocoa	---	----	---	---	3	Top of 3-inch ell, 1.90 feet above land surface.	--	4.0	2/14/47	2000	2/14/47	74	Irrigation	
193	Cocoa, about 4.6 miles northwest, on ditch bank east side of a sand road, about 0.35 mile north of State Highway 520. NE $\frac{1}{4}$ sec. 27, T. 24 S., R. 35 E.	A. P. Thomas, Cocoa	A. L. Smith	1942	200	100	3	Top of 3-inch tee, 1.5 feet above land surface.	--	10.5	1/14/47	--	--	74	Irrigation	
194	Cocoa, about 5 miles northwest, about 600 feet south of a cattle pen, 0.25 mile east of a sand road. NW $\frac{1}{4}$ sec. 22, T. 24 S., R. 35 E.	Dr. Cox	---	----	---	---	2	---	--	--	--	--	--	--	Unused	
195	City Point, about 5.5 miles west, in "Murdock Tract," about 0.25 miles south of a sand road. NW $\frac{1}{4}$ sec. 17, T. 24 S., R. 35 E.	---	---	----	---	---	-	---	--	--	--	--	--	75	Unused	
196	City Point, about 2.5 miles west, about 100 feet west of a house, about 0.25 mile north of a sand road. NW $\frac{1}{4}$ sec. 14, T. 24 S., R. 35 E.	---	---	----	---	---	1.5	---	--	--	--	--	--	--	Unused	
197	Titusville, about 9 miles east, east side of a residence, about 2 miles south of State Highway 402. SE $\frac{1}{4}$ sec. 31, T. 21 S., R. 37 E.	Mrs. Ana Amerson, Wilson	---	1939	12	9	1.25	---	--	--	--	20	Feb. 1947	--	Domestic	
198	Cocoa, in yard northwest of a residence, 859 Indian River Drive. SE $\frac{1}{4}$ sec. 28, T. 24 S., R. 36 E.	A. P. Thomas, Cocoa	---	----	---	---	1.5	---	--	--	--	48	12/10/46	--	Irrigation	
199	Cocoa, in yard west of a residence, 859 Indian River Drive. SE $\frac{1}{4}$ sec. 28, T. 24 S., R. 36 E.	A. P. Thomas, Cocoa	---	----	---	---	-	---	--	--	--	61	12/10/46	--	Swimming pool and irrigation	
200	Merritt Island, about 0.25 mile south, north side of grove, about 400 feet south of State Highway 3. SE $\frac{1}{4}$ sec. 35, T. 24 N., R. 36 E.	W. F. White, Merritt Island	---	----	---	---	-	Top of 1 $\frac{1}{2}$ -inch tee, 4.05 feet above land surface.	23.24	6.25 8.6	12/14/46 10/15/47	--	--	--	Irrigation	
201	Merritt Island, about 0.5 mile south, in yard west side of a residence, east side of State Highway 3.	D. E. Prine, Merritt Island	---	1930	400	---	2	Top of 2-inch cross, 1.6 feet above land surface.	--	19.5	12/17/46	--	--	--	Domestic	
202	Merritt Island, about 0.6 mile south, east side of State Highway 3. NE $\frac{1}{4}$ sec. 35, T. 24 S., R. 36 E.	J. H. Wehl, Merritt Island	---	----	---	---	8	Top of 8-inch cross, 2.8 feet above land surface.	33.21	18.0 18.4	12/17/46 10/15/47	--	--	--	Irrigation	
203	Merritt Island, about 1.5 miles south, in orange grove, about 100 feet east of a residence, west of State Highway 3. SE $\frac{1}{4}$ sec. 2, T. 25 S., R. 36 E.	Ralph P. Smith, Merritt Island	---	----	225	82	3	Top of 3-inch cross, 1.6 feet above land surface.	--	21.0	12/17/46	--	--	--	Domestic irrigation	
204	Merritt Island, about 1.5 miles south, near swimming pool, east of a residence, east side of State Highway 3. NE $\frac{1}{4}$ sec. 2, T. 25 S., R. 36 E.	H. E. Prine, Merritt Island	E. C. Smith	----	200	---	4	Top of 4-inch cross, 1.5 feet above land surface.	--	22.5	12/17/46	--	--	--	Domestic and swimming pool	
205	Merritt Island, about 1.5 miles south, in orange grove, south of a sand road, about 0.55 mile east of State Highway 3. NW $\frac{1}{4}$ sec. 2, T. 25 S., R. 36 E.	H. E. Prine, Merritt Island	---	----	---	---	6	Top of 6-inch cross, 2.35 feet above land surface.	--	25.0	12/17/46	--	--	--	Irrigation	
206	Merritt Island, about 1.5 miles southeast, in a field west of orange grove, north side of sand road, about 0.55 mile east of State Highway 3. NW $\frac{1}{4}$ sec. 2, T. 25 S., R. 36 E.	H. E. Prine, Merritt Island	---	----	---	---	6	Top of 6-inch tee, 2.55 feet above land surface.	--	25.8	12/17/46	--	--	76	Irrigation	

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point		Water Level		Chloride Content		Water Temperature deg. as Fahrenheit	Use of Well	Remarks
								Description	Altitude above mean sea level (Feet)	Above point measurement (Feet)	Date of measurement	Parts per Million	Date of determination			
207	Merritt Island, about 1.9 miles southeast, in an orange grove, east side of State Highway 3. NW¼ sec. 12, T. 25 S., R. 36 E.	Dr. Van Colditz Merritt Island	---	----	---	---	2	Top of 2-inch valve, 1.7 feet above land surface.	--	16.61	1/13/47	--	--	--	Irrigation	
208	Merritt Island, about 1.9 miles southeast, in grove east of residence, west side of State Highway 3. NW¼ sec. 12, T. 25 S., R. 36 E.	Dr. Van Colditz Merritt Island	A. I. Smith	1940	---	100	4	Top of 4-inch cross, 0.5 feet above land surface.	--	23.0	1/13/47	--	--	--	Drainage (Syphon)	
209	Merritt Island, about 2.1 miles southeast, north side of a sand road, west of State Highway 3. SW¼ sec. 12, T. 25 S., R. 36 E.	M. M. Ramsey, Merritt Island	---	----	---	---	-	---	--	--	--	--	--	--	Irrigation	
210	Merritt Island, about 2.2 miles southeast, about 300 yards east of road in grove, east side of State Highway 3. SW¼ sec. 12, T. 25 S., R. 36 E.	M. M. Ramsey, Merritt Island	---	----	---	---	-	---	--	--	--	--	--	--	Irrigation	
211	Merritt Island, about 2.2 miles south, west side of a shed in orange grove, west side of State Highway 3. SW¼ sec. 12, T. 25 S., R. 36 E.	McGriffen, Merritt Island	---	----	---	---	4	Top of 4-inch tee, 1.6 feet above land surface.	--	20.0	1/13/47	--	--	--	Irrigation	
212	Merritt Island, about 2.4 miles south, in orange grove near pine row, north side of a sand road, east of State Highway 3. NW¼ sec. 12, T. 25 S., R. 36 E.	Brock & Burcher, Merritt Island	---	----	---	---	2	Top of 2-inch valve, 4.0 feet above land surface.	--	18.1	1/13/47	--	--	--	Irrigation	
213	Merritt Island, about 3.6 miles south, east of a residence on south side of sand road, east of State Highway 3. SE¼ sec. 13, T. 25 S., R. 36 E.	M. T. Miller, Georgiana	---	----	---	---	2	---	--	--	--	--	--	--	Domestic	
214	Merritt Island, about 3.6 miles south, in a shed, in grove, east of State Highway 3. SE¼ sec. 13, T. 25 S., R. 36 E.	M. T. Miller, Georgiana	---	----	---	---	2	---	--	--	--	--	--	--	Irrigation	
215	Merritt Island, about 3.6 miles south, northeast of shed in orange grove, east of State Highway 3. SE¼ sec. 13, T. 25 S., R. 36 E.	M. T. Miller, Georgiana	---	----	---	---	-	Top of 6 by 4-inch tee, 1.7 feet above land surface.	--	21.75	1/13/47	--	--	--	Irrigation	
216	Merritt Island, about 3.8 miles south, about 35 yards south of entrance road, about 500 feet east of State Highway 3. SE¼ sec. 12, T. 25 S., R. 36 E.	Mr. Hamblin, Georgiana	---	----	---	---	-	Top of 6-inch casing, 2.5 feet above land surface.	--	19.2	1/14/47	--	--	--	Irrigation Domestic	
217	Merritt Island, about 4.1 miles south, south side of residence, east of State Highway 3. SW¼ sec. 24, T. 25 S., R. 36 E.	Mr. Tucker, Georgiana	Brevard Drilling Co.	1944	185	---	6	Top of 6-inch coupling, 1.2 feet above land surface.	14.51	17.9 19.2	1/14/47 10/15/47	--	--	--	Irrigation Domestic	
218	Merritt Island, about 4.2 miles south, east side of residence, east of State Highway 3. SW¼ sec. 24, T. 25 S., R. 36 E.	Dr. Beal, Georgiana	---	----	---	---	2	---	--	--	--	--	--	--	Domestic	
219	Merritt Island, about 4.3 miles south, east of residence, on east side of State Highway 3. SW¼ sec. 24, T. 25 S., R. 36 E.	A. F. Prine, Georgiana	---	----	---	---	3	---	--	--	--	--	--	--	Domestic	
220	Merritt Island, about 4.4 miles south, north of garage, east of State Highway 3. NW¼ sec. 24, T. 25 S., R. 36 E.	Mr. Delph, Savannah, Ga.	---	----	---	---	2	Top of 2-inch tee in concrete base, 1.7 feet above land surface.	--	25.75	1/14/47	1375	10/16/47	--	Domestic	
221	Merritt Island, about 4.4 miles south in grove east of garage, east of State Highway 3. NW¼ sec. 24, T. 25 S., R. 36 E.	Mr. Delph, Savannah, Ga.	---	----	---	---	4	Top of 4-inch coupling, 2.95 feet above land surface.	--	18.0	1/14/47	--	--	--	Irrigation Domestic	
222	Merritt Island, about 4.5 miles south, center of grove, east of State Highway 3. NW¼ sec. 24, T. 25 S., R. 36 E.	Mr. Rankin	---	----	---	---	3	Top of 3-inch valve, 1.5 feet above land surface.	--	25.8	1/14/47	--	--	--	Irrigation Domestic	
223	Merritt Island, about 4.5 miles south, south edge of grove, east of State Highway 3. NW¼ sec. 24, T. 25 S., R. 36 E.	Mr. Rankin	---	----	---	---	4	Top of 4-inch coupling, 0.3 feet above land surface.	--	22.0	1/14/47	--	--	--	Irrigation	
224	Merritt Island, about 5.55 miles south, north of Thompson driveway, east of State Highway 3. NW¼ sec. 24, T. 25 S., R. 36 E.	Mr. Rankin	---	----	---	---	2	Top of 2-inch tee in concrete base, 1.75 feet above land surface.	--	18.0	1/14/47	--	--	--	Domestic	
225	Merritt Island, about 4.7 miles south, in grove, west of State Highway 3. SW¼ sec. 24, T. 25 S., R. 36 E.	Mr. Bruen, Georgiana	---	----	---	---	4	---	--	--	--	--	--	--	Irrigation Domestic	
226	Merritt Island, about 4.7 miles south, north of a shed, east of State Highway 3. SW¼ sec. 24, T. 25 S., R. 36 E.	Mr. Bruen, Georgiana	---	----	---	---	4	---	--	--	--	--	--	--	Domestic	
227	Merritt Island, about 4.8 miles south, on north side of grove, about 500 feet east of State Highway 3. SW¼ sec. 24, T. 25 S., R. 36 E.	Mr. W. W. Stines Georgiana	---	----	---	---	4	Top of 4-inch cross, 1.5 feet above land surface.	--	18.6	1/14/47	--	--	--	Irrigation	

Well Number	Location	Owner	Driller	Completed	Depth of well (feet)	Depth of casing (feet)	Diameter of casing (inches)	Measuring Point		Water Level		Chloride Content		Water temperature degree Fahrenheit	Use of well	Remarks
								Description	Height above land surface (feet)	Above measuring point (feet)	Date of measurement	Parts per Million	Date of determination			
228	Merritt Island, about 4.8 miles south, in a grove, about 100 feet south of a sand road, and about 600 feet east of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 24, T. 25 S., R. 36 E.	Mr. Spencer, Georgiana	---	----	---	---	4	Top of 4-inch tee in concrete base, 2.2 feet above land surface.	--	22.0	1/14/47	--	--	--	Irrigation	
229	Merritt Island, about 4.9 miles south, in a grove, about 300 feet east of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 24, T. 25 S., R. 36 E.	Mrs. Pearl Sinclair, Georgiana	---	----	---	---	2	Top of 2-inch tee, 2.25 feet above land surface.	--	29.2	1/14/47	--	--	--	Irrigation	
230	Merritt Island, about 4.9 miles south, north side of a residence, south side of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 24, T. 25 S., R. 36 E.	Mrs. Pearl Sinclair, Georgiana	---	----	---	---	3	Top of 3-inch cross, 1.5 feet above land surface.	5.41	32.2	1/14/47 10/15/47	--	--	76	Domestic	
231	Merritt Island, about 5.1 miles south, in a grove, southwest of a church, south side of State Highway 3. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 25, T. 25 S., R. 36 E.	Mrs. Pearl Sinclair, Georgiana	---	----	---	---	2	Top of 2-inch cross, 3.2 feet above land surface.	--	19.6	1/14/47	--	--	--	Irrigation	
232	Merritt Island, about 5.1 miles south, in a grove, north of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 24, T. 25 S., R. 36 E.	Mr. Provost, Georgiana	---	----	---	---	-	---	--	--	--	--	--	--	Irrigation	
233	Merritt Island, about 5.2 miles south, east side of State Highway 3. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 30, T. 25 S., R. 37 E.	---	---	1940	---	---	-	---	--	--	--	--	--	--	Irrigation	
234	Merritt Island, about 5.3 miles south, east side of State Highway 3. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 30, T. 25 S., R. 37 E.	Mr. Provost, Georgiana	---	----	---	---	-	---	--	--	--	--	--	--	Irrigation	
235	Merritt Island, about 5.7 miles south, about 50 feet south of a residence, south of State Highway 3. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 30, T. 25 S., R. 37 E.	L. M. Folsom, Georgiana	---	----	---	---	2	Top of 2-inch tee, in concrete base, 2.8 feet above land surface.	--	25.2	1/14/47	--	--	--	Domestic	
236	Merritt Island, about 5.9 miles south, east side of a shed, east of a residence, south of State Highway 3. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 30, T. 25 S., R. 37 E.	Mr. Felger, Georgiana	---	----	---	---	4	Top of 4-inch cross, 1.8 feet above land surface.	--	32.5	1/15/47	--	--	--	Domestic	
237	Merritt Island, about 5.9 miles south, in center of a grove, about 500 feet west of State Highway 3. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 30, T. 25 S., R. 37 E.	Mr. Felger, Georgiana	Brevard Drilling Co.	----	---	---	-	---	--	--	--	--	--	--	Irrigation	
238	Merritt Island, about 6.0 miles south, in a grove, east side of State Highway 3. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 30, T. 25 S., R. 37 E.	Mr. Sanders, Georgiana	---	----	---	---	-	---	--	--	--	--	--	--	Irrigation	
239	Merritt Island, about 6.1 miles south, between two residences, south side of State Highway 3. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 30, T. 25 S., R. 37 E.	J. J. Parrish, Titusville	---	----	---	---	2	---	--	--	--	--	--	--	Domestic	
240	Merritt Island, about 6.2 miles south, in a grove, west side of State Highway 3. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 30, T. 25 S., R. 37 E.	J. J. Parrish, Titusville	---	1943	---	---	3	Top of 3-inch tee, 1.1 feet above land surface.	--	10.0	1/15/47	--	--	--	Irrigation	
241	Merritt Island, about 6.3 miles south, in a grove, east side of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 25 S., R. 37 E.	Mr. Sanders, Georgiana	---	----	---	---	2	Top of 2-inch valve, 1.15 feet above land surface.	--	8.2	1/15/47	--	--	--	Irrigation	
242	Merritt Island, about 6.5 miles south, in a grove, west side of State Highway 3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 25 S., R. 37 E.	---	---	----	---	---	2	---	--	--	--	--	--	--	Irrigation	
243	Merritt Island, about 6.6 miles south, in a grove, north of a grocery store, on west side of State Highway 3. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 25 S., R. 37 E.	Mrs. J. R. Lindner, Georgiana	A. L. Smith	----	---	---	3	Top of 3-inch cross, 1.3 feet above land surface.	--	14.0	1/16/47	--	--	--	Irrigation	
244	Merritt Island, about 6.6 miles south, in a grove, west of a grocery store, west side of State Highway 3. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 25 S., R. 37 E.	Mrs. J. R. Lindner, Georgiana	A. C. Smith	1916	---	---	2	Top of 2-inch tee, 0.8 foot above land surface.	--	15.0	1/16/47	--	--	--	Irrigation Domestic	
245	Merritt Island, about 6.7 miles south, about 75 feet northeast of a residence, west side of State Highway 3. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 25 S., R. 37 E.	Mr. Shumacher, Georgiana	---	1943	---	---	6	Top of 6-inch cross, 2.5 feet above land surface.	--	15.75	1/16/47	--	--	--	Domestic	
246	Merritt Island, 6.7 miles south, on bank of Indian River, about 300 yards northwest of a driveway, about 0.2 mile west of State Highway 3. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 25 S., R. 37 E.	Mrs. J. R. Lindner, Georgiana	---	----	---	---	2	Top of 2-inch cross, 1.25 feet above land surface.	--	35.0	1/16/47	--	--	--	Irrigation	
247	Merritt Island, about 6.8 miles south, about 150 feet east of Indian River, north of entrance road, about 0.2 mile west of State Highway 3. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 25 S., R. 37 E.	Bruno Arvensen, Georgiana	---	----	---	---	4	Top of 4-inch tee, 2.2 feet above land surface.	--	27.0	1/16/47	--	--	--	Domestic	

Well Number	Location	Owner	Driller	Completed	Depth of Well (feet)	Depth of Casing (feet)	Diameter of Casing (Inches)	Measuring Point		Water Level		Chloride Content			Use of Well	Remarks
								Description	Altitude above mean sea level (feet)	Above measuring point (feet)	Date of measurement	Parts per Million	Date of determination	Water temperature - degrees Fahrenheit		
248	Merritt Island, about 7.3 miles south, south of a barn, on west side of a grove, about 0.2 mile west of State Highway 3. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 30, T. 26 S., R. 37 E.	Mr. Stewart, Lotus	---	----	---	---	4	Top of 4-inch valve, 2.4 feet above land surface.	--	28.5	12/18/46	--	--	--	Domestic	
249	Merritt Island, about 7.7 miles south, in a grove, west of a residence, west side of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 26 S., R. 36 E.	Mr. Robbins, Lotus	---	----	---	---	4	Top of 4-inch coupling, 1.2 feet above land surface.	--	28.0	12/18/46	--	--	--	Irrigation Domestic	
250	Merritt Island, about 8.0 miles south, north side of orange grove, north of entrance road, west of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 26 S., R. 37 E.	J. W. Hooper, Cocoa	---	----	---	---	4	Top of 4-inch coupling, 0.3 foot above land surface.	--	31.5	12/18/46	--	--	--	Irrigation	
251	Merritt Island, about 8.0 miles south, in an orange grove south of a house, west of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 26 S., R. 37 E.	J. W. Hooper, Cocoa	---	----	---	---	2	Top of 2-inch cross, 1.3 feet above land surface.	--	33.0	12/18/46	--	--	--	Irrigation	
252	Merritt Island, about 8.1 miles south, west of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 26 S., R. 39 E.	Mr. Autenrieh, Lotus	---	----	---	---	-	---	--	--	--	--	--	--	Irrigation	
253	Merritt Island, about 8.2 miles south, 100 feet south of a residence, west side of State Highway 3. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 7, T. 26 S., R. 37 E.	Mr. Sargent, Lotus	---	----	---	---	2	Top of 2-inch tee, 1.8 feet above land surface.	--	10.0	12/18/46	--	--	--	Irrigation Domestic	
254	Merritt Island, about 8.5 miles south, west of State Highway 3, SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 8, T. 26 S., R. 37 E.	---	---	----	---	---	-	---	--	--	--	--	--	--	Irrigation	
255	Merritt Island, about 8.7 miles south, on north side of a garage, west of State Highway 3. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 8, T. 26 S., R. 37 E.	Mr. Osteen, Lotus	Wilkenson	1891	175	---	3	---	--	--	--	--	--	--	Irrigation Domestic	
256	Merritt Island, about 8.7 miles south, north of a small shed, west of a residence, west of State Highway 3. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 8, T. 26 S., R. 37 E.	Mr. Osteen, Lotus	Bill Keen	1933	310	100	4	Top of 4-inch tee, 1.75 feet above land surface.	--	37.5	12/18/46	--	--	--	Domestic	
257	Merritt Island, about 9.2 miles south, in a grove, south of entrance road, about 500 feet west of State Highway 3. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 26 S., R. 37 E.	Robert Harper, Lotus	---	----	---	---	6	Top of 6-inch coupling, flush with land surface.	--	37.5	12/18/46	--	--	--	Irrigation	
258	Merritt Island, about 9.3 miles south, in a grove, north of entrance road, about 500 feet west of State Highway 3. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 26 S., R. 37 E.	Robert Harper, Lotus	---	----	---	---	3	Top of 3-inch coupling, 0.6 foot above land surface.	6.46	35.5 35.5	12/18/46 10/15/47	650	10/15/47	--	Irrigation	
259	Merritt Island, about 9.4 miles south, in a grove, north of Arvansen residence, west side of State Highway 3. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 26 S., R. 37 E.	---	---	----	---	---	4	---	--	--	--	--	--	--	Irrigation	
260	Merritt Island, about 9.5 miles south, west side of a residence, west side of State Highway 3. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 26 S., R. 37 E.	Mr. Arvansen, Lotus	E. C. Smith	1936	300	125	3	Top of 3-inch tee, 1.35 feet above land surface.	--	29.5	12/18/46	--	--	--	Irrigation Domestic	
261	Merritt Island, about 9.6 miles south, about 300 feet north of Mr. John Stone's residence, on east bank of Indian River. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 26 S., R. 37 E.	B. Y. Chandler, Lotus	---	----	---	---	-	---	--	--	--	--	--	--	Drainage	
262	Merritt Island, about 9.7 miles south, in a grove north of entrance road. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 26 S., R. 37 E.	John Stone, Lotus	---	----	160	---	6	Bottom of 2-inch valve, 2.5 feet above land surface.	--	25.0	12/18/46	--	--	--	Irrigation Domestic	
263	Merritt Island, about 10.8 miles south, in a grove, north of a residence, west side of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 20, T. 26 S., R. 37 E.	Mr. Sargent, Lotus	---	----	---	---	6	Top of 6-inch casing, 0.6 foot above land surface.	--	26.0	12/18/46	--	--	--	Irrigation Domestic	
264	Merritt Island, about 11.0 miles south, in an orange grove, south of a residence, west side of State Highway 3. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 26 S., R. 37 E.	Mr. Sargent, Lotus	---	----	---	---	2	Top of 2-inch valve in concrete base, 1.5 feet above land surface.	--	34.0	12/18/46	--	--	--	Irrigation	
265	Merritt Island, about 12.3 miles south, in Carlton grove, east side of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 26 S., R. 37 E.	B. F. Carlton, Cocoa	---	----	---	---	6	Top of 6 by 4-inch bushing, 1.0 foot above land surface.	--	31.0	12/18/46	--	--	--	Irrigation	
266	Merritt Island, about 11.7 miles south, in a grove, east side of State Highway 3. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 26 S., R. 37 E.	Mrs. Lindner, Tropic	---	1943	---	---	2	Top of 2-inch tee, 1.4 feet above land surface.	--	34.0	12/18/46	--	--	--	Irrigation	
267	Merritt Island, about 11.9 miles south, about 20 feet east of a residence, east side of State Highway 3. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 26 S., R. 37 E.	Mr. W. A. Cox, Tropic	---	---	---	---	2	Top of 2-inch valve, 0.9 foot above land surface.	12.11	31.0 31.0	12/18/46 10/15/47	587	10/15/47	--	Domestic	

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point		Water Level		Chloride Content		Use of Well	Remarks	
								Description	Altitude above mean sea level (Feet)	Above measuring point (Feet)	Date of measurement	Parts per Million	Date of determination			Water Temperature, degrees Fahrenheit
268	Merritt Island, about 12.9 miles south, in a grove, east side of State Highway 3. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 27 S., R. 37 E.	Mr. Ensey,	---	----	---	---	4	---	--	--	--	--	--	Irrigation		
269	Merritt Island, about 13.1 miles south, north side of a residence, east side of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 27 S., R. 37 E.	Mr. Gray,	---	----	---	---	4	Top of 4-inch coupling, 4.9 feet above land surface.	--	29.4	12/17/46	--	--	Domestic		
270	Merritt Island, about 13.2 miles south, in a grove east of a residence, east side of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 27 S., R. 37 E.	---	---	----	---	---	4	---	--	--	--	--	--	Irrigation		
271	Merritt Island, about 13.3 miles south, east of a residence, east side of State Highway 3. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 34, T. 27 S., R. 37 E.	G. F. Ensey	E. A. Smith	----	---	---	4	Top of 4-inch tee, 3.3 feet above land surface.	--	14.0	12/17/46	--	--	Irrigation Domestic		
272	Merritt Island, about 14.5 miles south, south side of a residence, southeast of a small bridge, east side of State Highway 3. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 27 S., R. 37 E.	---	---	----	---	---	2	---	--	--	--	--	--	Domestic		
273	Merritt Island, about 14.6 miles south, west side of a residence, on east side of State Highway 3. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 3, T. 27 S., R. 37 E.	Mr. High	Brevard Drilling Co.	----	---	---	2	Top of 2-inch tee, 1.4 feet above land surface.	--	27.0	12/17/46	530	10/15/47	Irrigation Domestic		
274	Merritt Island, about 14.8 miles south, south of a residence, east side of State Highway 3. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 27 S., R. 37 E.	Mr. Sipple	---	----	---	---	4	---	--	--	--	--	--	Irrigation Domestic		
275	Merritt Island, about 14.9 miles south, south side of a residence, east side of State Highway 3. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 27 S., R. 37 E.	H. P. Lew, Orlando	---	----	---	---	4	Top of 4-inch tee, 1.4 feet above land surface.	--	30.0	12/17/46	--	--	Domestic		
276	Merritt Island, about 15 miles south, in yard north of a residence, east side of State Highway 3. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 27 S., R. 37 E.	T. K. Johnson, Orlando	---	----	---	---	4	Top of concrete case, 2.8 feet above land surface.	--	31.6 31.8	12/17/46 10/15/47	525	10/15/47	Domestic		
277	Cocoa, in a field at northeast intersection of Avocatta and Poinsetta Streets. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 36, T. 24 S., R. 36 E.	---	---	----	---	---	3	---	--	--	--	1110	5/1/47	Unused		
278	Merritt Island, about 4.7 miles northeast, south edge of a sand road on canal bank, about 0.2 mile west of a house. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 24 S., R. 36 E.	Mr. Reynolds	---	----	---	---	8	Top of 2-inch discharge pipe, flush with land surface.	4.48	22.0 22.1	12/16/46 10/15/47	925	10/15/47	76	Irrigation	
279	Merritt Island, about 4.6 miles northeast, in an orange grove, about 0.25 mile northwest of a house. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 24 S., R. 36 E.	Mr. Reynolds	---	----	---	---	4	Top of 4-inch valve encased in concrete, 2.45 feet above land surface.	5.29	20.5 20.5	12/16/46 10/15/47	925	10/15/47	--	Irrigation	
280	Merritt Island, about 1.5 miles north, in an orange grove, west of State Highway 3. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	Mrs. R. B. Rosch, Merritt Island	---	----	---	---	4	Top of 4-inch coupling, 1.0 foot above land surface.	--	13.0	12/16/46	--	--	Irrigation		
281	Merritt Island, about 1.8 miles south, east side of a grove, about 2.5 miles west of a church on west side of State Highway 3. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	Mrs. Wesley Dyal, Cocoa	---	----	---	---	2	Top of 2-inch valve, 3.3 feet above land surface.	--	10.25	12/16/46	--	--	Irrigation		
282	Merritt Island, about 2.0 miles north, south side of an orange grove, about 1.0 mile east of State Highway 3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 23, T. 24 S., R. 36 E.	R. O. Nichols, Cocoa	A. L. Smith	1946	---	---	3	Top of 3-inch tee, 1.0 foot above land surface.	--	23.0	12/16/46	--	--	Irrigation		
283	Merritt Island, about 2 miles north, in center of Jourdan Hill Grove, about 0.25 mile east of State Highway 3. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	J. J. Parrish, Titusville	---	----	---	---	4	Top of 4-inch cross, 1.7 feet above land surface.	--	6.75	12/16/46	--	--	Irrigation		
284	Merritt Island, about 2.1 miles north, in Jourdan Hill Grove, about 200 feet north of well 283. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	J. J. Parrish, Titusville	---	1943	---	---	2	Top of 2-inch cross, 1.7 feet above land surface.	--	8.0	12/16/46	1300*	5/21/47	77	Irrigation	
285	Merritt Island, about 2.1 miles north, east of a residence, about 500 feet west of State Highway 3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	Mr. Flehner, Indianola	---	----	---	---	4	Top of 4-inch coupling, 1.85 feet above land surface.	--	9.5	12/16/46	--	--	Irrigation		
286	Merritt Island, about 2.1 miles north, in an orange grove, north side of entrance road, east of State Highway 3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	Mr. Humphrey, Indianola	---	----	---	---	4	---	--	--	--	--	--	Irrigation		
287	Merritt Island, about 2.2 miles north, in grove north of entrance road, about 800 feet east of State Highway 3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	Mr. Bradford, Indianola	---	----	---	---	4	Top of 4-inch coupling, 0.75 foot above land surface.	--	15.0	12/16/46	--	--	75.5	Irrigation	

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point		Water Level		Chloride Content		Water temperature, degrees Fahrenheit	Use of well	Remarks
								Description	Altitude above mean sea level (Feet)	Date of measurement	Date of measurement	Parts per Million	Date of determination			
288	Merritt Island, about 2.2 miles north, in grove south of entrance road, about 800 feet east of State Highway 3. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	Mr. Bradford, Indianola	---	----	---	---	4	Top of 2-inch tee, 1.7 feet above land surface.	--	13.0	12/16/46	---	--	--	Irrigation	
289	Merritt Island, about 1.5 miles north, south of entrance road in River Grove, east side of State Highway 3. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	J. J. Parrish, Titusville	---	----	---	---	3	Top of 3-inch coupling, 0.9 f t above land surface.	--	16.0	12/16/46	---	--	74	Irrigation	
290	Merritt Island, about 1.5 miles north, south of entrance road in River Grove, about 800 feet east of State Highway 3. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 22, T. 24 S., R. 36 E.	J. J. Parrish, Titusville	---	----	---	---	4	Top of concrete base, flush with land surface.	--	21.0	12/16/46	---	--	--	Irrigation	
291	Orsino, about 2.55 miles southwest, north side of a house, west side of State Highway 3. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 18, T. 23 S., R. 37 E.	Myra G. Williams, Rockledge	T. L. Sams	1922	388	100	4	Top of 4-inch tee, 2.25 feet above land surface.	10.62	7.0	10/14/47	---	--	76	Domestic	
292	Orsino, about 2.3 miles southwest, south of a residence, north of a sand road, west of State Highway 3. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 7, T. 23 S., R. 37 E.	W. W. Lollie, Orsino	T. L. Sams	1922	238	100	2	Top of 2-inch cross, 2.3 feet above land surface.	7.69	12.0	12/14/46	---	--	--	Domestic	
293	Orsino, about 0.9 mile west, 10 feet south of a ditch, south of a shell road. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 23 S., R. 36 E.	William Brown, Orsino	O. F. Pippen	1946	300	105	6	Top of 6-inch tee, 1.0 foot above land surface.	3.32	--	--	1580*	12/14/46	--	Irrigation	
294	Orsino, about 1.2 miles northwest, on canal bank, north side of a shell road, about 0.9 mile west of State Highway 3. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 26, T. 22 S., R. 36 E.	Roy F. Roberts Titusville	Peck Harris	----	790	100	12	Top of 6-inch plug, 2.26 feet above land surface.	5.68	--	--	--	--	--	Drainage (Syphon)	
295	Merritt Island, about 2.4 miles north, in an orange grove, west of State Highway 3. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 22, T. 25 S., R. 36 E.	Mr. Crawford, Indianola	---	----	---	---	4	Top of 3-inch valve, 4.0 feet above land surface.	--	12.5	1/16/47	--	--	--	Irrigation	
296	Merritt Island, about 2.5 miles north, in an orange grove, north side of entrance road, west of State Highway 3. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	Mr. Andrix, Indianola	---	----	---	---	2	Top of 2-inch valve, 1.7 feet above land surface.	--	15.0	1/16/47	--	--	--	Irrigation	
297	Merritt Island, about 3.3 miles north, west edge of an orange grove, about 500 feet north of a sand road, about 0.6 mile east of State Highway 3. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 11, T. 24 S., R. 36 E.	W. S. Bell, Indianola	A. L. Smith	1945	261	91	4	Top of 2-inch valve, 1.1 feet above land surface.	--	21.7	1/16/47	--	--	75.5	Irrigation	FGS well W-934
298	Merritt Island, about 2.8 miles north, at Indianola, in yard north side of a residence, on Indian River. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 24 S., R. 36 E.	Miss Godshaw	---	----	---	---	3	---	--	--	--	1225	11/27/46	--	Irrigation Domestic	
299	Merritt Island, about 3.6 miles north, about 100 feet northeast of tool shed in orange grove, about 0.5 mile east of State Highway 3. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 24 S., R. 36 E.	Henry Parrish, Cocoa	---	----	288	90	4	Top of 4-inch tee, 1.5 feet above land surface.	--	19.0	12/16/46	--	--	--	Irrigation	
300	Merritt Island, about 3.7 miles north, in a ditch, northeast corner of a grove, south of a sand road, about 0.7 mile east of State Highway 3. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 24 S., R. 36 E.	Henry Parrish, Cocoa	---	----	---	---	6	---	--	--	--	--	--	--	Drainage (Syphon)	
301	Merritt Island, about 3.7 miles north, in southeast corner of a grove, on ditch bank north of a sand road, about 0.7 mile east of State Highway 3. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 24 S., R. 36 E.	R. P. Smith, Merritt Island	---	----	---	---	4	Top of 4-inch tee, flush with land surface.	--	20.0	12/16/46	--	--	--	Drainage (Syphon)	
302	Courtney, about 1.4 miles south, in owner's grove No. 3 about 0.1 mile west of State Highway 3. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 34, T. 23 S., R. 36 E.	L. P. Allen, Cocoa	---	----	---	---	-	Top of 4-inch tee, 1.1 feet above land surface.	--	11.25	12/16/46	--	--	--	Irrigation	
303	Courtney, about 1.1 miles south, west edge of a grove, north of southwest corner, 0.3 mile east of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 34, T. 23 S., R. 36 E.	Mrs. Wesley Dyal	---	----	---	---	4	Top of 4-inch tee, 1.2 feet above land surface.	--	7.5	12/16/46	--	--	--	Irrigation	
304	Courtney, about 1.2 miles south, west edge of a grove, about 600 feet north of southwest corner, about 0.4 miles east of State Highway 3.	Mrs. Wesley Dyal	---	----	---	---	4	Top of 4-inch ell, 1.3 feet above land surface.	--	7.5	12/16/46	--	--	--	Irrigation	
305	Courtney, about 1 mile south, west edge of owner's grove number 4, about 0.25 mile west of State Highway 3. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 34, T. 23 S., R. 36 E.	L. P. Allen, Cocoa	---	----	---	---	-	Top of 4-inch valve, about 1.5 feet above land surface.	--	9.5	12/16/46	--	--	--	Irrigation	

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point		Water Level		Chloride Content		Water temperature, degrees Fahrenheit	Use of Well	Remarks
								Description	Altitude above mean level (Feet)	Above measuring point (Feet)	Date of measurement	Parts per Million	Date of determination			
306	Courtenay, about 1 mile south, in owner's grove No. 2, northwest of a church, west side of State Highway 3. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 34, T. 23 S., R. 36 E.	L. P. Allen, Cocoa	H. E. Harris	1940	230	106	4	Top of 4-inch tee, 1.4 feet above land surface.	--	7.0	12/16/46	--	--	--	Irrigation	FGS well W-603
307	Orsino, about 2.7 miles southwest, in a grove, north side of a canal at small dam, about 0.3 mile west of State Highway 3. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 22 S., R. 36 E.	J. J. Farris, Titusville	---	---	---	---	6	---	--	--	--	--	--	--	Drainage (Syphon)	
308	City Point, about 0.4 mile north, about 40 feet east of State Highway 515, northwest of a boat dock on Indian River. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 8, T. 24 S., R. 36 E.	Mrs. O. B. Boward, City Point	---	1895	350	320	4	.	--	--	--	3087	3/26/47	--	Drainage (Syphon)	
309	City Point, about 0.4 mile north, south side of a concrete swimming pool, west of a residence, west side of State Highway 515. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 8, T. 24 S., R. 36 E.	Mrs. O. B. Boward, City Point	---	----	---	---	4	Top of southwest corner of a concrete swimming pool wall, 0.6 foot above land surface.	--	7.0	1/27/47	--	--	--	Irrigation Swimming pool	
310	LaGrange, at Henry Goethe Lumber Company, about 20 feet southwest of a steam boiler, north side of a pumphouse. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 24, T. 21 S., R. 35 E.	Henry Goethe Lumber Co., Titusville	Mr. Austin	1946	12	9	2	---	--	--	--	20	9/12/47	--	Industrial	
311	LaGrange, at Henry Goethe Lumber Company, southwest of a steam boiler, north side of a pumphouse. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 24, T. 21 S., R. 35 E.	Henry Goethe Lumber Co., Titusville	Mr. Austin	1946	12	9	2	---	--	--	--	20	9/12/47	--	Industrial	
312	LaGrange, at Henry Goethe Lumber Company, southwest of a steam boiler, north side of a pumphouse. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 24, T. 21 S., R. 35 E.	Henry Goethe Lumber Co., Titusville	Mr. Austin	1946	12	9	2	---	--	--	--	20	9/12/47	--	Industrial	
313	Titusville, about 3 miles northwest, about 30 feet west of a residence. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 29, T. 21 S., R. 36 E.	H. M. Sharp, Titusville	H. M. Sharp	1946	30	27	1.5	---	--	--	--	20	9/12/47	--	Domestic	
314	Titusville, about 13.5 miles east, at former Chester Shoals Coast Guard Station, about 20 feet north of a barracks building. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 3, T. 22 S., R. 37 E.	A. R. Reading, Titusville	---	----	---	---	3	Top of 3-inch tee, 1.0 foot above land surface.	18.76	4.05	9/29/47	1000	9/29/47	76	Public Supply	
315	Indian River City, at owner's residence. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 22, T. 22 S., R. 35 E.	Dr. E. P. Lichtenberger, Indian River City	---	----	---	---	2	---	--	--	--	--	--	--	Domestic	
316	Cocoa, about 2.5 miles west, about 60 feet north of a residence, north side of State Highway 520. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 25, T. 25 S., R. 35 E.	H. L. Routzong, Cocoa	O. F. Pippin	1946	237	80	3	Top of 3-inch tee, 0.6 foot above land surface.	--	12.0 12.6	1/16/47 9/16/47	--	--	76	Irrigation	
317	Cocoa, about 3.0 miles west, on a canal bank, north of a pumphouse, in southwest corner of an orange grove. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 36, T. 25 S., R. 35 E.	Mr. Gray, Rockledge	---	----	---	---	6	---	--	--	--	1212	1/16/47	76	Irrigation	
318	Rockledge, about 3.0 miles west, on a canal bank, south side of an orange grove, about 0.3 mile south of a shell road. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 25 S., R. 35 E.	G. J. Pluckybaum, Rockledge	Peck Harris	1940	---	---	6	Top of 6-inch tee, 0.3 foot above land surface.	--	20.0	1/16/47	--	--	--	Irrigation	
319	Rockledge, about 3.25 miles west, in northwest corner of an orange grove. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 25 S., R. 35 E.	G. J. Pluckybaum, Rockledge	---	----	---	---	6	---	--	--	--	--	--	--	Irrigation	
320	Rockledge, about 3.25 miles west, about 0.25 mile south of a shell road, in southwest corner of an orange grove. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 25 S., R. 35 E.	G. J. Pluckybaum, Rockledge	---	----	---	---	6	---	--	--	--	--	--	--	Irrigation	
321	Cocoa, about 2.8 miles northwest, in yard northwest of a residence, west side of county road, about 0.7 mile north of State Highway 520. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 25 S., R. 35 E.	L. B. Fenner, Cocoa	---	1946	12	9	2	---	--	--	--	1225	1/16/47	--	Domestic	
322	Cocoa, about 3.0 miles northwest, west of a county road, about 0.75 mile north of State Highway 520. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 24 S., R. 35 E.	L. B. Fenner, Cocoa	---	----	---	---	4	---	--	--	--	--	--	--	Unused	
323	Cocoa, about 3.0 miles northwest, in woods about 1,000 feet west of a county road, about 0.4 mile north of State Highway 520. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 25, T. 24 S., R. 35 E.	L. B. Fenner, Cocoa	---	----	---	---	4	---	--	--	--	1325	1/16/47	--	Stook	

Well Number	Location	Owner	Driller	Completed	Depth of Well (feet)	Depth of Casing (feet)	Diameter of Casing (inches)	Measuring Point			Water Level			Chloride Content		Water temperature, degrees Fahrenheit	Use of Well	Remarks
								Description	Altitude above mean sea level (feet)	Below measuring point (feet)	Date of measurement	Parts per Million	Date of determination					
324	Scottsmoor, at Scottsmoor Cabins, west side of U. S. Highway 1. Sec. 7, T. 20 S., R. 34 E.	Mr. Hinterberger, Scottsmoor	---	----	13	10	2	---	--	--	--	32	1/16/47	--	Public Supply			
325	Rockledge, about 1.5 miles south, southeast corner of Victory Packing House, west side of U. S. Highway 1. NE $\frac{1}{4}$ sec. 15, T. 25 S., R. 36 E.	W. S. Whaley, Rockledge	---	1930	33	30	1.5	---	--	--	--	48	2/18/47	--	Industrial			
326	Rockledge, about 3 miles southeast, east side of an orange grove, about 600 feet east of a packing house, on east side of U. S. Highway 1. NW $\frac{1}{4}$ sec. 23, T. 25 S., R. 36 E.	Roy Harvey, Cocoa	---	----	11	3	4.7	Top of concrete curbing, 0.2 foot above land surface.	--	-7.95	2/18/47	48	2/18/47	--	Industrial Public Supply			
327	Rockledge, at a fruit stand, east side of U. S. Highway 1, at intersection of State Highway 515. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 25 S., R. 36 E.	Arthur Gould, Cocoa	---	----	13	10	1.25	---	--	--	--	48	2/18/47	--	Domestic			
328	Eau Gallie, about 8 miles north, at residence, on west side of U. S. Highway 1. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 12, T. 26 S., R. 36 E.	H. E. Harris, Pineda	H. E. Harris	----	23	20	1.25	---	--	--	--	19	10/17/47	--	Domestic			
329	Cocoa, west of airport, north side of a pump-house, west of a residence, west side of Pineda Avenue. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 24 S., R. 36 E.	Ira Johnson, Cocoa	---	1946	28	25	1.25	---	--	--	--	14.5	2/19/47	--	Domestic			
330	Cocoa, west of airport, west of a residence, west side of Pineda Avenue. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 24 S., R. 36 E.	F. S. Johnson, Cocoa	---	1942	40	37	1.25	---	--	--	--	8.5	2/19/47	--	Domestic			
331	Cocoa, west of airport, about 60 feet northwest of a residence, west side of Pineda Avenue. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 24 S., R. 36 E.	Benny Griffin, Cocoa	Benny Griffin	1946	30	27	1.25	---	--	--	--	7.5	2/19/47	--	Domestic			
332	Cocoa, about 40 feet northwest of a residence, west side of Pineda Avenue. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 24 S., R. 36 E.	George Prather, Cocoa	George Prather	1944	33	30	1.25	---	--	--	--	7.0	2/19/47	--	Domestic			
333	Cocoa, about 2.25 miles west, about 20 feet south of a residence, south side of State Highway 520. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 24 S., R. 36 E.	W. P. Warren, Cocoa	---	----	39	36	1.25	---	--	--	--	190	2/19/47	--	Domestic			
334	Cocoa, about 3 miles west, about 40 feet east of a residence, south side of State Highway 520. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 24 S., R. 36 E.	W. A. Hart, Cocoa	---	1940	80	80	1.25	---	--	--	--	1250	2/19/47	--	Domestic			
335	Cocoa, about 2.8 miles northwest, in yard about 40 feet east of a residence, west side of a county road, about 0.7 mile north of State Highway 520. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 24 S., R. 36 E.	L. B. Femer, Cocoa	---	1942	33	30	1.25	---	--	--	--	1375	2/19/47	--	Stock	Well flows but could not measure.		
336	Cocoa, about 2.9 miles northwest, northwest of a residence, about 200 feet east of a county road, about 0.9 mile north from State Highway 520. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 30, T. 24 S., R. 36 E.	J. C. Weeks, Cocoa	J. C. Weeks	1941	11	8	1.25	---	--	--	--	1075	2/19/47	--	Domestic			
337	Cocoa, about 2.5 miles northwest, in yard east of a residence, 0.7 mile north of State Highway 520. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 24 S., R. 36 E.	R. J. Ryan, Cocoa	---	----	40	37	1.25	---	--	--	--	16	2/19/47	--	Domestic			
338	Cocoa, about 2.5 miles northwest, in a shed, east of a residence, about 0.7 mile north of State Highway 520. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 29, T. 24 S., R. 36 E.	R. J. Ryan, Cocoa	---	----	25	22	1.25	---	--	--	--	15	2/19/47	--	Domestic			
339	Cocoa, about 1.4 miles north, about 75 feet west of Indian River Drive, about 15 feet north of concrete driveway. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 24 S., R. 36 E.	R. S. Meradan,	---	----	---	---	6	Top of 4 to 6-inch reducer, 1.2 feet above land surface.	22.75	6.5 7.0	2/20/47 10/17/47	1550	2/20/47	76.5	Unused			
340	Cocoa, about 3.0 miles northwest, west side of a field, south of a house, about 0.55 mile west of Clear Lake. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 19, T. 24 S., R. 36 E.	A. L. McLaughlin, Cocoa	---	----	---	125	4	Top of concrete base, 1.4 feet above land surface.	--	7.8	2/22/47	2000	2/22/47	--	Irrigation			
341	Cocoa, 3.25 miles northwest, in southwest corner of an orange grove, southwest of a house, about 0.65 mile west from Clear Lake. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 19, T. 24 S., R. 36 E.	A. L. McLaughlin, Cocoa	---	----	---	---	4	Top of 4-inch tee, 1.0 foot above land surface.	--	7.2	2/22/47	1625	2/22/47	--	Irrigation			
342	Cocoa, 3.5 miles west, in southwest corner of orange grove, north side of State Highway 520. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 25, T. 24 S., R. 36 E.	A. L. McLaughlin, Cocoa	A. L. Smith	1945	265	105	4	Top of 4-inch tee, 1.5 feet above land surface.	21.51	--	--	--	--	--	Irrigation			
343	Mims, about 1.3 miles north, at residence, west side of U. S. Highway 1. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 7, T. 21 S., R. 35 E.	R. C. Hamner, Titusville	---	----	15	12	1.25	---	--	--	--	--	--	--	Domestic			

Well Number	Location	Owner	Driller	Completed	Depth of Well (Feet)	Depth of Casing (Feet)	Diameter of Casing (Inches)	Measuring Point		Water Level		Chloride Content		Water temperature, degrees Fahrenheit	Use of Well	Remarks
								Description	Altitude above mean sea level (Feet)	Above measuring point (Feet)	Date of measurement	Parts per Million	Date of determination			
344	Mims, about 1.4 miles northwest, at residence, west side of U. S. Highway 1. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 7, T. 21 S., R. 35 E.	Charles Patton, Mims	---	1939	22	19	1.25	---	---	---	---	20	1/30/46	--	Domestic	
345	Mims, about 1.4 miles northwest, west side of a residence, on west side of U. S. Highway 1. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 7, T. 21 S., R. 35 E.	Peter Swanson, Mims	---	1940	22	19	1.25	---	---	---	---	20	1/30/46	--	Domestic	
346	Indian River City, about 3.9 miles south, about 50 feet west of a fence around a grove, east side of a pond, about 120 feet north of a dam. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 11, T. 23 S., R. 35 E.	C. F. Flake, Titusville	Mr. Wilson	1944	300	---	2	Top of 2-inch casing, 0.55 foot above land surface.	27.40	-3.9	2/11/48	--	--	--	Unused	
347	Mims, about 2.7 miles west, west side of a tool shed, south of a residence, south side of State Highway 46. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 14, T. 21 S., R. 34 E.	Mrs. J. O. Sharp, Mims	J. O. Sharp	1946	28	25	1.25	---	---	---	---	--	--	--	Domestic	
348	Eau Gallie, about 1.8 miles north, about 200 feet west of Florida East Coast railroad, about 0.3 mile west of U. S. Highway 1. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 27 S., R. 37 E.	R. G. Stuart, Eau Gallie	---	----	---	---	4	Top of 4-inch tee, 2.0 feet above land surface.	23.12	21.9 22.0	5/6/47 10/17/47	600	5/6/47	79	Unused	
349	Eau Gallie, about 6.25 miles northwest, about 20 feet north of a house, east side of Lake Washington. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 9, T. 27 S., R. 36 E.	Art Ifner	---	1927	280	---	1.50	Northeast corner of concrete base, 1.1 feet above land surface.	20.69	26.90	5/6/47	550	5/6/47	75.5	Domestic	
350	City Point, 1.1 miles north, about 100 feet west of a house, about 0.4 mile west of U. S. Highway 1. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 24 S., R. 36 E.	R. L. Thornton, City Point	---	----	18	15	1.25	---	---	---	---	49	5/1/47	--	Domestic	
351	City Point, about 0.2 miles southeast, at residence, about 0.15 mile east of U. S. Highway 1. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 24 S., R. 36 E.	Mr. Pinkerton, City Point	---	----	---	---	-	---	---	---	---	35	5/1/47	--	Domestic	
352	City Point, about 1.6 miles north, east side of a residence, about 0.35 mile west of U. S. Highway 1. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 6, T. 24 S., R. 36 E.	Mrs. Emma Swenson, Sharpes	---	----	20	17	1.25	---	---	---	---	18.5	5/1/47	--	Domestic	
353	Eau Gallie, about 2 miles west, about 100 feet east of a residence, about 125 feet south of a paved county road. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 18, T. 27 S., R. 37 E.	E. Trischman, Eau Gallie	---	----	---	---	6	Top of 3/4-inch faucet, about 22 feet northeast of well, 4.0 feet above land surface.	---	24.25	5/6/47	--	--	78	Domestic	
354	Eau Gallie, about 2.6 miles west, 350 feet north-east of a residence, about 550 feet north of a paved county road. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 27 S., R. 36 E.	Frank Boston, Eau Gallie	E. Smith	1943	---	---	2	Top of 2-inch tee, 2.0 feet above land surface.	---	22.0	5/6/47	--	--	77	Domestic	
355	Eau Gallie, about 2.7 miles west, about 125 feet north of a residence, about 40 feet south of State Highway 511. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 13, T. 27 S., R. 36 E.	E. A. McCrackin, Eau Gallie	E. A. Smith	----	---	---	2	---	---	---	---	--	--	--	Domestic	
356	Eau Gallie, about 3 miles west, in grapefruit grove, about 800 feet north of State Highway 511. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 13, T. 27 S., R. 36 E.	Fred Crotron, Eau Gallie	---	1928	---	---	-	Top of 3/4-inch faucet, east side of a residence, 1.5 feet above land surface.	---	21.25	5/6/47	--	--	78	Irrigation Domestic	
357	Eau Gallie, about 3.6 miles west, west side of a power plant, about 50 feet northeast of a residence on north side of State Highway 511. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 13, T. 27 S., R. 36 E.	Julius Urbanski, Eau Gallie	---	----	400	---	6	Top of 1/2-inch tee, at northeast corner of residence, 1.0 foot above land surface.	---	22.0	5/6/47	--	--	--	Domestic	
358	Eau Gallie, about 3.6 miles west, in pasture, about 0.2 mile north of State Highway 511. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 13, T. 27 S., R. 36 E.	Julius Urbanski, Eau Gallie	---	----	350	---	4	---	---	---	---	--	--	--	Irrigation	
359	Eau Gallie, about 4.3 miles west, 20 feet north-east of a residence, north side of State Highway 511. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 14, T. 27 S., R. 36 E.	D. W. Robinson, Eau Gallie	---	----	---	---	2	Top of 2-inch tee, 0.8 foot above land surface.	---	24.25	5/6/47	500	5/6/47	--	Domestic	
360	Eau Gallie, about 4.3 miles west, northeast corner of an orange grove, about 700 feet north of State Highway 511. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 14, T. 27 S., R. 36 E.	D. W. Robinson, Eau Gallie	---	----	---	---	3	Top of 3-inch tee, 2.3 feet above land surface.	---	23.0	5/6/47	500	5/6/47	--	Irrigation	
361	Eau Gallie, about 4.6 miles west, south bank of a canal, by pump house, 90 feet south of a shell road. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 14, T. 27 S., R. 36 E.	Dr. W. J. Creel, Eau Gallie	---	1931	360	105	4	Top of 4-inch tee, 1.5 feet above land surface.	---	24.5	5/6/47	500	5/7/47	77	Drainage (Siphon)	
362	Eau Gallie, 4.6 miles west, southeast corner of an orange grove, about 1/2 mile south of well 361. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 15, T. 27 S., R. 36 E.	Dr. W. J. Creel, Eau Gallie	---	1927	360	105	4	Top of 4-inch tee, 2.6 feet above land surface.	---	26.0	5/6/47	500	5/7/47	76	Irrigation	
363	Eau Gallie, about 4.5 miles west, about 50 feet south of a residence, east side of an orange grove, about 0.15 mile south of a shell road. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 14, T. 27 S., R. 36 E.	Dr. W. J. Creel, Eau Gallie	---	1935	360	105	-	Top of 3-inch tee, 1.3 feet above land surface.	---	25.0	5/3/47	525	5/7/47	76	Irrigation	