(200)

G 8 mos

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WATER LEVELS IN OBSERVATION WELLS
IN PART OF MONTANA
1946-1953

By F. A. Swenson

Compiled as part of the
program of the
Department of the Interior
for development of the
Missouri River Basin

SS-180

July 1955

NOV 1 1968

WATER LEVELS IN OBSERVATION WELLS
IN PART OF MONTANA
1946-1953

By F. A. Swenson

Introduction

Ground-water investigations were made by the Ground Water Branch, U. S. Geological Survey, from 1946 to 1954, inclusive, in several parts of Montana. These studies were made as part of the program of the Department of the Interior for development of the Missouri River Basin. Thus, the areas selected for study were principally those in which construction agencies such as the U. S. Bureau of Reclamation and the U. S. Bureau of Indian Affairs had problems relating to ground water. Figure 1 shows the areas in Montana in which ground-water studies have

Figure 1.--Map of Montana showing areas in which ground-water studies have been made under the Program of the Department of the Interior for the Development of the Missouri River Basin.

been made under the Missouri Basin Program from 1946 to 1954, inclusive.

The results of those ground-water studies have been prepared in reports which are either published or are in the process of being published. Included in those reports are tables giving the descriptions of the wells for which water levels are shown in this report and the measurement of the water levels in observation wells made during the course of those studies. Water-level measurements were made on some of

Figure 1.— Map of Montana showing areas in which ground-water studies have been made under the Program of the Department of the Interior for the Development of Missouri River Basin.

the observation wells after the close of the field work leading up to the reports on the several areas. This report makes available those water-level measurements which are not or will not be available in other published form. It is probable that some water-level measurements have been made by other agencies such as the U. S. Bureau of Reclamation and the Soil Conservation Service, Department of Agriculture, but were not available for inclusion in this report.

Well-numbering system

The wells tabulated in the following pages are arranged alphabetically in groups by county. Within each county, the well numbers are based upon the system of land subdivision of the Bureau of Land Management (see fig. 2). The first letter (capital) of a well number gives the

Figure 2.--Sketch showing well-numbering system used in Montana.

quadrant of the principal meridian and baseline system in which the well is located; the letters begin with A in the northeast quadrant and proceed counterclockwise. The first numeral of a well number denotes the township, the second the range, and the third the section in which the well is situated. Lowercased letters following the section number indicate, respectively, the quarter section, and the quarter-quarter section. The subdivisions of the section are lettered a, b, c, and d in a counterclockwise direction beginning in the northeast quarter. When two or more wells are located within the same 40-acre tract, they are distinguished

Well number B3-7-26bc

R. 7 W.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

T. 3 N.

Figure 2.- Sketch showing well numbering system adopted for use in Montana.

by numerals following the lowercased letters. In some instances the location to the 10-acre tract is indicated by adding a third lowercased letter to show the quarter-quarter-quarter section, likewise followed by a numeral when two or more wells are located in the same 10-acre tract.

Other reports containing water-level measurements in observation wells in Montana, 1935-1953.

Other measurements of the water levels in observation wells in Montana made between 1935 and 1954, inclusive, have been or will be published in the following reports:

1. Cady, R. C., 1941, Effect upon ground-water levels of proposed surface-water storage in Flathead Lake, Mont., U. S. Geol. Survey Water-Supply Paper 849-b.
2. Hackett, O. M., Visher, F. N., McMurtrey, R. G., and Steinhilber, W. L., Geology and ground-water resources of the Gallatin Valley, Gallatin County, Mont., with a section on the surface-water resources by Frank Stermitz and F. C. Boner, and a section on the chemical quality of the water by R. A. Kreiger: U. S. Geol. Survey Water-Supply Paper (in preparation).
3. Lorenz, H. W., and Swenson, F. A., 1951, Geology and ground-water resources of the Helena Valley, Mont., with a section on the chemical quality of the water by H. A. Swenson: U. S. Geol. Survey Circ. 83, 68 p. 4 pls.
4. Lorenz, H. W., and McMurtrey, R. G., Geology and ground-water resources of the Townsend Valley, Mont., with a section on the chemical quality of the ground water by H. A. Swenson: U. S. Geol. Survey Water-Supply Paper (in preparation).
5. Moulder, E. A., Torrey, A. E., and Koopman, F. C., 1953, Ground-water factors affecting the drainage of Area IV, First Division, Buffalo Rapids Irrigation Project, Montana: U. S. Geol. Survey Circ. 198, 46 p. 4 pls.

6. Moulder, E. A., and Kohout, F. A., Ground-water factors affecting the drainage of the First Division, Buffalo Rapids Irrigation Project, Montana: U. S. Geol. Survey Water-Supply Paper (in preparation).
7. Moulder, E. A., and Klug, M. L., Geology and ground-water resources of the lower Little Bighorn River valley, with a section on the chemical quality of the water by R. A. Krieger: U. S. Geol. Survey Water-Supply Paper (in preparation).
8. Swenson, F. A., Geology and ground-water resources of the Lower Marias Irrigation Project, Montana, with a section on the chemical quality of the water by H. A. Swenson: U. S. Geol. Survey Water-Supply Paper (in preparation).
9. Swenson, F. A., Geology and ground-water resources of the Missouri River Valley in northeastern Mont., with a section on the chemical quality of the ground water by W. H. Durum: U. S. Geol. Survey Water-Supply Paper (in preparation).
10. Torrey, A. E., and Swenson, F. A., 1951, Ground-water resources of the Lower Yellowstone River valley between Miles City and Glendive, Mont., with a section on the chemical quality of the water by H. A. Swenson: U. S. Geol. Survey Circ. 93, 72 p., 1 pl.
11. Torrey, A. E., and Kohout, F. A., Ground-water resources of the lower Yellowstone River valley between Glendive and Sidney, Mont., with a section on the chemical quality of the water by H. A. Swenson: U. S. Geol. Survey Water-Supply Paper (in preparation).
12. U. S. Geol. Survey Water-Supply Papers 777 (1935), 817 (1936), 840 (1937), 845 (1938), 886 (1939), 910 (1940), 940 (1941), 948 (1942), 990 (1943), 1020 (1944), 1027 (1945), 1075 (1946), 1100 (1947), 1130 (1948), 1160 (1949), 1169 (1950), 1195 (1951), 1225 (1952), ____ (1953), ____ (1954), Water levels and artesian pressure in observation wells in the United States.

Water-level measurements in observation wells
[Feet below land surface datum]

The tabulation given in the following pages shows water-level measurements made in observation wells in Montana which have not been otherwise published or prepared for publication. The well numbers are the same as given for the same wells in other publications with the exception that the capital letter A, B, C, or D designating the location within the principal meridian and baseline system is generally omitted in the other publications because all wells in a specific report are generally situated in the same quadrant. In the following tabulation each well number is followed by the owner's name (when known); the size, kind and depth of wells; description of the measuring point and its distance above or below the land surface; and a number in parenthesis which refers to the number of the publication shown in the preceeding section--other reports containing water-level measurements in observation wells in Montana, 1935-1953--in which other measurements of the water level are or will be published. Wells shown to be owned by the "USGS" are test wells installed by the Geological Survey during the course of detailed studies and with permission of the land owner.

Custer County

Date	Water level	Date	Water level	Date	Water level
A7-45-13db. Olson Land & Development Co. 36-inch dug well, 23.7 feet deep. Measuring point, top of platform, 1.7 feet above land surface.					
Apr. 11, 1950	18.42	Sept. 26, 1951	17.93	Dec. 26, 1951	18.83
A7-45-22bdl. Sheffield Ranch. 5-inch bored well, 29.5 feet deep. Measuring point, base of pump, 1.2 feet above land surface.					
Apr. 12, 1950	6.73	Sept. 26, 1951	6.86	Dec. 26, 1951	7.27
A7-45-30ad. John Lockie. 8-inch drilled well, 32.4 feet deep. Measuring point, base of pump, 0.3 foot above land surface.					
May 13, 1950	11.97	Sept. 26, 1951	12.99	Dec. 26, 1951	13.16
A8-47-11ad. Ray Torgenson. 4-inch drilled well, 20.4 feet deep. Measuring point, top of casing, 2.6 feet above land surface. (10).					
Jan. 30, 1950	8.61	Oct. 31, 1950	8.26	July 26, 1951	6.20
Feb. 28	8.80	Dec. 29	8.89	Aug. 30	7.54
Mar. 31	8.82	Jan. 30, 1951	8.59	Sept. 26	8.17
May 4	8.43	Feb. 28	9.28	Oct. 25	8.54
May 28	8.50	Mar. 28	9.32	Nov. 25	8.87
June 27	7.91	Apr. 26	9.47	Dec. 26	9.26
July 30	6.40	May 23	9.13	Feb. 5, 1952	9.65
Aug. 31	7.09	June 28	8.07	Apr. 21	9.16
Sept. 29	7.16				
A8-47-13bc. _____ 4-inch drilled well, 49.5 feet deep. Measuring point, top of casing, 0.6 foot above land surface. (10).					
Jan. 30, 1950	9.40	Oct. 31, 1950	8.32	July 26, 1951	8.54
Feb. 28	9.45	Dec. 29	9.55	Aug. 30	8.67
Mar. 31	8.91	Jan. 30, 1951	8.46	Sept. 26	9.29
May 28	9.09	Feb. 28	9.43	Oct. 25	9.70
June 27	7.97	Mar. 28	9.49	Nov. 28	9.97
July 30	7.67	Apr. 26	10.04	Dec. 26	10.27
Aug. 31	7.08	May 23	9.94	Feb. 5, 1952	9.94
Sept. 29	7.35	June 28	8.55	Apr. 21	9.44

Custer County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

A8-47-27ba. Ted Matzen. 48-inch dug well, 14.4 feet deep.
Measuring point, top of cover, 1.7 feet above land surface. (10).

Jan. 30, 1950	12.56	Sept. 29, 1950	5.97	June 28, 1951	11.96
Feb. 28	12.44	Oct. 31	11.25	Aug. 30	12.25
Mar. 31	13.23	Dec. 29	12.33	Sept. 26	12.43
May 4	11.85	Jan. 30, 1951	11.38	Oct. 25	12.49
May 28	12.05	Feb. 28	12.03	Nov. 28	12.66
June 27	11.15	Mar. 28	11.97	Dec. 26	12.59
July 30	11.38	Apr. 26	12.44	Feb. 5, 1952	12.97
Aug. 31	11.68	May 23	12.98	Apr. 21	12.16

A8-47-28aa. _____. 36-inch dug well, 14.6 feet deep.
Measuring point, top of platform, 0.5 feet above land surface.

June 27, 1949	10.20	May 28, 1950	9.65	Apr. 26, 1951	9.33
July 26	10.68	June 27	9.37	May 23	9.65
Aug. 31	10.80	July 30	9.92	July 26	10.24
Sept. 28	10.70	Aug. 31	10.82	Aug. 30	9.86
Oct. 27	10.10	Sept. 29	9.99	Sept. 26	10.03
Nov. 30	10.07	Oct. 31	9.88	Oct. 25	10.01
Dec. 28	10.40	Dec. 29	9.82	Nov. 28	9.86
Jan. 29, 1950	10.10	Jan. 30, 1951	9.92	Dec. 26	9.99
Feb. 27	10.15	Feb. 28	9.63	Feb. 5, 1952	9.96
Mar. 31	9.82	Mar. 28	9.41	Apr. 21	7.62
May 4	10.23				

A8-47-28dd2. Paul Blueher. 96-inch dug well, 7.7 feet deep.
Measuring point, top of casing, 5.8 feet below land surface (10).

Jan. 29, 1950	9.59	Sept. 29, 1950	9.09	June 28, 1951	9.28
Feb. 28	9.42	Oct. 31	9.36	July 26	10.00
Mar. 31	9.03	Dec. 29	9.00	Aug. 30	9.43
May 4	8.00	Jan. 30, 1951	9.41	Sept. 26	9.53
May 28	9.01	Mar. 28	8.88	Oct. 25	9.48
June 27	8.80	Apr. 26	8.92	Nov. 28	9.27
July 30	10.05	May 23	9.20	Apr. 21, 1952	8.88
Aug. 31	9.97				

Custer County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

A10-49-3cb. Homer Watts. 24-inch dug well, 20.4 feet deep.

Measuring point, top of casing, 0.5 foot above land surface. (10).

May 28, 1950	19.40	Jan. 30, 1951	18.06	Aug. 30, 1951	17.32
June 27	18.78	Feb. 28	18.20	Sept. 26	17.47
July 30	17.44	Mar. 28	18.31	Oct. 25	17.57
Aug. 31	17.34	Apr. 26	18.39	Nov. 28	17.69
Sept. 29	17.99	May 23	18.55	Dec. 26	17.91
Oct. 31	17.74	June 28	17.76	Feb. 5, 1952	18.16
Dec. 29	18.31	July 26	18.06	Apr. 21	18.24

A10-49-28bb1. D. R. Salsberry. 24-inch dug well, 24.6 feet deep.

Measuring point, top of platform, 0.7 foot above land surface.

July 22, 1948	12.90	Oct. 27, 1949	10.62	Jan. 20, 1951	10.72
Aug. 2	12.88	Nov. 30	10.81	Feb. 28	10.95
Sept. 24	11.90	Dec. 28	10.94	Mar. 28	11.02
Nov. 26	12.00	Jan. 30, 1950	11.08	Apr. 26	11.08
Dec. 22	12.13	Feb. 28	11.23	May 23	11.13
Jan. 19, 1949	12.26	Mar. 31	11.45	June 28	10.50
Feb. 22	12.32	May 4	11.38	July 26	10.07
Mar. 28	12.35	May 28	11.42	Aug. 30	10.08
Apr. 25	12.35	June 27	11.38	Sept. 26	10.22
May 23	12.30	July 30	9.67	Oct. 25	10.38
June 27	10.32	Aug. 31	9.56	Nov. 28	10.48
July 26	10.15	Sept. 29	9.71	Dec. 26	11.00
Aug. 31	9.51	Oct. 31	10.03	Feb. 5, 1952	10.98
Sept. 28	10.19	Dec. 29	11.00	Apr. 21	11.05

Dawson County

Date	Water level	Date	Water level	Date	Water level
A13-53-1aac. USGS. $\frac{3}{4}$ -inch bored and jetted well, 51.4 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
May 2, 1952	30.43	Mar. 17, 1953	28.60	Aug. 25, 1953	22.25
A13-53-1add. USGS. $\frac{3}{4}$ -inch bored and jetted well, 22.9 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).					
May 2, 1952	11.79	Mar. 17, 1953	10.36	Aug. 25, 1953	9.97
Sept. 6	8.15				
A13-53-1cbc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 31.7 feet deep. Measuring point, top of pipe, 4.4 feet above land surface. (6).					
May 2, 1952	24.30	Mar. 17, 1953	23.22	Aug. 25, 1953	21.47
A13-53-1cdc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 22.9 feet deep. Measuring point, top of pipe, 3.5 feet above land surface. (6).					
May 2, 1952	12.88	Mar. 17, 1953	12.18	Aug. 25, 1953	9.63
Sept. 6	8.20				
A13-53-1oada. USGS. $\frac{3}{4}$ -inch bored and jetted well, 39.9 feet deep. Measuring point, top of pipe, 2.6 feet above land surface. (6).					
May 2, 1952	34.55	Mar. 17, 1953	33.70	Aug. 25, 1953	33.02
Sept. 6	31.00				
A13-53-1occc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.0 feet deep. Measuring point, top of pipe, 2.8 feet above land surface. (6).					
May 2, 1952	7.59	Mar. 17, 1953	10.90	Aug. 25, 1953	4.93
Sept. 6	6.20				
A13-53-1ocdb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 29.7 feet deep. Measuring point, top of pipe, 3.3 feet above land surface. (6).					
May 2, 1952	28.11	Sept. 6, 1952	24.08		
A13-53-1odbb. USGS. 2-inch bored and jetted well, 38.1 feet deep. Measuring point, top of pipe, 0.9 foot above land surface. (6).					
Feb. 4, 1952	36.14	Sept. 6, 1952	33.55	Aug. 25, 1953	33.12
May 2	36.97	Mar. 17, 1953	36.30		

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A13-53-10ddc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.5 feet deep. Measuring point, top of pipe, 4.1 feet above land surface. (6).					
May 2, 1952	11.28	Mar. 17, 1953	9.75	Aug. 25, 1953	9.90
A13-53-11acc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.7 feet deep. Measuring point, top of pipe, 3.9 feet above land surface. (6).					
May 2, 1952	15.75	Mar. 17, 1953	15.55	Aug. 25, 1953	13.92
Sept. 6	13.65				
A13-53-11baa. USGS. 2-inch bored and jetted well, 37.2 feet deep. Measuring point, top of pipe, 5.0 feet above land surface. (6).					
May 2, 1952	32.79	Mar. 17, 1953	31.90	Aug. 25, 1953	31.86
Sept. 6	29.85				
A13-53-11ccd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 25.0 feet deep. Measuring point, top of pipe, 2.0 feet above land surface. (6).					
May 2, 1952	6.02	Mar. 17, 1953	5.07		
A13-53-11ddd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 11.4 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).					
May 2, 1952	9.27	Mar. 17, 1953	8.82	Aug. 25, 1953	8.65
Sept. 6	8.30				
A13-53-12abb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, May 2, 1952, 14.85 feet.					
A13-53-12aca. USGS. $\frac{3}{4}$ -inch bored and jetted well, 10.8 feet deep. Measuring point, top of pipe, 4.8 feet above land surface. (6).					
May 2, 1952	6.01	Sept. 6, 1952	2.95		
A13-53-12acb1. USGS. 4-inch drilled well, 20.1 feet deep. Measuring point, top of pipe, 1.0 foot above land surface. (6). Depth to water, Aug. 25, 1953, 3.03 feet.					
A13-53-14bdb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.7 feet deep. Measuring point, top of pipe, 3.0 feet above land surface. (6).					
May 2, 1952	4.53	Mar. 17, 1953	4.97	Aug. 25, 1953	5.05
Sept. 6	5.75				

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A13-53-14cba. USGS. $\frac{3}{4}$ -inch bored and jetted well, 13.5 feet deep. Measuring point, top of pipe, 3.9 feet above land surface. (6).					
May 2, 1952	7.95	Mar. 17, 1953	8.66	Aug. 25, 1953	6.62
Sept. 6	7.40				

A13-53-14cbb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 23.9 feet deep. Measuring point, top of pipe, 3.6 feet above land surface. (6).					
May 2, 1952	5.46	Sept. 7, 1952	5.51		

A13-53-14cbc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.5 feet deep. Measuring point, top of pipe, 3.0 feet above land surface. (6).					
May 2, 1952	7.60	Mar. 17, 1953	8.21	Aug. 25, 1953	6.00
Sept. 6	7.00				

A13-53-14cca. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.1 feet deep.
Measuring point, top of pipe, 4.0 feet above land surface. (6).
Depth to water, May 2, 1952, 11.53 feet.

A13-53-14cdb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.8 feet deep.
Measuring point, top of pipe, 3.5 feet above land surface. (6).
Depth to water, May 2, 1952, 15.85 feet.

A13-53-15aac2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 27.0 feet deep.
Measuring point, top of pipe, 2.5 feet above land surface. (6).
Depth to water, May 2, 1952, 2.12 feet.

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

A13-53-15aac3. USGS. 4-inch drilled well, 52.9 feet deep.
 Measuring point, top of pipe, 1.5 feet above land surface. (6).
 Water at 2:00 a.m. (from recorder charts).

Feb. 15, 1952	3.99	Mar. 5, 1952	3.82	Apr. 1, 1952	3.66
Feb. 16	3.91	Mar. 6	3.90	Apr. 2	3.59
Feb. 17	3.87	Mar. 7	3.94	Apr. 3	3.51
Feb. 18	3.89	Mar. 8	3.94	Apr. 4	3.51
Feb. 19	3.92	Mar. 9	3.94	Apr. 5	3.43
Feb. 20	3.86	Mar. 10	3.96	Apr. 6	3.32
Feb. 21	3.83	Mar. 11	3.98	Apr. 7	3.21
Feb. 22	3.81	Mar. 12	4.01	Apr. 8	3.22
Feb. 23	3.83	Mar. 13	4.01	Apr. 9	3.19
Feb. 24	3.88	Mar. 14	3.99	Apr. 10	3.09
Feb. 25	3.82	Mar. 15	3.99	Apr. 11	3.00
Feb. 26	3.81	Mar. 16	3.92	Apr. 12	3.03
Feb. 27	3.82	Mar. 17	3.84	Apr. 13	3.02
Feb. 28	3.83	Mar. 18	3.87	Apr. 14	2.95
Feb. 29	3.81	Mar. 19	3.83	Apr. 15	2.90
Mar. 1	3.79	Mar. 20	3.88	Apr. 16	2.90
Mar. 2	3.81	Mar. 29	3.77	Apr. 17	2.82
Mar. 3	3.79	Mar. 30	3.72	Apr. 18	2.70
Mar. 4	3.81	Mar. 31	3.67		

A13-53-15abc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 27.0 feet deep.
 Measuring point, top of pipe, 3.5 feet above land surface. (6).
 Depth to water, May 2, 1952, 2.95 feet.

A13-53-15ada. USGS. $\frac{3}{4}$ -inch bored and jetted well, 24.2 feet deep.
 Measuring point, top of pipe, 4.5 feet above land surface. (6).

May 2, 1952	5.68	Sept. 7, 1952	6.30		
-------------	------	---------------	------	--	--

A13-53-15add2. USGS. 2-inch jetted well, 17.0 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).
 Depth to water, May 2, 1952, 5.32 feet.

A13-53-15baa. USGS. $\frac{3}{4}$ -inch jetted well, 16.7 feet deep. Measuring point, top of pipe, 5.0 feet above land surface. (6).
 Depth to water, May 2, 1952, 11.35 feet.

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A13-53-15bdc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 36.6 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
May 2, 1952	10.33	Mar. 17, 1953	10.96	Aug. 25, 1953	9.47
Sept. 6	9.75				
A13-53-15cad. USGS. $\frac{3}{4}$ -inch bored and jetted well, 30.1 feet deep. Measuring point, top of pipe, 3.7 feet above land surface. (6).					
May 2, 1952	1.81	Mar. 17, 1953	3.09	Aug. 25, 1953	1.76
Sept. 6	.25				
A13-53-15ccb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.4 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Feb. 4, 1952	8.95	May 2, 1952	7.36		

A13-53-15daa. USGS. 2-inch jetted well, 14.2 feet deep. Measuring point, top of pipe, 3.3 feet above land surface. (6).
Depth to water, May 2, 1952, 4.50 feet.

A13-53-15dab3. USGS. 2-inch jetted well, 11.9 feet deep. Measuring point, top of pipe, 3.7 feet above land surface. (6).
Depth to water, May 2, 1952, 4.67 feet.

A13-53-15dac1. USGS. 2-inch jetted well, 16.6 feet deep. Measuring point, top of pipe, 1.0 foot above land surface. (6).
Depth to water, May 2, 1952, 6.31 feet.

A13-53-15dac2. USGS. 2-inch jetted well, 12.1 feet deep. Measuring point, top of pipe, 3.8 feet above land surface. (6).
Depth to water, May 2, 1952, 5.91 feet.

A13-53-15dad2. USGS. $\frac{3}{4}$ -inch jetted well, 19.4 feet deep. Measuring point, top of pipe, 2.0 feet above land surface. (6).
Depth to water, Mar. 17, 1953, 5.03 feet.

A13-53-15dbd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 20.5 feet deep. Measuring point, top of pipe, 3.2 feet above land surface. (6).
Depth to water, May 2, 1952, 6.20 feet.

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A13-53-15dccl. USGS. $\frac{3}{4}$ -inch bored and jetted well, 26.7 feet deep. Measuring point, top of pipe, 5.0 feet above land surface. (6).					
May 2, 1952	11.78	Mar. 17, 1953	12.07	Aug. 25, 1953	11.17
Sept. 6	11.40				
A13-53-15ddb4. USGS. $\frac{3}{4}$ -inch bored and jetted well, 20.1 feet deep. Measuring point, top of pipe, 4.3 feet above land surface. (6).					
May 2, 1952	5.80	Mar. 17, 1953	6.00	Aug. 25, 1953	5.65
Sept. 6	5.95				
A13-53-16baa. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.2 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
May 2, 1952	11.82	Mar. 17, 1953	13.58	Aug. 25, 1953	13.57
Sept. 6	10.95				
A13-53-16bdb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 25.0 feet deep. Measuring point, top of pipe, 3.9 feet above land surface. (6).					
May 2, 1952	13.09	Mar. 17, 1953	14.27	Aug. 25, 1953	10.10
Sept. 6	10.82				
A13-53-16dbc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.6 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, May 2, 1952, 4.18 feet.					
A13-53-16ddb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.6 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, May 2, 1952, 3.41 feet.					
A13-54-4bb1. USGS. $\frac{3}{4}$ -inch jetted well, 17.8 feet deep. Measuring point, top of pipe, 3.6 feet above land surface. (5).					
Apr. 28, 1952	14.35	Mar. 16, 1953	14.60	Aug. 24, 1953	11.76
Sept. 6	12.23				
A13-54-6cbd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
May 2, 1952	6.25	Well destroyed			

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-54-1daa. _____. 4-inch drilled well, 37.4 feet deep. Measuring point, top of pipe, 1.0 feet above land surface. (6).					
Sept. 6, 1952	17.19	Mar. 17, 1953	19.06	Aug. 25, 1953	39.10
A14-54-12acc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 14.3 feet deep. Measuring point, top of pipe, 3.8 feet above land surface. (6). Depth to water, Sept. 6, 1952, 9.28 feet.					
A14-54-12dcb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
May 1, 1952	9.74	Sept. 7, 1952	6.49	Mar. 17, 1953	9.39
A14-54-13aaa. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.1 feet deep. Measuring point, top of pipe, 3.3 feet above land surface. (6).					
Apr. 30, 1952	11.90	Mar. 17, 1953	11.22	Aug. 25, 1953	10.35
A14-54-13abb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.6 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, May 1, 1952, 8.52 feet.					
A14-54-13bba. USGS. $\frac{3}{4}$ -inch bored and jetted well, 10.0 feet deep. Measuring point, top of pipe, 3.8 feet above land surface. (6).					
Jan. 31, 1952	Frozen	May 1, 1952	4.08		
A14-54-13bdd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 33.2 feet deep. Measuring point, top of pipe, 4.4 feet above land surface. (6).					
Apr. 30, 1952	18.83	Mar. 17, 1953	13.63		
A14-54-13cca. USGS. $\frac{3}{4}$ -inch bored and jetted well, 27.7 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	22.28	Mar. 17, 1953	24.68	Aug. 25, 1953	22.38
Sept. 6	22.40				

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-54-13cdd. USGS. 2-inch bored and jetted well, 21.2 feet deep. Measuring point, top of pipe, 5.3 feet above land surface. (6).					
May 1, 1952	19.60	Sept. 7, 1952	18.04	Mar. 16, 1953	19.41
A14-54-13dbd. USGS. $\frac{3}{4}$ -inch jetted well, 18.5 feet deep. Measuring point, top of pipe, 3.0 feet above land surface. (6).					
May 1, 1952	17.26	Aug. 25, 1953	16.03		
A14-54-14aaa. USGS. $\frac{3}{4}$ -inch jetted well, 6.6 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
May 1, 1952	3.40	Mar. 17, 1953	3.09	Aug. 25, 1953	2.56
Sept. 6	1.50				
A14-54-14daa. USGS. $\frac{3}{4}$ -inch bored and jetted well, 22.0 feet deep. Measuring point, top of pipe, 4.6 feet above land surface. (6).					
Sept. 6, 1952	20.08	Aug. 25, 1953	20.35		
A14-54-23aba. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.0 feet deep. Measuring point, top of pipe, 3.5 feet above land surface. (6).					
Apr. 30, 1952	13.53	Sept. 6, 1952	11.59	Mar. 16, 1953	13.75
A14-54-23bbd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.2 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).					
Apr. 30, 1952	8.89	Sept. 6, 1952	5.97	Mar. 16, 1953	8.31
A14-54-23bdc. USGS. $\frac{3}{4}$ -inch jetted well, 8.9 feet deep. Measuring point, top of pipe, 2.7 feet above land surface. (6).					
Apr. 30, 1952	2.01	Sept. 6, 1952	0.80		
A14-54-23cab. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.3 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	8.75	Sept. 6, 1952	4.24		

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-54-23cad. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.6 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Jan. 31, 1952	5.24	Apr. 30, 1952	4.11		
A14-54-23dad. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, Apr. 30, 1952, 11.42 feet.					
A14-54-23dba. USGS. $\frac{3}{4}$ -inch bored and jetted well, 22.6 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, Apr. 30, 1952, 4.11 feet.					
A14-54-24abc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 27.0 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
May 1, 1952	7.79	Sept. 6, 1952	8.50		
A14-54-24adb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 16.5 feet deep. Measuring point, top of pipe, 5.2 feet above land surface. (6).					
May 1, 1952	7.24	Sept. 6, 1952	6.51		
A14-54-28cd1. USGS. $\frac{3}{4}$ -inch bored and jetted well, 11.9 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (5).					
Apr. 28, 1952	3.03	Mar. 17, 1953	5.91	Aug. 24, 1953	2.86
Sept. 6	.87				
A14-54-28cd2. USGS. $\frac{3}{4}$ -inch jetted well, 28.2 feet deep. Measuring point, top of pipe, 6.0 feet above land surface. (5).					
Apr. 28, 1952	26.53	Sept. 6, 1952	22.90	Aug. 24, 1953	22.28
A14-54-28cd3. USGS. $\frac{3}{4}$ -inch jetted well, 26.0 feet deep. Measuring point, top of pipe, 3.5 feet above land surface. (5).					
Sept. 6, 1952	21.98	Aug. 24, 1953	21.33		
A14-54-28dc2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 22.5 feet deep. Measuring point, top of pipe, 3.1 feet above land surface. (5).					
Apr. 28, 1952	3.50	Sept. 6, 1952	1.59		

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-54-28dd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 16.5 feet deep. Measuring point, top of pipe, 4.8 feet above land surface. (5).					
Apr. 28, 1952 Sept. 6	10.94 12.35	Mar. 17, 1953	11.61	Aug. 24, 1953	5.18
A14-54-31ca1. USGS. 2-inch jetted well, 8.9 feet deep. Measuring point, top of pipe, 6.0 feet above land surface. (5).					
Apr. 28, 1952	7.60	Sept. 6, 1952	5.42	Aug. 24, 1953	5.42
A14-54-31ca2. USGS. $\frac{3}{4}$ -inch jetted well, 16.5 feet deep. Measuring point, top of pipe, 3.2 feet above land surface. (5).					
Apr. 28, 1952	7.38	Sept. 6, 1952	5.38	Mar. 17, 1953	7.90
A14-54-31db. USGS. $\frac{3}{4}$ -inch jetted well, 24.1 feet deep. Measuring point, top of pipe, 4.8 feet above land surface. (5).					
Apr. 28, 1952 Sept. 6	16.02 13.62	Mar. 17, 1953	17.05	Aug. 24, 1953	14.57
A14-54-31dd. USGS. $\frac{3}{4}$ -inch jetted well, 27.8 feet deep. Measuring point, top of pipe, 4.7 feet above land surface. (5).					
Apr. 28, 1952 Sept. 6	25.68 24.21	Mar. 17, 1953	25.26	Aug. 24, 1953	25.05
A14-54-32ac. USGS. $\frac{3}{4}$ -inch jetted well, 27.0 feet deep. Measuring point, top of pipe, 3.6 feet above land surface. (5).					
Apr. 28, 1952	21.52	Sept. 6, 1952	20.92		
A14-54-32ca. USGS. $\frac{3}{4}$ -inch jetted well, 28.8 feet deep. Measuring point, top of pipe, 3.9 feet above land surface. (5). Depth to water, Sept. 6, 1952, 25.53 feet.					
A14-54-33aa2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 23.5 feet deep. Measuring point, top of pipe, 4.2 feet above land surface. (5).					
Apr. 28, 1952	14.74	Sept. 6, 1952	16.21	Mar. 17, 1952	15.82

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-54-33ab3. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.0 feet deep. Measuring point, top of pipe, 4.1 feet above land surface. (5).					
Apr. 28, 1952 Sept. 6	3.94 5.24	Mar. 16, 1953	6.16	Aug. 24, 1953	2.65
A14-54-33ab8. USGS. $\frac{3}{4}$ -inch bored and jetted well, 20.9 feet deep. Measuring point, top of pipe, 4.7 feet above land surface. (5).					
Apr. 28, 1952	2.79	Mar. 17, 1953	4.24		
A14-54-33ac4. USGS. $\frac{3}{4}$ -inch bored and jetted well, 16.6 feet deep. Measuring point, top of pipe, 4.9 feet above land surface. (5).					
Apr. 28, 1952 Sept. 6	7.00 5.55	Mar. 16, 1953	7.77	Aug. 24, 1953	6.45
A14-54-33ac5. USGS. 2-inch bored and jetted well, 21.1 feet deep. Measuring point, top of pipe, 5.8 feet above land surface. (5).					
Apr. 28, 1952	8.44	Mar. 16, 1953	8.57		
A14-54-33ad2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.3 feet deep. Measuring point, top of pipe, 5.4 feet above land surface. (5).					
Apr. 28, 1952	10.69	Sept. 6, 1952	7.58	Mar. 16, 1953	10.37
A14-54-33ba6. USGS. $\frac{3}{4}$ -inch bored and jetted well, 28.5 feet deep. Measuring point, top of pipe, 2.7 feet above land surface. (5).					
Feb. 1, 1952 Apr. 28	11.42 10.55	Sept. 6, 1952 Mar. 16, 1953	8.49 14.06	Aug. 24, 1953	7.90
A14-54-33ba9. USGS. $\frac{3}{4}$ -inch bored and jetted well, 14.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (5).					
Apr. 28, 1952 Sept. 6	3.76 7.47	Mar. 16, 1953	7.35	Aug. 24, 1953	6.10

Dawson County--Continued

A14-54-33ba10. USGS. 4-inch drilled well, 40.0 feet deep.

Measuring point, top of pipe, 0.5 foot above land surface. (5)
(From recorder chart)

Day	1952									
	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.
1		4.59	4.84	3.68	4.28		4.52	5.43	5.41	7.53
2		4.70	4.62	3.71			4.58	5.42	5.47	7.63
3		4.69	4.29	3.72			4.66	5.37	5.33	7.59
4		4.70	4.28	3.79			4.66	5.32	5.58	7.49
5		4.68	4.13	3.85			4.68	5.44	5.62	7.60
6		4.76	3.82	3.83			4.83	5.43	5.65	7.64
7		4.81	3.69	3.87	4.51		4.76	5.25	5.62	7.50
8		4.73	3.93	3.81	4.69		4.90	5.27	5.88	7.56
9		4.71	3.97	3.86	4.52		4.36	5.23	6.52	7.64
10		4.70	3.77	3.92	4.54		4.92	5.19	6.78	7.50
11		4.76	3.57	3.86	4.72		4.95	5.24	6.92	7.54
12		4.74	3.82	3.92	4.57	5.01	4.89	5.16	6.96	7.55
13		4.87	3.90	3.92	4.80	4.98	4.94	5.18	7.03	7.50
14		4.87	3.81	3.95	4.80	4.88	4.94	5.30	7.12	7.57
15	4.65	4.93	3.76	3.98	4.68	4.75	5.06	5.24	7.01	7.48
16	4.50	4.82	3.84	4.09	4.93	4.85	4.96	5.09	7.06	7.51
17	4.45	4.65	3.75	4.09	4.89	4.93	5.09	5.19	7.36	7.61
18	4.56	4.77	3.68	4.06	5.00	5.04	5.12	5.17	7.23	7.57
19	4.58	4.70	3.59	4.05	4.92	4.96	5.07	5.14	7.21	7.61
20	4.60	4.89	3.61	4.01	4.91	4.31	5.15	5.20	7.19	7.50
21	4.56	5.00	3.72	4.02	4.98	3.46	5.21	5.15	7.15	7.55
22	4.53		3.66	4.16	5.01	3.66	5.20	5.11	7.19	7.57
23	4.59		3.57	4.19	4.60	3.83	5.20	5.00	7.23	
24	4.73		3.62	4.19	4.74	3.78	5.28	5.03	7.19	
25			3.58	4.18	4.81	4.00	5.27	5.05	7.33	
26			3.53	4.20	4.89	4.10	5.30	5.13	7.33	
27			3.55	4.29	4.83	4.16	5.36	5.21	7.37	
28		4.72	3.53	4.36	4.62	4.31	5.41	5.40	7.73	
29	4.62	4.76	3.67	4.11	4.68	4.24	5.38	5.40	7.80	
30		4.76	3.76	4.27	4.53	4.36	5.36	5.35	7.65	
31		4.75		4.38		4.48	5.42		7.64	

Dawson County--Continued

A14-54-33ba10--Continued

Day	1953									1954
	Jan.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Jan.
1			7.66	7.29	6.56	6.80	6.10	6.70	8.42	
2			7.64	7.30	6.49	6.77	6.15	6.53	8.51	
3			7.53	7.26	6.48	6.70	6.19	6.71	8.54	
4			7.57	7.21	6.62	6.79	6.20	6.66	8.44	
5			7.45	7.13	6.62	6.85	6.16	6.62	8.46	
6			7.48	7.05	6.54	6.83	6.18	6.68	8.40	
7			7.50	7.02	6.47	6.87	6.22	6.63	8.50	
8			7.51	7.07	6.55	6.87	6.19	6.69	8.52	
9			7.53	7.01	6.60	6.88	6.25	6.70	8.47	
10	7.84		7.43	6.98	6.60	6.86	6.31	6.68	8.45	
11	7.76		7.45	7.00	6.61	6.91	6.30	8.15	8.48	
12	7.71		7.34	7.01	6.58	6.94	6.29	8.42	8.52	
13	7.85		7.33	6.88	6.56	6.94	6.32	8.44	8.48	
14	7.83		7.44	6.73	6.63	6.93	6.40	8.71	8.53	8.49
15	7.88		7.46	6.79	6.61	6.93	6.38	8.75	8.46	8.50
16		7.59	7.42	6.76	6.67	7.13	6.38	8.71	8.46	8.42
17		7.57	7.51	6.79	6.56	7.09	6.40	8.75	8.49	8.33
18		7.72		6.77	6.66	6.89	6.46	8.81	8.48	8.48
19		7.61		6.72	6.74	6.63	6.45	8.79	8.49	8.48
20		7.51		6.76	6.66	6.35	6.43	8.87	8.47	8.49
21		7.64		6.78	6.70	6.33	6.45	8.77	8.50	
22		7.71		6.85	6.65	6.26	6.52	8.69	8.48	
23		7.78	7.38	6.83	6.60	6.17	6.49	8.73	8.37	
24		7.84	7.42	6.69	6.65	6.07		8.74	8.29	
25		7.63	7.47		6.62	6.11		8.50	8.49	
26		7.80	7.39	6.66	6.64	6.12	6.59	8.54	8.41	
27		7.72	7.32	6.60	6.69	6.12	6.62	8.42	8.43	
28		7.59	7.27	6.57	6.65	6.12	6.53	8.46		
29		7.60	7.34	6.51	6.55	6.07	6.58	8.51		
30		7.69	7.26	6.51	6.68	5.95	6.62	8.45		
31		7.58		6.67		6.05	6.59			

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-54-33bb4. USGS. 2-inch bored and jetted well, 47.2 feet deep. Measuring point, top of pipe, 3.4 feet above land surface. (5).					
Apr. 28, 1952	29.79	Mar. 16, 1953	30.74	Aug. 24, 1953	23.70
Sept. 6	23.67				
A14-54-33bb5. USGS. $\frac{3}{4}$ -inch jetted well, 28.0 feet deep. Measuring point, top of pipe, 4.3 feet above land surface. (5).					
Apr. 28, 1952	19.31	Mar. 16, 1953	18.85	Aug. 24, 1953	11.77
Sept. 6	11.69				
A14-54-33bc4. USGS. 2-inch bored and jetted well, 22.1 feet deep. Measuring point, top of pipe, 1.6 feet above land surface. (5).					
Apr. 28, 1952	8.85	Mar. 16, 1953	10.22	Aug. 24, 1953	7.10
Sept. 6	6.85				
A14-54-33bc7. USGS. $\frac{3}{4}$ -inch bored and jetted well, 13.6 feet deep. Measuring point, top of pipe, 3.8 feet above land surface. (5).					
Apr. 28, 1952	2.63	Sept. 6, 1952	4.13		
A14-54-33bc9. USGS. $\frac{3}{4}$ -inch bored and jetted well, 13.3 feet deep. Measuring point, top of pipe, 3.7 feet above land surface. (5).					
Apr. 28, 1952	4.45	Mar. 16, 1953	6.44	Aug. 24, 1953	4.53
Sept. 6	6.25				
A14-54-33ca2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 14.4 feet deep. Measuring point, top of pipe, 3.9 feet above land surface. (5).					
Sept. 6, 1952	6.84	Mar. 16, 1953	8.70	Aug. 24, 1953	5.55
A14-54-33cb2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 14.6 feet deep. Measuring point, top of pipe, 3.9 feet above land surface. (5).					
Apr. 28, 1952	4.79	Mar. 16, 1953	6.86	Aug. 24, 1953	5.20
Sept. 6	5.18				
A14-54-33cb4. USGS. $\frac{3}{4}$ -inch bored and jetted well, 12.3 feet deep. Measuring point, top of pipe, 4.2 feet above land surface. (5).					
Apr. 28, 1952	6.68	Mar. 16, 1953	7.89	Aug. 24, 1953	4.04
Sept. 6	5.91				

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-54-33cb5. USGS. $\frac{3}{4}$ -inch jetted well, 12.2 feet deep. Measuring point, top of pipe, 5.0 feet above land surface. (5).					
Apr. 28, 1952	4.26	Mar. 16, 1953	6.26	Aug. 24, 1953	4.35
Sept. 6	5.52				
A14-54-33cc3. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.1 feet deep. Measuring point, top of pipe, 4.4 feet above land surface. (5).					
Apr. 28, 1952	10.80	Sept. 6, 1952	8.77	Mar. 16, 1953	11.47
A14-54-33cd1. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.0 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (5).					
Apr. 28, 1952	11.61	Mar. 16, 1953	11.79	Aug. 24, 1953	8.35
Sept. 6	7.93				
A14-54-33da2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (5).					
Apr. 28, 1952	16.54	Mar. 16, 1953	17.12	Aug. 24, 1953	16.80
Sept. 6	16.87				
A14-54-33db1. USGS. $\frac{3}{4}$ -inch bored and jetted well, 13.6 feet deep. Measuring point, top of pipe, 3.8 feet above land surface. (5).					
Apr. 28, 1952	10.06	Sept. 6, 1952	6.24	Mar. 16, 1953	9.75
A14-54-33db3. USGS. $\frac{3}{4}$ -inch bored and jetted well, 13.2 feet deep. Measuring point, top of pipe, 4.3 feet above land surface. (5).					
Apr. 28, 1952	11.07	Sept. 6, 1952	6.08	Mar. 16, 1952	10.60
A14-55-6add. USGS. $\frac{3}{4}$ -inch bored and jetted well, 25.7 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	20.62	Sept. 6, 1952	17.70	Mar. 17, 1953	20.70
A14-55-6baa. _____. 24-inch dug well, 24.0 feet deep. Measuring point, top of pipe, 0.6 foot above land surface. (6).					
Apr. 30, 1952	10.77	Sept. 6, 1952	9.61	Mar. 17, 1953	13.02

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-55-6bdc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.9 feet deep. Measuring point, top of pipe, 3.5 feet above land surface. (6).					
Apr. 30, 1952	7.43	Sept. 6, 1952	4.55		
A14-55-6bdd1. USGS. $\frac{3}{4}$ -inch bored and jetted well, 44.3 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	19.55	Sept. 6, 1952	17.36		
A14-55-6bdd2. USGS. $\frac{3}{4}$ -inch jetted well, 6.8 feet deep. Measuring point, top of pipe, 3.5 feet above land surface. (6). Depth to water, Apr. 30, 1952, 4.02 feet.					
A14-55-6cac. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.0 feet deep. Measuring point, top of pipe, 3.4 feet above land surface. (6).					
Apr. 30, 1952	10.98	Sept. 6, 1952	9.53		
A14-55-6ccc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.9 feet deep. Measuring point, top of pipe, 3.7 feet above land surface. (6). Depth to water, Apr. 30, 1952, 12.49 feet.					
A14-55-6dbc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.3 feet deep. Measuring point, top of pipe, 5.0 feet above land surface. (6).					
Apr. 30, 1952	4.40	Sept. 6, 1952	2.58		
A14-55-6ddc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.6 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	13.17	Sept. 7, 1952	12.76	Mar. 17, 1953	12.74
A14-55-7aca. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.0 feet deep. Measuring point, top of pipe, 4.4 feet above land surface. (6).					
Apr. 30, 1952	10.13	Mar. 17, 1952	9.53	Aug. 25, 1952	8.40
Sept. 6	7.86				
A14-55-7bad. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.5 feet deep. Measuring point, top of pipe, 3.6 feet above land surface. (6).					
May 1, 1952	4.78	Sept. 7, 1952	3.87		

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-55-7bda5. USGS. $\frac{3}{4}$ -inch jetted well, 17.0 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).					
May 1, 1952	7.70	Sept. 6, 1952	5.77		
A14-55-7cac. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.6 feet deep. Measuring point, top of pipe, 5.7 feet above land surface. (6).					
Jan. 31, 1952	11.17	Sept. 6, 1952	10.26		
A14-55-7cdd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.6 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).					
May 1, 1952	9.29	Sept. 6, 1952	2.80		
A14-55-7dda. USGS. $\frac{3}{4}$ -inch bored and jetted well, 12.6 feet deep. Measuring point, top of pipe, 4.4 feet above land surface. (6).					
May 1, 1952	7.24	Sept. 6, 1952	5.15		
A14-55-18bad. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.1 feet deep. Measuring point, top of pipe, 3.3 feet above land surface. (6).					
May 1, 1952	14.21	Sept. 6, 1952	9.88	Mar. 17, 1953	13.37
A14-55-18caa. USGS. $\frac{3}{4}$ -inch jetted well, 19.1 feet deep. Measuring point, top of pipe, 2.2 feet above land surface. (6).					
Sept. 16, 1952	15.75	Aug. 25, 1952	17.78		
A14-55-18ccc4. USGS. $\frac{3}{4}$ -inch bored and jetted well, 13.9 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).					
May 1, 1952	6.05	Sept. 6, 1952	7.71		

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A14-55-18cda. USGS. 4-inch drilled well, 13.3 feet deep. Measuring point, top of pipe, 2.1 feet above land surface. (6). (Measurements through May 9, 1952, taken from recorder charts.)					
Apr. 19, 1952	3.21	Apr. 27, 1952	3.29	May 5, 1952	3.42
Apr. 20	3.22	Apr. 28	3.29	May 6	3.43
Apr. 21	3.26	Apr. 29	3.32	May 7	3.42
Apr. 22	3.27	Apr. 30	3.35	May 8	3.42
Apr. 23	3.27	May 1	3.35	May 9	3.43
Apr. 24	3.28	May 2	3.35	Sept. 6	3.12
Apr. 25	3.29	May 3	3.38	Mar. 17, 1953	3.32
Apr. 26	3.29	May 4	3.39	Aug. 25	3.38
A14-55-18cdd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.4 feet deep. Measuring point, top of pipe, 3.7 feet above land surface. (6).					
May 1, 1952	7.77	Sept. 6, 1952	8.01		
A14-55-19bdd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 25.5 feet deep. Measuring point, top of pipe, 3.6 feet above land surface. (6).					
Jan. 31, 1952	17.88	May 1, 1952	18.56	Sept. 6, 1952	17.63
A15-54-36aca1. USGS. $\frac{3}{4}$ -inch bored and jetted well, 30.9 feet deep. Measuring point, top of pipe, 3.7 feet above land surface. (6).					
Apr. 30, 1952	17.87	Mar. 17, 1953	17.32	Aug. 25, 1953	13.75
Sept. 7	11.42				
A15-55-4caa. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.0 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	18.85	Mar. 16, 1953	18.64	Aug. 25, 1953	16.44
Sept. 7	13.01				
A15-55-4cbb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 24.7 feet deep. Measuring point, top of pipe, 5.3 feet above land surface. (6).					
Apr. 30, 1952	14.60	Mar. 16, 1953	14.56	Aug. 25, 1953	14.16
Sept. 7	13.28				

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

A15-55-8aba. USGS. $\frac{3}{4}$ -inch jetted well, 37.0 feet deep. Measuring point, top of pipe, 5.8 feet above land surface. (6).

Jan. 28, 1952	34.71	Mar. 16, 1953	34.92	Aug. 25, 1953	34.30
Apr. 30	34.60				

A15-55-8acd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 37.6 feet deep. Measuring point, top of pipe, 5.2 feet above land surface. (6).

Apr. 30, 1952	36.05	Sept. 7, 1952	31.58		
---------------	-------	---------------	-------	--	--

A15-55-8add. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.3 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).

Apr. 30, 1952	8.48	Mar. 16, 1953	7.32	Aug. 25, 1953	7.73
Sept. 7	5.22				

A15-55-8acc. USGS. $\frac{3}{4}$ -inch drilled well, 40.6 feet deep. Measuring point, top of pipe, 1.4 feet above land surface. (6).

Mar. 16, 1953	38.44	Aug. 25, 1953	37.70		
---------------	-------	---------------	-------	--	--

A15-55-8ddd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).

Apr. 30, 1952	11.47	Mar. 16, 1953	10.50	Aug. 25, 1953	10.15
Sept. 7	8.05				

A15-55-9bbb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.2 feet deep. Measuring point, top of pipe, 3.3 feet above land surface. (6).

Apr. 30, 1952	11.63	Mar. 16, 1952	11.00		
---------------	-------	---------------	-------	--	--

A15-55-9cab. USGS. $\frac{3}{4}$ -inch bored and jetted well, 16.2 feet deep. Measuring point, top of pipe, 5.0 feet above land surface. (6).
Depth to water, Apr. 30, 1952, 9.39 feet.

A15-55-9cdc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 14.0 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).
Depth to water, Apr. 30, 1952, 7.83 feet.

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A15-55-16bab2. USGS. $\frac{3}{4}$ -inch jetted well, 15.9 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	8.64	Sept. 7, 1952	7.01		
A15-55-16bdd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.4 feet deep. Measuring point, top of pipe, 4.2 feet above land surface. (6).					
Apr. 30, 1952	4.72	Sept. 7, 1952	4.56		
A15-55-16cbd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 14.1 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, Apr. 30, 1952, 3.00 feet.					
A15-55-16ccd1. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.9 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	6.09	Mar. 16, 1953	6.70	Aug. 25, 1953	4.55
Sept. 7	4.90				
A15-55-16dcb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.8 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, Apr. 30, 1952, 4.99 feet.					
A15-55-17aac. USGS. $\frac{3}{4}$ -inch bored and jetted well, 28.1 feet deep. Measuring point, top of pipe, 4.7 feet above land surface. (6).					
Jan. 28, 1952	15.53	Sept. 7, 1952	12.50	Aug. 25, 1953	14.57
Apr. 30	16.70				
A15-55-17bdd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 32.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	24.33	Sept. 7, 1952	19.40		
A15-55-17cbb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 41.0 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, Apr. 30, 1952, 30.40 feet.					

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

A15-55-17daal. USGS. 4-inch drilled well, 51.6 feet deep. Measuring point, top of pipe, 2.9 feet above land surface. (6). (Taken from recorder chart.)

Feb. 15, 1952	10.99	Mar. 12, 1952	11.20	Apr. 15, 1952	11.40
Feb. 16	10.97	Mar. 13	11.23	Apr. 16	11.43
Feb. 17	10.96	Mar. 14	11.22	Apr. 17	11.43
Feb. 18	11.00	Mar. 15	11.24	Apr. 18	11.43
Feb. 19	11.00	Mar. 16	11.23	Apr. 19	11.40
Feb. 20	11.01	Mar. 17	11.19	Apr. 20	11.41
Feb. 21	11.02	Mar. 18	11.23	Apr. 21	11.45
Feb. 22	11.06	Mar. 19	11.24	Apr. 22	11.44
Feb. 23	11.08	Mar. 20	11.27	Apr. 23	11.42
Feb. 24	11.10	Mar. 29	11.30	Apr. 24	11.43
Feb. 25	11.08	Mar. 30	11.32	Apr. 25	11.42
Feb. 26	11.08	Mar. 31	11.33	Apr. 26	11.40
Feb. 27	11.10	Apr. 1	11.37	Apr. 27	11.38
Feb. 28	11.12	Apr. 2	11.35	Apr. 28	11.38
Feb. 29	11.12	Apr. 3	11.32	Apr. 29	11.39
Mar. 1	11.12	Apr. 4	11.39	Apr. 30	11.43
Mar. 2	11.12	Apr. 5	11.40	May 1	11.40
Mar. 3	11.12	Apr. 6	11.35	May 2	11.39
Mar. 4	11.12	Apr. 7	11.31	May 3	11.35
Mar. 5	11.13	Apr. 8	11.41	May 4	11.31
Mar. 6	11.13	Apr. 9	11.42	May 5	11.35
Mar. 7	11.18	Apr. 10	11.38	May 6	11.33
Mar. 8	11.18	Apr. 11	11.33	May 7	11.34
Mar. 9	11.17	Apr. 12	11.36	May 8	11.34
Mar. 10	11.17	Apr. 13	11.40	May 9	11.35
Mar. 11	11.20	Apr. 14	11.41		

A15-55-17daa2. USGS. $\frac{3}{4}$ -inch jetted well, 15.3 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).

Apr. 30, 1952	10.86	Mar. 16, 1953	11.15	Aug. 25, 1953	11.53
---------------	-------	---------------	-------	---------------	-------

A15-55-17dad. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).

Apr. 30, 1952	11.04	Mar. 16, 1953	10.40	Aug. 25, 1953	8.63
Sept. 7	5.20				

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A15-55-18dab. USGS. $\frac{3}{4}$ -inch drilled well, 21.6 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).					
Apr. 30, 1952	18.39	Mar. 16, 1953	20.21	Aug. 25, 1953	11.38
Sept. 7	12.60				
A15-55-19daa. USGS. $\frac{3}{4}$ -inch bored and jetted well, 33.7 feet deep. Measuring point, top of pipe, 4.2 feet above land surface. (6). Depth to water, Apr. 30, 1952, 12.83 feet.					
A15-55-20aaa. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.8 feet deep. Measuring point, top of pipe, 3.9 feet above land surface. (6).					
Apr. 30, 1952	10.90	Mar. 16, 1953	9.89	Aug. 25, 1953	8.14
Sept. 7	7.90				
A15-55-20add. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.5 feet deep. Measuring point, top of pipe, 3.1 feet above land surface. (6).					
Apr. 30, 1952	9.04	Mar. 16, 1953	7.92	Aug. 25, 1953	5.94
Sept. 7	6.20				
A15-55-20baa. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.7 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	16.85	Mar. 16, 1953	15.48	Aug. 25, 1953	13.56
Sept. 7	10.90				
A15-55-20bba. USGS. $\frac{3}{4}$ -inch bored and jetted well, 34.0 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	25.70	Mar. 16, 1953	24.41		
A15-55-20caa. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.9 feet deep. Measuring point, top of pipe, 3.6 feet above land surface. (6).					
Apr. 30, 1952	16.12	Sept. 17, 1952	12.08		
A15-55-20ccd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 40.9 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	21.82	Mar. 16, 1952	20.92	Aug. 25, 1952	20.17
Sept. 7	18.15				

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A15-55-20cdd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.1 feet deep. Measuring point, top of pipe, 4.4 feet above land surface. (6).					
Apr. 30, 1952	15.83	Mar. 16, 1953	14.69	Aug. 25, 1953	13.62
Sept. 7	11.70				
A15-55-20add. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.9 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6). Depth to water, Apr. 30, 1952, 15.93 feet.					
A15-55-21bdc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.5 feet deep. Measuring point, top of pipe, 5.0 feet above land surface. (6). Depth to water, Apr. 30, 1952, 7.75 feet.					
A15-55-30add. USGS. $\frac{3}{4}$ -inch bored and jetted well, 16.4 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	14.63	Mar. 17, 1953	14.40	Aug. 25, 1953	12.30
Sept. 7	11.10				
A15-55-30bdc1. USGS. $\frac{3}{4}$ -inch bored and jetted well, 31.7 feet deep. Measuring point, top of pipe, 3.8 feet above land surface. (6).					
Apr. 30, 1952	11.94	Mar. 17, 1953	13.95	Aug. 25, 1953	11.86
Sept. 7	10.20				
A15-55-30bdc2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 11.7 feet deep. Measuring point, top of pipe, 2.0 feet above land surface. (6).					
Apr. 30, 1952	4.54	Mar. 17, 1953	8.04	Aug. 25, 1953	5.52
Sept. 7	7.70				
A15-55-30cda. USGS. $\frac{3}{4}$ -inch bored and jetted well, 22.3 feet deep. Measuring point, top of pipe, 3.5 feet above land surface. (6). Depth to water, Apr. 30, 1952, 7.30 feet.					
A15-55-30cdb1. USGS. $\frac{3}{4}$ -inch bored and jetted well, 26.0 feet deep. Measuring point, top of pipe, 5.5 feet above land surface. (6).					
Apr. 30, 1952	20.98	Sept. 7, 1952	14.16		

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A15-55-30dba. USGS. $\frac{3}{4}$ -inch bored and jetted well, 27.9 feet deep. Measuring point, top of pipe, 3.7 feet above land surface. (6).					
Apr. 30, 1952	15.01	Mar. 17, 1953	14.20	Aug. 25, 1953	10.00
Sept. 7	8.49				
A15-55-30ddc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 14.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	0.72	Sept. 7, 1952	a0.50		
a Above land surface					
A15-55-30ddd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.7 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	9.21	Mar. 17, 1953	9.04	Aug. 25, 1953	7.75
Sept. 7	7.95				
A15-55-31aac. USGS. 2-inch jetted well, 14.6 feet deep. Measuring point, top of pipe, 0.6 foot above land surface. (6).					
Jan. 29, 1952	5.45	Sept. 7, 1952	3.81		
A15-55-31aca. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.5 feet deep Measuring point, top of pipe, 4.2 feet above land surface. (6).					
Apr. 30, 1952	3.56	Sept. 7, 1952	2.23		
A15-55-31ada. USGS. $\frac{3}{4}$ -inch bored and jetted well, 21.2 feet deep. Measuring point, top of pipe, 5.0 feet above land surface. (6).					
Apr. 30, 1952	6.56	Sept. 7, 1952	5.70	Mar. 17, 1953	6.04
A15-55-31caal. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.9 feet deep. Measuring point, top of pipe, 3.5 feet above land surface. (6).					
Apr. 30, 1952	6.16	Sept. 7, 1952	4.55		
A15-55-31caa2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 13.4 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).					
Apr. 30, 1952	6.16	Sept. 6, 1952	4.53		

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

A15-55-31cbc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 26.5 feet deep. Measuring point, top of pipe, 5.0 feet above land surface. (6).

Apr. 30, 1952	22.71	Mar. 17, 1953	21.86	Aug. 25, 1953	21.07
Sept. 6	18.85				

A15-55-31daa1. USGS. 4-inch drilled well, 45.6 feet deep. Measuring point, top of pipe, 1.0 foot above land surface. (6). (Taken from recorder chart.)

Feb. 15, 1952	9.21	Mar. 19, 1952	8.60	Apr. 18, 1952	8.72
Feb. 16	9.15	Mar. 20	8.68	Apr. 19	8.64
Feb. 17	9.12	Mar. 29	8.50	Apr. 20	8.62
Feb. 18	9.13	Mar. 30	8.47	Apr. 21	8.71
Feb. 19	9.11	Mar. 31	8.47	Apr. 22	8.66
Feb. 20	9.11	Apr. 1	8.55	Apr. 23	8.60
Feb. 22	9.17	Apr. 2	8.55	Apr. 24	8.60
Feb. 23	9.17	Apr. 3	8.51	Apr. 25	8.57
Feb. 29	8.96	Apr. 4	8.65	Apr. 26	8.49
Mar. 1	8.94	Apr. 5	8.63	Apr. 27	8.47
Mar. 7	8.88	Apr. 6	8.63	Apr. 28	8.44
Mar. 8	8.83	Apr. 7	8.56	Apr. 29	8.47
Mar. 9	8.80	Apr. 8	8.72	Apr. 30	8.53
Mar. 10	8.77	Apr. 9	8.79	May 1	8.44
Mar. 11	8.76	Apr. 10	8.72	May 2	8.42
Mar. 12	8.73	Apr. 11	8.61	May 3	8.43
Mar. 13	8.77	Apr. 12	8.70	May 4	8.38
Mar. 14	8.77	Apr. 13	8.76	May 5	8.45
Mar. 15	8.77	Apr. 14	8.72	May 6	8.38
Mar. 16	8.70	Apr. 15	8.71	May 7	8.41
Mar. 17	8.65	Apr. 16	8.78	May 8	8.36
Mar. 18	8.65	Apr. 17	8.76	May 9	8.40

A15-55-31daa2. USGS. $\frac{3}{4}$ -inch bored and jetted well, 24.1 feet deep. Measuring point, top of pipe, 4.3 feet above land surface. (6).

Apr. 30, 1952	9.75	Mar. 17, 1953	8.68	Aug. 25, 1953	9.14
Sept. 7	8.65				

A15-55-31bdb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 22.5 feet deep. Measuring point, top of pipe, 3.8 feet above land surface. Depth to water, Sept. 7, 1952, 14.91 feet.

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A15-55-32bdb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 11.4 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 30, 1952	6.36	Sept. 7, 1952	6.19	Mar. 17, 1952	6.49
A16-55-23aab. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.3 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Jan. 28, 1952	10.20	Mar. 16, 1953	10.20	Aug. 25, 1953	9.14
Apr. 28	9.48				
A16-55-23aad. USGS. $\frac{3}{4}$ -inch bored and jetted well, 16.9 feet deep. Measuring point, top of pipe, 3.7 feet above land surface. (6).					
Apr. 28, 1952	8.25	Mar. 16, 1953	8.85	Aug. 25, 1953	8.33
A16-55-23acc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 17.8 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 28, 1952	7.74	Mar. 16, 1953	9.26	Aug. 25, 1953	7.25
A16-55-23bdd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 24.0 feet deep. Measuring point, top of pipe, 4.5 feet above land surface. (6).					
Apr. 28, 1952	20.54	Mar. 16, 1952	20.30	Aug. 25, 1952	19.86
A16-55-23cdc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.2 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 28, 1952	11.59	Mar. 16, 1953	11.58	Aug. 25, 1953	11.03
Sept. 7	12.35				
A16-55-24bcb. _____. 6-inch drilled well, 49.2 feet deep. Measuring point, base of pump, 0.4 foot above land surface. (6).					
Apr. 28, 1952	11.08	Mar. 16, 1953	10.75	Aug. 25, 1953	11.20
A16-55-26cba. USGS. $\frac{3}{4}$ -inch bored and jetted well, 15.5 feet deep. Measuring point, top of pump, 4.0 feet above land surface. (6).					
Apr. 28, 1952	11.70	Mar. 16, 1953	12.40	Aug. 25, 1953	12.03
Sept. 7	11.10				

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A16-55-26ccd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 13.2 feet deep. Measuring point, top of pipe, 4.4 feet above land surface. (6).					
Apr. 28, 1952	11.50	Sept. 7, 1952	11.80		
A16-55-26ccc4. USGS. $\frac{3}{4}$ -inch jetted well, 12.7 feet deep. Measuring point, top of pipe, 4.8 feet above land surface. (6). Depth to water, Apr. 28, 1952, 7.11 feet.					
A16-55-27cad. USGS. 4-inch drilled well, 45.2 feet deep. Measuring point, top of pipe, 0.9 foot above land surface. (6).					
Mar. 4, 1952	7.30	Mar. 28, 1952	8.99	Apr. 4, 1952	7.30
Mar. 11	6.65				
A16-55-27daa. USGS. $\frac{7}{8}$ -inch bored and jetted well, 17.9 feet deep. Measuring point, top of pipe, 3.6 feet above land surface. (6). Depth to water, Apr. 28, 1952, 3.71 feet.					
A16-55-27ddc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.5 feet deep. Measuring point, top of pipe, 3.0 feet above land surface. (6).					
Apr. 28, 1952	3.63	Mar. 16, 1953	11.50	Aug. 25, 1953	7.40
Sept. 7	5.85				
A16-55-33add. USGS. $\frac{3}{4}$ -inch bored and jetted well, 23.5 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Apr. 28, 1952	10.32	Mar. 16, 1953	10.47	Aug. 25, 1953	10.60
Sept. 7	9.85				
A16-55-34aa2. Farmers Union. 4-inch drilled well, 135 feet deep. Measuring point, top of casing, 0.0 foot above land surface. (11).					
Jan. 31, 1950	10.71	May 31, 1950	10.33	Sept. 30, 1950	10.92
Feb. 28	10.92	June 30	8.86	Nov. 2	10.75
Mar. 31	9.23	July 31	10.23	Dec. 5	9.72
May 11	8.10	Aug. 30	11.63	Jan. 2, 1951	9.40

Dawson County--Continued

Date	Water level	Date	Water level	Date	Water level
A16-55-34aaa. _____. 4-inch drilled well, 135 feet deep. Measuring point, top of pipe, 0.0 foot above land surface. (6).					
Apr. 28, 1952	9.69	Mar. 16, 1952	12.90	Aug. 25, 1952	14.94
Sept. 7	13.07				

Lewis and Clark County

Date	Water level	Date	Water level	Date	Water level
B10-2-6ba. Holt. 48-inch dug well, 10.1 feet deep. Measuring point, top of curb, 1.3 feet above land surface. (3).					
Apr. 14, 1949	5.33	May 19, 1949	4.83		
B10-2-6bb. L. Ramsey. 360-inch dug well, 20.2 feet deep. Measuring point, top of platform, 2.4 feet above land surface. (3).					
June 21, 1949	3.73	Sept. 27, 1949	4.44	June 13, 1950	4.35
July 26	7.09	Oct. 19	4.28	Oct. 13	3.75
Aug. 24	7.24	May 12, 1950	4.76		
B10-2-6bc. L. Ramsey. 420-inch dug well, 18.7 feet deep. Measuring point, top of platform, 7.8 feet below land surface. (3).					
May 19, 1949	9.81	Aug. 24, 1949	10.31	Sept. 27, 1949	10.15
July 26	12.26				
B10-2-6cal. Munson Bros. 420-inch dug well, 19.9 feet deep. Measuring point, top of platform, 8.3 feet below land surface. (3).					
May 19, 1949	10.64	July 26, 1949	9.89	Sept. 27, 1949	11.07
June 23	10.54	Aug. 24	11.00		

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-2-6cc. Munson Bros. 480-inch dug well, 38.5 feet deep. Measuring point, top of platform, 12.8 feet below land surface. (3).					
Apr. 14, 1949	17.15	Dec. 11, 1949	15.36	Sept. 18, 1950	13.56
May 19	16.46	Apr. 8, 1950	17.10	Oct. 13	12.98
June 23	14.73	May 12	17.41	Jan. 9, 1951	14.31
July 26	18.76	June 13	16.39	Feb. 13	15.41
Aug. 24	15.74	July 14	14.42	Apr. 12	15.38
Sept. 27	15.31	Aug. 11	13.38	May 10	15.67
Oct. 19	15.70				
B10-2-17ca. W. Huhnecruch. 30-inch dug well, 67.4 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).					
May 19, 1949	66.50	Oct. 19, 1949	61.80	Aug. 11, 1950	61.14
June 23	63.54	Dec. 12	61.96	Sept. 18	61.38
July 26	65.40	Jan. 13, 1950	62.42	Oct. 13	61.30
Aug. 24	63.20	July 14	62.16	Nov. 17	60.89
Sept. 27	61.84				
B10-3-2cd. M. Donaldson. 48-inch dug and drilled well, 19.6 feet deep. Measuring point, top of platform, 0.2 foot above land surface. (3).					
Apr. 15, 1949	12.65	Dec. 11, 1949	9.92	June 12, 1950	5.94
May 19	7.50	Jan. 13, 1950	11.20	July 14	5.63
June 23	4.99	Feb. 10	12.15	Aug. 11	4.09
July 26	3.33	Mar. 10	12.73	Sept. 18	6.12
Aug. 23	4.65	Apr. 8	12.99	Oct. 13	6.93
Sept. 27	5.88	May 12	11.10	Nov. 17	8.64
Oct. 19	7.37				
B10-3-2dbl. E. Hilger. 48-inch dug well, 12.1 feet deep. Measuring point, top of platform, 0.2 foot above land surface. (3).					
Apr. 15, 1949	8.89	Aug. 23, 1949	3.91	Dec. 11, 1949	6.65
May 19	4.10	Sept. 27	4.52	Mar. 10, 1950	8.92
June 23	2.97	Oct. 19	5.35	Apr. 8	9.41
July 26	2.80				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B10-3-2db2. E. Hilger. 48-inch dug well, 9.2 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).

May 19, 1949	4.53	Oct. 19, 1949	5.07	Aug. 11, 1950	1.79
June 23	3.75	Dec. 11	5.54	Sept. 18	3.63
July 26	1.75	May 12, 1950	6.16	Oct. 13	4.57
Aug. 23	3.46	June 12	3.13	Nov. 17	4.96
Sept. 27	4.72	July 14	2.04		

B10-3-3ba1. F. May. 24-inch dug well, 8.2 feet deep. Measuring point, top of platform, 1.5 feet above land surface. (3).

Apr. 14, 1949	4.05	Oct. 19, 1949	4.97	July 13, 1950	4.71
May 18	3.40	Dec. 11	4.80	Aug. 10	5.06
June 22	4.76	Apr. 7, 1950	4.06	Sept. 18	5.09
July 26	5.30	May 12	4.22	Oct. 13	4.62
Aug. 24	5.52	June 13	4.21	Nov. 17	4.36
Sept. 27	5.19				

B10-3-3ba2. F. May. 6-inch drilled well, 26.1 feet deep. Measuring point, top of casing, 0.5 foot above land surface. (3).

Apr. 14, 1949	4.26	July 13, 1950	3.79	Aug. 16, 1951	7.65
June 21	5.72	Aug. 10	4.14	Sept. 20	4.17
July 26	6.10	Sept. 18	4.17	Oct. 9	3.64
Aug. 24	6.33	Oct. 13	3.68	Nov. 20	3.70
Sept. 27	6.12	Nov. 17	3.39	Dec. 18	3.81
Oct. 19	5.86	Dec. 12	3.47	Jan. 18, 1952	3.99
Dec. 11	5.75	Jan. 9, 1951	3.95	Feb. 15	3.38
Jan. 13, 1950	6.45	Feb. 13	3.72	Mar. 18	3.65
Feb. 10	6.37	Mar. 15	4.09	June 18	4.47
Mar. 10	3.26	Apr. 12	3.18	Dec. 18	3.90
Apr. 7	3.11	May 10	3.23	Mar. 20, 1953	3.51
May 12	3.54	June 16	3.44	June 18	2.90
June 13	3.26	July 19	7.99		

B10-3-3bc. L. P. Barney. 6-inch drilled well, 33.0 feet deep. Measuring point, top of curb, 0.5 foot above land surface. (3).

Apr. 14, 1949	4.45	July 26, 1949	5.85	Sept. 27, 1949	5.55
May 18	1.30	Aug. 24	5.78	Oct. 19	5.40
June 22	4.82				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B10-3-3cc. E. E. Stanfield. 24-inch dug well, 8.5 feet deep.

Measuring point, top of casing, 0.8 foot above land surface. (3).

Apr. 14, 1949	3.06	July 13, 1950	4.84	Aug. 16, 1951	5.04
May 18	4.00	Aug. 10	4.99	Sept. 20	5.10
June 22	3.98	Sept. 18	5.07	Oct. 9	4.94
July 26	4.60	Oct. 13	5.11	Nov. 20	4.93
Aug. 24	4.82	Nov. 17	5.02	Dec. 18	5.02
Sept. 27	5.15	Dec. 12	5.11	Jan. 18, 1952	5.09
Oct. 19	5.10	Jan. 9, 1951	5.18	Feb. 15	4.86
Dec. 11	5.01	Feb. 13	5.03	Mar. 18	5.07
Jan. 13, 1950	5.12	Mar. 15	5.30	June 18	5.10
Feb. 10	5.13	Apr. 12	5.00	Sept. 17	4.89
Mar. 10	4.94	May 10	4.97	Dec. 18	5.05
Apr. 7	4.75	June 17	5.29	Mar. 20, 1953	5.09
May 12	4.91	July 19	4.98	June 18	4.66
June 13	4.76				

B10-3-4ab. McGowan. 36-inch dug well, 7.2 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).

Apr. 14, 1949	2.70	Aug. 24, 1949	4.62	Jan. 12, 1950	4.19
May 18	2.00	Sept. 27	4.40	Apr. 7	3.10
June 22	3.85	Oct. 19	4.38	May 11	3.01
July 26	4.55	Dec. 10	4.14		

B10-3-4ba. H. E. Robinson. 30-inch dug well, 8.5 feet deep.

Measuring point, top of platform, 0.5 foot below land surface. (3).

Apr. 14, 1949	4.45	Sept. 26, 1949	5.86	Mar. 9, 1950	5.37
May 18	3.80	Oct. 19	5.70	Apr. 7	5.02
June 22	5.25	Dec. 10	5.77	May 11	4.89
July 26	5.85	Jan. 12, 1950	5.81	June 13	4.01
Aug. 24	5.97				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-5aa. H. Ellis. 36-inch driven well, 8.4 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).					
Apr. 14, 1949	2.40	Dec. 10, 1949	4.46	June 13, 1950	1.84
May 18	.60	Jan. 12, 1950	4.51	July 13	1.68
June 22	2.19	Feb. 9	4.58	Aug. 10	2.99
July 26	3.64	Mar. 9	4.45	Sept. 13	3.90
Aug. 24	4.33	Apr. 7	3.25	Oct. 12	3.82
Sept. 26	4.50	May 11	2.32	Nov. 17	2.83
Oct. 19	4.47				

B10-3-5ad. H. Ellis. 60x90-inch dug and drilled well, 21.8 feet deep. Measuring point, top of curb, 0.0 foot above land surface. (3).

Apr. 14, 1949	6.35	June 13, 1950	3.08	July 19, 1951	4.34
May 18	4.00	July 13	3.17	Aug. 16	6.86
June 22	5.09	Aug. 10	6.68	Sept. 20	7.00
July 26	7.42	Sept. 13	7.94	Oct. 9	6.79
Aug. 24	8.38	Oct. 12	7.63	Nov. 20	7.01
Sept. 26	8.91	Nov. 17	6.73	Dec. 18	7.21
Oct. 19	9.09	Dec. 12	6.51	Feb. 15, 1952	6.30
Dec. 10	9.29	Jan. 9, 1951	6.76	Mar. 18	6.83
Jan. 12, 1950	8.78	Feb. 13	6.91	June 18	6.79
Feb. 9	8.97	Mar. 15	6.96	Sept. 17	9.61
Mar. 9	7.73	Apr. 12	6.56	Dec. 18	10.22
Apr. 7	7.11	May 10	6.16	Mar. 20	7.89
May 11	7.07	June 17	2.14		

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-5ba. H. McCarl. 30-inch dug well, 15.1 feet deep. Measuring point, top of platform, 0.8 foot above land surface. (3).					
Apr. 13, 1949	9.11	Apr. 7, 1950	9.90	Feb. 13, 1951	9.60
May 17	7.85	May 11	9.69	Mar. 15	9.89
June 21	8.35	June 7	8.46	Apr. 12	8.18
July 25	8.60	July 13	7.20	May 10	9.07
Aug. 22	9.34	Aug. 10	8.22	June 17	6.21
Sept. 23	9.95	Sept. 13	9.24	July 19	6.01
Oct. 16	10.17	Oct. 12	9.84	Aug. 16	8.04
Dec. 10	10.44	Nov. 16	9.04	Sept. 20	8.83
Jan. 12, 1950	10.57	Dec. 12	9.99	Oct. 9	9.04
Feb. 9	10.63	Jan. 9, 1951	10.06	Nov. 20	9.27
Mar. 9	10.30				
B10-3-5cb. R. Melugin. 24-inch dug well, 24.1 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).					
June 21, 1949	12.80	Oct. 16, 1949	15.34	July 13, 1950	11.10
July 25	11.82	Dec. 10	16.66	Aug. 10	11.27
Aug. 22	12.93	May 11, 1950	15.75	Sept. 13	11.89
Sept. 23	14.44	June 7	13.93	Oct. 12	13.76
B10-3-5ddl. Munger. 6-inch drilled well, 33.6 feet deep. Measuring point, top of casing, 0.4 foot above land surface. (3).					
Apr. 13, 1949	2.69	July 13, 1950	1.79	Aug. 16, 1951	4.69
May 17	2.20	Aug. 10	4.04	Sept. 20	4.83
June 21	3.78	Sept. 13	5.40	Oct. 9	4.05
July 25	3.97	Oct. 12	4.60	Nov. 20	4.24
Aug. 22	6.00	Nov. 16	3.88	Dec. 18	4.28
Sept. 23	6.55	Dec. 12	3.24	Jan. 18, 1952	3.67
Oct. 16	6.83	Jan. 9, 1951	3.81	Feb. 15	3.95
Dec. 10	6.95	Feb. 13	3.04	Mar. 18	4.02
Jan. 12, 1950	5.42	Mar. 15	3.41	June 18	4.05
Feb. 9	4.16	Apr. 12	3.04	Sept. 17	7.04
Mar. 9	2.87	May 10	3.39	Dec. 18	6.42
Apr. 7	2.07	June 17	2.97	Mar. 20, 1953	7.12
May 11	3.88	July 19	2.71	June 18	2.50
June 7	2.00				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-5dd2. Munger. 30-inch dug well, 35.1 feet deep. Measuring point, top of platform, 0.3 foot above land surface. (3).					
May 17, 1949	1.50	Dec. 10, 1949	7.32	June 7, 1950	2.02
June 21	3.96	Jan. 12, 1950	5.70	July 13	1.90
July 25	5.17	Feb. 9	4.82	Aug. 10	3.83
Aug. 22	6.28	Mar. 9	2.65	Sept. 13	5.62
Sept. 23	6.82	Apr. 7	1.87	Oct. 12	4.58
Oct. 16	7.08	May 11	3.47	Nov. 16	3.46
B10-3-6ac. Forest Vale Cemetery. 72-inch dug well, 35.4 feet deep. Measuring point, top of platform, 1.2 feet above land surface. (3).					
June 21, 1949	13.57	Oct. 16, 1949	16.80	Aug. 9, 1950	14.24
July 25	20.35	Dec. 9	18.26	Sept. 13	15.16
Aug. 22	21.10	June 7, 1950	16.28	Oct. 12	16.00
Sept. 23	15.80	July 12	21.30		
B10-3-6bd. Forest Vale Cemetery. 72-inch dug and drilled well, 44.0 feet deep. Measuring point, top of platform, 0.7 foot above land surface. (3).					
Apr. 13, 1949	20.51	Oct. 16, 1949	18.08	Apr. 7, 1950	21.15
May 17	17.30	Dec. 9	19.59	May 11	21.15
June 21	25.14	Jan. 12, 1950	20.15	June 7	17.52
July 25	25.41	Feb. 9	20.61	Oct. 12	17.14
Aug. 22	21.45	Mar. 9	21.00	Nov. 14	17.58
Sept. 23	17.37				
B10-3-6ca. H. Posey. 40-inch dug well, 26.7 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).					
June 21, 1949	13.24	Oct. 16, 1949	17.92	July 12, 1950	13.77
July 25	13.65	Dec. 9	19.52	Aug. 9	14.94
Aug. 22	15.20	May 11, 1950	20.49	Sept. 13	16.20
Sept. 23	16.92	June 7	15.67	Oct. 12	16.21

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-6da1. E. Ludtke. 28-inch dug well, 22.9 feet deep. Measuring point, top of platform, 0.4 foot above land surface. (3).					
Apr. 13, 1949	14.95	June 21, 1949	13.25	Aug. 22, 1949	13.93
May 17	12.80	July 25	12.81		
B10-3-6da2. Fredricks. 30-inch dug well, 17.8 feet deep. Measuring point, top of platform, 5.2 feet below land surface. (3).					
Apr. 13, 1949	12.37	Oct. 16, 1949	12.21	Apr. 7, 1950	13.43
May 17	11.30	Dec. 10	13.45	May 11	13.42
June 21	11.03	Jan. 12, 1950	13.46	June 7	13.35
July 25	9.22	Feb. 9	13.35	July 13	9.44
Aug. 22	10.54	Mar. 9	13.21	Aug. 10	9.45
Sept. 23	11.36				
B10-3-7aa2. B. Menard. 30-inch driven well, 28.2 feet deep. Measuring point, top of platform, 0.6 foot above land surface. (3).					
Apr. 13, 1949	13.11	June 7, 1950	12.91	Sept. 20, 1951	11.08
May 17	9.40	July 13	9.61	Oct. 9	11.02
June 21	10.88	Aug. 10	9.61	Nov. 20	11.81
July 25	9.58	Sept. 13	10.64	Dec. 18	12.57
Aug. 22	10.67	Oct. 12	11.35	Jan. 18, 1952	11.34
Sept. 23	12.44	Nov. 16	11.47	Feb. 15	14.05
Oct. 16	13.80	Dec. 12	11.80	Mar. 18	14.37
Dec. 10	14.45	Jan. 9, 1951	12.35	June 16	13.29
Jan. 12, 1950	14.22	Feb. 13	12.63	Sept. 17	14.55
Feb. 9	14.06	Mar. 15	13.63	Dec. 18	17.96
Mar. 9	14.23	Apr. 12	14.43	Mar. 20, 1953	18.03
Apr. 7	14.94	May 10	14.93	June 18	11.76
May 11	14.96	June 17	12.23		

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B10-3-7ac. Ashwood. 48-inch dug well, 20.1 feet deep. Measuring point, top of platform, 0.7 foot above land surface. (3).

Apr. 12, 1949	8.90	June 7, 1950	7.86	Aug. 16, 1951	7.90
May 17	7.50	July 12	6.62	Sept. 20	8.43
June 21	7.17	Aug. 9	7.21	Oct. 9	8.24
July 25	7.12	Sept. 13	7.69	Nov. 20	8.56
Aug. 22	8.08	Oct. 12	8.02	Jan. 18, 1952	8.91
Sept. 23	10.15	Nov. 14	8.28	Feb. 15	8.13
Oct. 16	11.25	Dec. 12	8.42	Mar. 18	8.68
Dec. 9	9.63	Jan. 9, 1951	9.05	June 18	9.27
Jan. 12, 1950	9.52	Feb. 13	9.07	Sept. 17	11.46
Feb. 9	9.67	Apr. 12	9.83	Dec. 18	12.39
Mar. 9	10.25	May 10	10.91	Mar. 20, 1953	11.82
Apr. 7	11.07	June 17	7.48	June 18	7.26
May 11	10.70	July 19	7.18		

B10-3-7ad1. E. Hilger. 36-inch dug well, 36.2 feet deep. Measuring point, top of platform, 1.0 foot above land surface. (3).

Apr. 13, 1949	4.95	Dec. 10, 1949	6.03	June 7, 1950	4.51
May 17	4.20	Jan. 12, 1950	5.90	July 13	5.24
June 21	4.35	Feb. 9	5.95	Aug. 10	5.47
July 25	5.95	Mar. 9	7.13	Sept. 13	6.73
Aug. 22	7.35	Apr. 7	7.88	Oct. 12	5.82
Sept. 23	9.00	May 11	7.32	Nov. 14	5.47
Oct. 16	10.11				

B10-3-7ad2. J. Hatcher. 6-inch drilled well, 42.6 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).

Apr. 13, 1949	7.00	Dec. 10, 1949	8.12	June 7, 1950	5.97
May 17	5.90	Jan. 12, 1950	7.86	July 13	5.56
June 21	5.56	Feb. 9	7.53	Aug. 10	5.99
July 25	6.40	Mar. 9	7.82	Sept. 13	6.68
Aug. 22	6.92	Apr. 7	9.13	Oct. 12	6.68
Sept. 23	9.15	May 11	8.50	Nov. 14	6.69
Oct. 16	10.37				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-7cd. Porter Bros. 48-inch dug well, 17.1 feet deep. Measuring point, top of platform, 0.8 foot below land surface. (3).					
Apr. 12, 1949	4.85	Dec. 9, 1949	6.68	June 7, 1950	4.32
May 17	3.80	Jan. 12, 1950	7.00	July 12	.60
June 21	3.95	Feb. 9	7.44	Aug. 9	4.13
July 25	4.42	Mar. 9	7.45	Sept. 13	6.10
Aug. 22	10.67	Apr. 7	7.72	Oct. 12	5.83
Sept. 23	8.26	May 11	6.92	Nov. 14	7.34
Oct. 16	8.12				
B10-3-7dc. McHugh Dairy. 72-inch dug well, 33.1 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).					
Apr. 12, 1949	10.27	July 12, 1950	8.53	Aug. 16, 1951	10.21
May 17	9.20	Aug. 9	9.69	Sept. 20	10.85
June 21	9.55	Oct. 12	11.00	Oct. 9	11.21
Sept. 23	13.20	Nov. 14	11.29	Nov. 20	12.15
Oct. 16	13.53	Dec. 12	11.58	Dec. 18	12.90
Dec. 9	12.20	Jan. 9, 1951	10.51	Jan. 18, 1952	13.11
Jan. 12, 1950	12.61	Feb. 13	12.45	Feb. 15	8.84
Feb. 9	13.15	Mar. 15	13.43	Mar. 18	12.18
Mar. 9	12.95	Apr. 12	13.49	Sept. 17	14.29
Apr. 7	13.05	May 10	12.82	Dec. 18	13.85
May 11	12.52	June 17	9.51	Mar. 20, 1953	13.92
June 7	9.84	July 19	9.53	June 18	9.31
B10-3-8aa. G. Middlemas. 6-inch drilled well, 35.5 feet deep. Measuring point, top of casing, 0.8 foot above land surface. (3).					
May 17, 1949	0.75	Dec. 10, 1949	3.95	July 15, 1950	0.91
June 21	1.25	Jan. 12, 1950	4.17	Aug. 9	1.48
July 25	1.55	Mar. 9	1.63	Sept. 13	2.42
Aug. 22	2.17	Apr. 7	2.11	Oct. 12	2.85
Sept. 23	2.75	May 11	2.32	Nov. 14	2.83
Oct. 16	3.17	June 7	2.23		

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-8cb. K. Monroe. 36-inch dug well, 18.8 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).					
Apr. 13, 1949	5.65	July 13, 1950	4.10	Aug. 16, 1951	5.88
May 17	5.30	Aug. 10	4.97	Sept. 21	6.84
June 21	4.50	Sept. 13	7.28	Oct. 9	6.89
July 25	6.50	Oct. 12	6.84	Nov. 20	7.18
Aug. 22	7.75	Nov. 14	6.79	Dec. 18	7.34
Sept. 23	9.33	Dec. 12	6.56	Jan. 18, 1952	7.08
Oct. 16	10.50	Jan. 9, 1951	6.68	Feb. 15	7.81
Dec. 10	7.57	Feb. 13	6.09	Mar. 18	8.70
Jan. 12, 1950	7.10	Mar. 15	6.70	June 18	6.43
Feb. 9	7.00	Apr. 12	7.96	Sept. 17	10.65
Mar. 9	7.98	May 10	7.63	Dec. 18	10.04
Apr. 7	8.22	June 17	4.87	Mar. 20, 1953	9.10
May 11	8.11	July 19	5.50	June 18	5.37
June 7	5.99				

B10-3-8cc. H. Lamb. 72-inch dug well, 31.4 feet deep. Measuring point, top of platform, 1.4 feet above land surface. (3).

Apr. 13, 1949	15.48	May 11, 1950	17.76	Apr. 12, 1951	18.20
May 17	14.90	June 7	16.55	May 10	18.44
June 21	14.37	July 13	12.68	June 17	14.86
July 25	14.47	Aug. 9	12.56	July 19	15.61
Aug. 22	15.33	Sept. 13	15.20	Aug. 16	13.88
Sept. 23	17.34	Oct. 12	16.66	Sept. 20	15.53
Oct. 16	18.14	Nov. 14	16.74	Oct. 9	16.19
Dec. 10	18.12	Dec. 12	16.83	Nov. 20	16.60
Jan. 12, 1950	18.15	Jan. 9, 1951	17.34	Dec. 18	17.38
Feb. 9	18.21	Feb. 13	17.58	Jan. 18, 1952	17.51
Mar. 9	18.14	Mar. 15	18.06	Feb. 15	17.37
Apr. 7	17.95				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-8dd. H. Lamb. 48-inch dug well, 11.7 feet deep. Measuring point, top of platform, 1.4 feet above land surface. (3).					
Apr. 13, 1949	4.14	Dec. 10, 1949	6.06	June 7, 1950	5.31
May 17	4.16	Jan. 12, 1950	6.17	July 13	3.83
June 21	4.95	Feb. 9	6.26	Aug. 9	4.32
July 25	4.70	Mar. 9	5.11	Sept. 13	4.53
Aug. 22	5.32	Apr. 7	5.08	Oct. 12	4.59
Sept. 23	5.54	May 11	5.49	Nov. 14	4.65
Oct. 16	5.74				
B10-3-9da. Cain. 16-inch dug well, 3.0 feet deep. Measuring point, top of casing, 0.9 foot above land surface. (3).					
Apr. 14, 1949	0.87	July 26, 1949	1.80	Sept. 26, 1949	1.38
May 18	.40	Aug. 24	1.97	Oct. 19	1.42
June 22	1.52				
B10-3-9dd. A. Olson. 24-inch dug well, 7.6 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).					
Apr. 14, 1949	3.97	Dec. 11, 1949	4.63	June 13, 1950	3.73
May 18	3.50	Jan. 13, 1950	4.71	July 14	4.24
June 22	4.09	Feb. 10	4.35	Aug. 11	4.79
July 26	4.92	Mar. 10	4.10	Sept. 18	4.59
Aug. 24	5.18	Apr. 8	4.02	Oct. 13	4.51
Sept. 26	4.86	May 12	3.96	Nov. 19	4.33
Oct. 19	4.74				
B10-3-10bb. T. Herrin. 30-inch dug and drilled well, 26.4 feet deep. Measuring point, top of casing, 1.1 feet below land surface. (3).					
June 21, 1949	7.36	Sept. 27, 1949	7.16	Oct. 19, 1949	7.22

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-10ccl. C. Huber. 48-inch dug well, 7.1 feet deep. Measuring point, top of curb, 0.9 foot above land surface. (3).					
Apr. 14, 1949	4.57	Dec. 11, 1949	5.00	June 13, 1950	4.17
May 18	3.80	Jan. 13, 1950	5.04	July 14	5.01
June 22	4.36	Feb. 10	4.87	Aug. 11	4.92
July 26	5.09	Mar. 10	4.80	Sept. 18	4.79
Aug. 24	5.02	Apr. 8	4.67	Oct. 13	4.57
Sept. 26	4.96	May 12	4.25	Nov. 17	4.48
Oct. 19	4.98				
B10-3-10dd. M. Warren. 60-inch dug well, 14.2 feet deep. Measuring point, top of platform, 0.7 foot above land surface. (3).					
Apr. 14, 1949	11.04	May 12, 1950	12.36	Feb. 13, 1951	10.20
May 18	8.34	June 13	3.38	Apr. 12	11.88
June 22	4.57	July 13	3.98	May 10	11.68
July 26	2.74	Aug. 10	4.11	June 17	6.15
Aug. 24	4.28	Sept. 18	4.79	July 19	3.78
Sept. 26	5.30	Oct. 13	7.39	Aug. 16	1.78
Oct. 19	6.20	Nov. 17	8.19	Sept. 20	5.16
Dec. 11	8.22	Dec. 12	9.45	Oct. 9	6.25
Apr. 7, 1950	11.84	Jan. 9, 1951	10.20		
B10-3-11abl. E. Hilger. 72-inch dug well, 36.5 feet deep. Measuring point, top of casing, 0.8 foot above land surface. (3).					
Apr. 15, 1949	18.13	July 14, 1950	10.35	Aug. 16, 1951	9.10
May 19	12.90	Aug. 11	7.99	Sept. 20	10.98
June 23	12.52	Sept. 18	10.47	Oct. 9	10.71
July 26	7.62	Oct. 13	11.35	Nov. 20	12.81
Aug. 23	9.67	Nov. 17	13.37	Dec. 18	14.10
Sept. 27	10.90	Dec. 12	14.56	Jan. 18, 1952	15.37
Oct. 19	12.56	Jan. 9, 1951	15.67	Feb. 15	15.62
Dec. 11	14.81	Feb. 13	16.77	Mar. 18	17.26
Jan. 13, 1950	16.20	Mar. 15	17.54	June 18	10.18
Feb. 10	17.08	Apr. 12	17.17	Sept. 17	10.94
Mar. 10	17.91	May 10	17.33	Dec. 18	15.04
Apr. 8	18.42	June 17	13.51	Mar. 20, 1953	17.60
May 12	17.27	July 19	9.16	June 18	12.18
June 12	13.98				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-11ab2. E. Hilger. 72-inch dug well, 37.6 feet deep. Measuring point, top of casing, 1.1 feet above land surface. (3).					
Apr. 15, 1949	18.90	July 14, 1950	10.71	Aug. 16, 1951	9.96
May 19	14.40	Aug. 11	9.25	Sept. 20	11.13
June 23	14.64	Sept. 18	11.54	Oct. 9	11.08
July 26	10.01	Oct. 13	12.23	Nov. 20	13.02
Aug. 23	11.25	Nov. 19	13.78	Dec. 18	14.28
Sept. 27	12.58	Dec. 12	14.83	Jan. 18, 1952	15.62
Oct. 19	13.77	Jan. 9, 1951	15.94	Feb. 15	15.81
Dec. 11	15.76	Feb. 13	17.03	Mar. 18	17.52
Jan. 13, 1950	17.10	Mar. 15	17.81	June 18	10.93
Feb. 10	17.81	Apr. 12	17.43	Sept. 17	11.38
Mar. 10	18.55	May 10	17.96	Dec. 18	14.79
Apr. 8	19.07	June 17	14.32	Mar. 20, 1953	17.64
May 12	18.48	July 19	10.71	June 18	13.68
June 12	15.55				
B10-3-11ba. Donaldson. 72-inch dug well, 37.1 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).					
Apr. 15, 1949	16.15	May 12, 1950	15.42	May 10, 1951	16.26
May 19	11.40	June 12	11.36	June 17	11.32
June 23	9.61	July 14	8.37	July 19	8.15
July 26	3.95	Aug. 11	6.55	Aug. 16	7.34
Aug. 23	7.37	Sept. 18	8.60	Sept. 20	8.87
Sept. 27	8.82	Oct. 13	9.50	Oct. 9	8.90
Oct. 19	10.27	Nov. 17	11.40	Nov. 20	10.94
Dec. 11	12.74	Dec. 12	12.62	Dec. 18	12.24
Jan. 13, 1950	14.21	Jan. 9, 1951	13.70	Jan. 18, 1952	13.50
Feb. 10	15.19	Feb. 13	14.83	Feb. 15	13.81
Mar. 10	15.92	Mar. 15	15.62	Mar. 18	15.13
Apr. 8	16.42	Apr. 12	15.07		

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B10-3-14cb. J. Rogan. 108-inch dug well, 47.2 feet deep. Measuring point, top of platform, 0.4 foot above land surface. (3).

Apr. 15, 1949	20.23	July 14, 1950	12.66	Aug. 16, 1951	12.44
May 18	17.40	Aug. 10	12.19	Sept. 20	13.63
June 22	16.73	Sept. 18	13.27	Oct. 9	13.54
July 26	14.00	Oct. 13	14.64	Nov. 20	14.98
Aug. 24	13.64	Nov. 16	15.82	Dec. 18	16.24
Sept. 26	14.83	Dec. 12	16.77	Jan. 18, 1952	16.81
Oct. 19	15.31	Jan. 9, 1951	17.68	Feb. 15	18.11
Dec. 11	16.25	Feb. 13	18.80	Mar. 18	19.86
Jan. 13, 1950	17.50	Mar. 15	19.79	June 18	14.24
Feb. 10	17.92	Apr. 12	20.71	Sept. 17	14.94
Mar. 10	18.76	May 10	21.10	Dec. 18	18.32
Apr. 8	19.90	June 17	16.50	Mar. 20, 1953	21.47
May 12	21.12	July 19	14.73	June 18	18.90
June 13	16.74				

B10-3-14db. E. Peterson. 36-inch dug well 38.1 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).

Apr. 14, 1949	27.22	July 14, 1950	14.79	Aug. 16, 1951	16.04
May 18	26.70	Aug. 10	15.67	Sept. 20	17.39
June 22	19.82	Sept. 18	17.22	Oct. 9	18.23
July 26	16.70	Oct. 13	18.84	Nov. 20	20.16
Aug. 24	16.90	Nov. 16	20.99	Dec. 18	21.85
Sept. 26	17.80	Dec. 12	22.25	Jan. 18, 1952	23.06
Oct. 19	19.56	Jan. 9, 1951	23.53	Feb. 15	24.91
Dec. 11	21.81	Feb. 13	25.10	Mar. 18	26.20
Jan. 13, 1950	23.55	Mar. 15	26.10	June 18	18.32
Feb. 10	24.70	Apr. 12	26.77	Sept. 17	19.16
Mar. 10	25.65	May 10	27.19	Dec. 18	23.89
Apr. 8	26.40	June 17	22.49	Mar. 20, 1953	27.44
May 12	26.77	July 19	17.31	June 18	24.21
June 13	20.97				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-15ab1. Burton. 40-inch dug well, 7.5 feet deep. Measuring point, top of casing, 0.5 foot above land surface. (3).					
Apr. 14, 1949	7.02	Aug. 24, 1949	4.42	Jan. 13, 1950	5.57
May 18	3.60	Sept. 26	4.62	Feb. 10	5.93
June 22	2.45	Oct. 19	5.23	Mar. 10	5.80
July 26	3.90	Dec. 11	5.05		
B10-3-15ab2. Schwartz. 48-inch dug well, 8.8 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).					
Apr. 14, 1949	6.55	June 13, 1950	1.84	May 10, 1951	6.68
May 18	2.10	July 14	2.81	June 17	2.61
June 22	1.77	Aug. 11	2.48	July 19	2.95
July 26	2.92	Sept. 18	2.98	Aug. 16	2.31
Aug. 24	3.14	Oct. 13	4.62	Sept. 20	3.01
Sept. 26	3.54	Nov. 17	4.97	Oct. 9	3.48
Oct. 19	4.23	Dec. 12	5.43	Nov. 20	4.59
Dec. 11	5.18	Jan. 9, 1951	5.89	June 18, 1952	2.74
May 12, 1950	7.05	Feb. 13	5.80		
B10-3-15ac. J. Rogan. 36-inch dug well, 15.6 feet deep. Measuring point, top of platform, 0.4 foot above land surface. (3).					
Apr. 14, 1949	5.16	Dec. 11, 1949	4.41	June 13, 1950	2.49
May 18	4.10	Jan. 13, 1950	4.77	July 14	2.59
June 22	3.11	Feb. 10	4.65	Aug. 10	2.35
July 26	2.95	Mar. 10	5.17	Sept. 18	2.92
Aug. 24	2.79	Apr. 8	5.34	Oct. 13	3.80
Sept. 26	3.62	May 12	5.70	Nov. 16	4.22
Oct. 19	3.98				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-15bal. M. Halverson. 72-inch dug well, 12.5 feet deep. Measuring point, top of casing, 0.5 foot above land surface. (3).					
Apr. 14, 1949	4.74	Aug. 11, 1950	3.44	Sept. 20, 1951	3.24
May 18	2.90	Sept. 18	3.98	Oct. 9	3.52
June 22	2.50	Oct. 13	4.42	Nov. 20	3.95
Aug. 24	4.11	Nov. 17	3.95	Dec. 18	4.17
Sept. 26	4.32	Dec. 12	4.18	Jan. 18	4.43
Oct. 19	4.46	Jan. 9, 1951	4.44	Feb. 15	4.47
Dec. 12	4.65	Feb. 13	4.05	Mar. 18	4.78
Jan. 13, 1950	5.36	Mar. 15	5.18	June 18	3.31
Feb. 10	5.53	Apr. 12	4.45	Sept. 17	2.92
Apr. 7	5.18	May 10	4.24	Dec. 18	4.48
May 12	5.36	June 17	2.62	Mar. 20, 1953	4.80
June 13	2.94	July 19	3.39	June 18	3.35
July 14	3.79	Aug. 16	2.89		
B10-3-15bd. B. Lichtwardt. 48-inch dug well, 11.5 feet deep. Measuring point, top of platform, 0.3 foot above land surface. (3).					
Apr. 14, 1949	4.47	July 14, 1950	4.49	Aug. 16, 1951	5.00
May 18	4.00	Aug. 11	4.85	Sept. 20	5.12
June 22	4.50	Sept. 18	4.81	Oct. 9	4.59
July 26	4.81	Oct. 13	4.70	Nov. 20	4.60
Aug. 24	4.74	Nov. 17	4.63	Dec. 18	4.59
Sept. 26	4.90	Dec. 12	4.68	Jan. 18, 1952	4.61
Oct. 19	4.73	Jan. 9, 1951	4.76	Feb. 15	4.53
Dec. 11	4.84	Feb. 13	4.58	Mar. 18	4.74
Jan. 13, 1950	4.90	Mar. 15	4.69	June 18	4.60
Feb. 10	4.95	Apr. 12	4.50	Sept. 17	4.94
Mar. 10	4.67	May 10	4.33	Dec. 18	4.53
Apr. 8	4.26	June 17	4.37	Mar. 20, 1953	4.70
May 12	4.37	July 19	4.17	June 18	3.91
June 13	4.35				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-16ac. B. Lichtwardt. 30-inch dug well, 20.8 feet deep. Measuring point, top of platform, 1.0 foot above land surface. (3).					
Apr. 13, 1949	13.16	Aug. 23, 1949	13.54	Jan. 13, 1950	13.68
May 18	12.90	Sept. 26	12.92	Feb. 10	13.62
June 22	9.55	Oct. 19	12.98	Mar. 10	13.27
July 26	13.30	Dec. 11	13.40		
B10-3-16bc. B. Lichtwardt. 6-inch drilled well, 70.1 feet deep. Measuring point, top of casing, 2.6 feet above land surface. (3).					
Apr. 13, 1949	25.30	June 13, 1950	24.60	June 17, 1951	24.55
May 18	24.50	July 14	23.14	July 19	23.61
June 21	23.42	Aug. 11	22.16	Aug. 16	21.18
July 26	22.22	Sept. 18	21.65	Sept. 20	21.74
Aug. 24	22.30	Oct. 13	21.30	Oct. 9	22.02
Sept. 26	22.19	Nov. 17	22.29	Nov. 20	21.49
Oct. 19	22.13	Dec. 12	22.61	Feb. 15, 1952	23.72
Dec. 11	23.56	Jan. 9, 1951	23.72	June 18	22.56
Jan. 13, 1950	23.66	Feb. 13	24.41	Sept. 17	20.00
Feb. 10	24.26	Mar. 15	24.71	Dec. 18	21.29
Mar. 10	24.87	Apr. 12	24.81	Mar. 20, 1953	21.85
Apr. 8	25.26	May 10	25.07	June 18	21.50
May 12	25.45				
B10-3-16da. B. Lichtwardt. 16-inch dug well, 10.8 feet deep. Measuring point, top of platform, 0.6 foot above land surface. (3).					
Apr. 14, 1949	3.00	July 14, 1950	3.44	Aug. 16, 1951	5.30
May 18	3.70	Aug. 11	3.02	Sept. 20	5.42
June 21	3.83	Sept. 18	2.62	Oct. 9	4.89
July 26	4.00	Oct. 13	2.82	Nov. 20	4.90
Aug. 24	3.92	Nov. 17	2.74	Dec. 18	4.89
Sept. 26	3.50	Dec. 12	3.06	Jan. 18, 1952	4.91
Oct. 19	3.26	Jan. 9, 1951	4.76	Feb. 15	4.83
Dec. 11	3.47	Feb. 13	4.58	Mar. 18	5.04
Jan. 13, 1950	4.30	Mar. 15	4.99	June 18	4.90
Feb. 10	4.06	Apr. 12	4.80	Sept. 17	5.24
Mar. 10	3.27	May 10	4.63	Dec. 18	4.83
Apr. 8	3.04	June 17	4.67	Mar. 20, 1953	5.00
May 12	3.73	July 19	4.47	June 18	4.21
June 13	3.41				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B10-3-17bc. Resurrection Cemetery. 48-inch dug well, 55.8 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).

Apr. 13, 1949	33.46	June 21, 1949	43.02	Oct. 16, 1949	37.44
May 17	35.20	July 25	42.20		

B10-3-18ac. J. Yuhas. 48-inch dug and drilled well, 57.0 feet deep. Measuring point, top of platform, 0.6 foot above land surface. (3).

Apr. 12, 1949	32.88	Aug. 22, 1949	33.54	Aug. 9, 1950	33.66
May 17	34.20	Sept. 23	34.72	Sept. 13	34.36
June 21	32.70	Oct. 16	36.35	Oct. 12	34.30
July 25	30.83	July 11, 1950	33.54	Nov. 14	35.36

B10-3-18ad. A. Wolf. 36-inch dug well, 48.9 feet deep. Measuring point, top of casing, 1.0 foot above land surface. (3).

Apr. 13, 1949	31.25	June 7, 1950	33.14	July 19, 1951	35.22
May 17	31.50	July 13	33.47	Aug. 16	35.09
June 21	33.01	Aug. 9	31.33	Sept. 20	35.76
July 25	32.23	Sept. 13	31.05	Oct. 9	36.08
Aug. 22	32.70	Oct. 12	33.72	Nov. 20	36.34
Sept. 23	33.83	Nov. 14	35.56	Dec. 18	37.21
Oct. 16	35.00	Dec. 12	36.19	Feb. 15, 1952	37.32
Dec. 10	36.30	Jan. 9, 1951	36.72	Mar. 18	37.43
Jan. 12, 1950	36.56	Feb. 13	37.65	June 18	35.76
Feb. 9	37.05	Mar. 15	38.56	Sept. 17	37.69
Mar. 9	35.14	Apr. 12	38.77	Dec. 18	41.14
Apr. 6	32.77	May 10	38.79	Mar. 20, 1953	41.82
May 11	32.53	June 17	36.57	June 18	40.04

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B10-3-22aa1. W. Lichtwardt. 36-inch dug well, 24.3 feet deep.

Measuring point, top of platform, 2.3 feet above land surface. (3).

Apr. 15, 1949	11.90	Dec. 11, 1949	10.52	June 13, 1950	9.10
May 18	11.70	Jan. 13, 1950	8.75	July 14	7.65
June 22	10.96	Feb. 10	7.72	Aug. 10	7.64
July 26	9.73	Mar. 10	10.30	Sept. 18	7.94
Aug. 24	10.14	Apr. 8	11.67	Oct. 13	8.62
Sept. 26	9.00	May 12	13.39	Nov. 16	10.05
Oct. 19	8.56				

B10-3-22aa2. W. Lichtwardt. 6-inch drilled well, 56.2 feet deep.

Measuring point, top of platform, 0.5 foot above land surface. (3).

Apr. 15, 1949	14.35	July 26, 1949	9.80	Sept. 26, 1949	9.97
May 18	13.70	Aug. 24	10.44	Oct. 19	9.61
June 22	11.52				

B10-3-22ab. G. Bompert. 36-inch dug well, 17.9 feet deep. Measuring point, top of platform, 0.4 foot above land surface. (3).

Apr. 15, 1949	10.72	July 14, 1950	6.53	Aug. 16, 1951	6.82
May 18	11.00	Aug. 10	7.09	Sept. 20	7.04
June 22	9.97	Sept. 18	7.28	Oct. 9	6.80
July 26	8.75	Oct. 13	7.96	Nov. 20	8.26
Aug. 24	9.40	Nov. 16	9.17	Dec. 18	8.95
Sept. 26	8.36	Dec. 12	8.65	Jan. 18, 1952	9.42
Oct. 19	8.11	Jan. 9, 1951	10.26	Feb. 15	9.63
Dec. 11	9.74	Feb. 13	9.35	Mar. 18	11.42
Jan. 13, 1950	8.03	Mar. 15	10.26	June 18	6.04
Feb. 10	7.12	Apr. 12	11.20	Sept. 17	9.38
Mar. 10	9.52	May 10	11.33	Dec. 18	8.43
Apr. 8	10.69	June 19	6.62	Mar. 20, 1953	12.68
May 12	12.23	July 19	4.96	June 18	6.88
June 13	7.61				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-22ba. J. Bompert. 30-inch dug well, 47.6 feet deep. Measuring point, top of platform, 0.7 foot above land surface. (3).					
Apr. 15, 1949	34.41	Apr. 8, 1950	34.65	Mar. 15, 1951	34.63
May 18	33.90	May 12	35.47	Apr. 12	33.98
June 22	34.93	June 13	30.70	May 10	33.63
July 26	32.90	July 14	31.02	June 17	31.31
Aug. 24	33.09	Aug. 10	30.51	July 19	30.72
Sept. 26	32.31	Sept. 18	30.94	Aug. 16	30.38
Oct. 19	32.21	Oct. 13	31.20	Sept. 20	30.93
Dec. 11	33.80	Nov. 16	31.41	Oct. 9	27.43
Jan. 13, 1950	34.32	Dec. 12	32.25	Dec. 18	30.97
Feb. 10	34.21	Jan. 9, 1951	33.25	Jan. 18, 1952	31.72
Mar. 10	34.19	Feb. 13	33.93	Feb. 15	33.01

B10-3-22da. Trutmau. 36-inch dug well, 84.0 feet deep. Measuring point, top of platform, 1.7 feet above land surface. (3).

Apr. 15, 1949	65.31	Sept. 26, 1949	61.51	July 14, 1950	58.26
May 18	64.75	Oct. 19	60.43	Aug. 10	57.41
June 22	63.78	Dec. 11	63.26	Sept. 18	57.84
July 26	60.70	May 12, 1950	66.49	Oct. 13	57.90
Aug. 24	61.01	June 13	60.91		

B10-3-24cb. L. Henry. 30-inch dug well, 46.5 feet deep. Measuring point, top of curb, 0.0 foot above land surface. (3).

Apr. 15, 1949	37.42	June 12, 1950	32.26	July 19, 1951	23.56
May 19	33.00	July 13	23.75	Aug. 16	24.02
June 23	25.34	Aug. 10	25.72	Sept. 20	25.84
July 26	24.52	Sept. 18	26.60	Oct. 9	24.88
Aug. 23	26.80	Oct. 12	27.35	Nov. 20	27.15
Sept. 27	27.93	Nov. 16	28.69	Dec. 18	29.43
Oct. 19	29.00	Dec. 12	29.69	Jan. 18, 1952	31.38
Dec. 12	31.25	Jan. 9, 1951	31.12	Feb. 15	34.01
Jan. 13, 1950	31.73	Feb. 13	34.31	Mar. 18	38.19
Feb. 10	32.78	Mar. 15	36.41	June 18	25.66
Mar. 10	35.75	Apr. 12	37.46	Sept. 17	30.60
Apr. 8	37.22	May 10	39.13	Dec. 18	32.21
May 12	38.65	June 17	29.07	June 18, 1953	29.62

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-3-24dc. S. Poe. 48-inch dug well, 38.0 feet deep. Measuring point, top of platform, 0.2 foot below land surface. (3).					
Apr. 15, 1949	16.14	Dec. 11, 1949	26.98	June 12, 1950	6.22
May 19	11.40	Jan. 13, 1950	17.65	July 14	8.35
June 23	8.42	Feb. 10	29.23	Aug. 11	12.59
July 26	12.65	Mar. 10	28.43	Sept. 18	18.14
Aug. 26	16.52	Apr. 8	27.40	Oct. 13	19.28
Sept. 27	23.10	May 12	28.81	Nov. 17	20.58
Oct. 19	25.00				
B10-4-12da. A. Flacker. 40-inch dug well, 19.2 feet deep. Measuring point, top of platform, 0.2 foot above land surface. (3).					
Apr. 12, 1949	7.80	July 12, 1950	2.91	Aug. 16, 1951	4.08
May 17	2.00	Aug. 9	3.44	Sept. 20	5.61
June 21	2.42	Sept. 13	5.49	Oct. 9	5.09
July 25	4.12	Oct. 12	5.00	Nov. 20	5.93
Aug. 22	6.01	Nov. 14	5.05	Dec. 18	8.24
Sept. 23	6.08	Dec. 12	6.46	Jan. 18, 1952	8.91
Oct. 16	5.26	Jan. 9, 1951	8.14	Feb. 15	8.27
Dec. 9	5.44	Feb. 13	8.01	Mar. 18	9.11
Jan. 12, 1950	6.46	Mar. 15	9.20	June 18	7.62
Feb. 9	6.78	Apr. 12	8.50	Sept. 17	6.95
Mar. 9	7.87	May 10	6.83	Dec. 18	7.25
Apr. 7	8.07	June 17	2.73	Mar. 20, 1953	9.32
May 11	6.00	July 19	3.08	June 18	2.98
June 7	2.29				
B10-4-12ddl. J. Brass. 15-inch dug well, 12 feet deep. Measuring point, top of platform, 0.83 foot below land surface. (3).					
June 21, 1949	2.36	Dec. 9, 1949	4.88	Aug. 9, 1950	4.38
July 26	4.82	May 11, 1950	5.60	Sept. 13	5.14
Aug. 22	4.65	June 7	1.93	Oct. 12	4.60
Sept. 23	5.74	July 12	3.42	Nov. 14	5.79
Oct. 16	4.53				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B10-4-13dal. A. Moser. 36-inch dug well, 12.7 feet deep. Measuring point, top of platform, 0.9 foot above land surface. (3).					
Apr. 12, 1949	8.05	July 11, 1950	6.09	Aug. 16, 1951	7.13
May 17	5.30	Aug. 9	6.95	Sept. 20	7.75
June 21	6.09	Sept. 13	8.39	Oct. 9	7.72
July 25	6.98	Oct. 12	8.38	Nov. 20	8.34
Aug. 22	8.98	Nov. 14	8.46	Dec. 18	8.46
Sept. 23	8.23	Dec. 12	8.48	Jan. 18, 1952	8.44
Oct. 16	8.27	Jan. 9, 1951	8.47	Feb. 15	8.38
Dec. 9	8.32	Feb. 13	8.46	Mar. 18	8.49
Jan. 12, 1950	8.53	Mar. 15	8.51	June 18	6.66
Feb. 9	8.53	Apr. 12	8.42	Sept. 17	8.79
Mar. 9	8.45	May 10	8.39	Dec. 18	8.47
Apr. 7	8.42	June 17	5.86	Mar. 20, 1953	8.76
May 11	8.42	July 19	6.24	June 18	5.75
June 7	5.97				
B10-4-13dcl. L. Quackenbush. 24-inch dug well, 25 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).					
Jan. 8, 1949	19.35	Dec. 9, 1949	18.82	Aug. 9, 1950	19.48
Feb. 9	19.06	Jan. 12, 1950	19.04	Sept. 13	19.52
Mar. 10	18.55	Feb. 9	18.88	Oct. 12	19.39
Apr. 12	18.45	Mar. 9	18.85	Nov. 14	20.64
June 21	19.00	Apr. 7	18.16	Dec. 12	20.34
July 26	20.36	May 11	18.00	Jan. 9, 1951	20.15
Aug. 22	20.50	June 7	18.48	Feb. 13	15.90
Sept. 23	19.73	July 12	19.06	Mar. 15	17.41
Oct. 16	19.28				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B11-2-31ac. R. Austin. 24-inch dug well, 16.9 feet deep. Measuring point, top of casing, 2.3 feet above land surface. (3).

Mar. 9, 1949	8.37	May 12, 1950	8.59	June 17, 1951	6.48
Apr. 14	8.43	June 12	8.71	July 19	5.98
May 19	7.70	July 14	7.58	Aug. 16	7.75
June 23	6.80	Aug. 11	7.57	Sept. 20	8.08
July 26	7.15	Sept. 18	8.07	Dec. 18	7.64
Aug. 24	7.52	Oct. 13	7.89	Jan. 18, 1952	7.77
Sept. 27	8.46	Nov. 17	7.86	Feb. 15	8.04
Oct. 16	8.27	Dec. 12	8.01	Mar. 18	7.99
Dec. 12	8.24	Jan. 9, 1951	8.12	June 18	6.85
Jan. 13, 1950	8.68	Feb. 13	8.36	Sept. 17	8.40
Feb. 10	8.79	Mar. 15	8.59	Dec. 18	7.50
Mar. 10	8.62	Apr. 12	8.40	Mar. 20, 1953	8.31
Apr. 8	8.55	May 10	8.29	June 18	7.48

B11-2-31bc. Munson Bros. 12-inch dug well, 13.4 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).

Apr. 14, 1949	1.65	July 14, 1950	2.56	Aug. 16, 1951	2.70
May 19	2.20	Aug. 11	2.43	Sept. 20	3.21
June 23	2.47	Sept. 18	2.40	Oct. 9	2.05
July 26	2.85	Oct. 13	2.31	Nov. 20	2.23
Aug. 24	2.76	Nov. 17	2.39	Dec. 18	2.19
Sept. 27	2.71	Dec. 12	2.22	Jan. 18, 1952	2.52
Oct. 19	2.36	Jan. 9, 1951	2.50	Feb. 15	2.68
Dec. 12	2.46	Feb. 13	2.31	Mar. 18	2.64
Jan. 13, 1950	2.64	Mar. 15	2.48	June 18	2.56
Feb. 10	2.48	Apr. 12	2.04	Sept. 17	2.68
Mar. 10	2.06	May 10	2.23	Dec. 18	2.15
Apr. 8	1.92	June 17	2.41	Mar. 20, 1953	2.76
May 12	2.41	July 19	2.44	June 18	2.29
June 13	2.38				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B11-2-3lcc. L. Ramsey. 12-inch dug well, 8.8 feet deep. Measuring point, top of casing, 1.5 feet above land surface. (3).

Apr. 14, 1949	4.30	July 14, 1950	3.73	Aug. 16, 1951	3.81
May 19	3.60	Aug. 11	4.05	Sept. 20	4.51
June 23	4.05	Sept. 18	4.05	Oct. 9	3.84
July 26	4.10	Oct. 13	4.01	Nov. 20	3.91
Aug. 24	4.22	Nov. 17	3.93	Dec. 18	4.00
Sept. 27	4.50	Dec. 12	3.61	Jan. 18, 1952	4.31
Oct. 19	4.34	Jan. 9, 1951	4.14	Feb. 15	4.40
Dec. 12	4.30	Feb. 13	4.21	Mar. 18	4.36
Jan. 13, 1950	4.56	Mar. 15	4.55	June 18	3.68
Feb. 10	4.66	Apr. 12	4.32	Sept. 17	4.36
Mar. 10	4.50	May 10	4.30	Dec. 18	4.11
Apr. 8	4.50	June 17	3.62	Mar. 20, 1953	4.70
May 11	4.68	July 19	3.70	June 18	3.80
June 13	3.90				

B11-2-3lcd1. Munson Bros. 12-inch dug well, 18.5 feet deep. Measuring point, top of casing, 1.5 feet above land surface. (3).

Apr. 14, 1949	6.21	Mar. 10, 1950	6.23	Jan. 9, 1951	6.27
May 19	4.50	Apr. 8	6.23	Feb. 13	6.28
June 23	5.69	May 12	6.36	Mar. 15	6.48
July 26	6.22	June 13	5.89	Apr. 12	6.23
Aug. 24	6.15	July 14	6.05	May 10	6.28
Sept. 27	6.33	Aug. 11	6.07	June 17	5.74
Oct. 19	6.21	Sept. 18	6.04	July 19	5.90
Dec. 12	6.21	Oct. 13	6.00	Aug. 16	6.14
Jan. 13, 1950	6.34	Nov. 17	6.33	Sept. 20	6.27
Feb. 10	6.23	Dec. 12	6.10		

B11-2-3ldb. C. Merritt. 30-inch dug well, 24.5 feet deep. Measuring point, top of platform, 0.4 foot above land surface. (3).

Apr. 14, 1949	20.92	Sept. 27, 1949	20.28	Feb. 10, 1950	20.72
May 19	20.15	Oct. 16	20.22	Mar. 10	20.65
June 23	19.11	Dec. 12	20.54	Apr. 10	20.60
July 26	19.45	Jan. 13, 1950	20.61	May 12	20.54
Aug. 24	19.21				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B11-3-13cb. C. Vulk. 30-inch dug well, 29 feet deep. Measuring point, top of casing, 0.9 foot above land surface. (3).					
Apr. 14, 1949	25.85	July 13, 1950	18.47	Aug. 16, 1951	16.48
May 19	22.10	Aug. 10	16.27	Sept. 20	18.31
June 22	18.14	Sept. 13	19.70	Oct. 9	21.26
July 26	17.62	Oct. 12	21.45	Nov. 20	22.36
Aug. 23	17.85	Nov. 17	21.98	Dec. 18	23.17
Sept. 26	21.16	Dec. 12	22.45	Jan. 18, 1952	23.43
Oct. 16	21.45	Jan. 9, 1951	22.79	Feb. 15	23.88
Dec. 10	22.23	Feb. 13	23.95	Mar. 18	25.17
Jan. 12, 1950	23.66	Mar. 15	24.44	June 18	19.33
Feb. 9	24.70	Apr. 12	24.74	Sept. 17	17.13
Mar. 9	24.45	May 10	24.52	Dec. 18	21.27
Apr. 7	25.01	June 17	20.26	Mar. 20, 1953	25.38
May 11	24.97	July 19	21.91	June 18	22.72
June 12	18.89				
B11-3-13dd. North Pumping Station. 48-inch dug well, 9.4 feet deep. Measuring point, top of platform, 1.0 foot above land surface. (3).					
June 23, 1949	4.00	Oct. 16, 1949	4.22	Aug. 10, 1950	3.01
July 26	3.10	Dec. 10	4.50	Sept. 13	3.11
Aug. 23	3.75	July 13, 1950	3.53	Oct. 12	4.06
Sept. 26	3.87				
B11-3-14bb. Miller. 36-inch dug well, 65 feet deep. Measuring point, top of platform, 0.2 foot above land surface. (3).					
Apr. 14, 1949	61.70	July 13, 1950	57.01	Aug. 16, 1951	55.34
May 19	60.60	Aug. 10	56.52	Sept. 20	56.56
June 22	59.08	Sept. 13	56.00	Oct. 9	56.64
July 26	57.16	Oct. 12	56.35	Nov. 20	57.52
Aug. 23	55.65	Nov. 17	57.12	Dec. 18	58.11
Sept. 26	55.64	Dec. 12	57.86	Jan. 18, 1952	58.16
Oct. 16	55.91	Jan. 9, 1951	57.63	Feb. 15	59.21
Dec. 10	57.12	Feb. 13	58.50	Mar. 18	60.32
Jan. 12, 1950	58.04	Mar. 15	59.66	June 18	57.65
Feb. 9	58.64	Apr. 12	60.20	Sept. 17	53.69
Mar. 9	59.25	May 10	60.66	Dec. 18	55.83
Apr. 7	59.75	June 17	60.40	Mar. 20, 1953	60.40
May 11	60.40	July 19	58.59	June 18	58.35
June 12	58.74				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B11-3-15bc. W. Darcy. 48-inch dug well, 17.6 feet deep. Measuring point, top of platform, 6.5 feet below land surface. (3).

Apr. 14, 1949	14.87	July 26, 1949	6.30	Sept. 26, 1949	9.18
May 18	13.80	Aug. 23	7.62	Oct. 16	10.84
June 22	7.25				

B11-3-15dd. N. Stranberg. 36x48-inch dug well, 13.3 feet deep. Measuring point, top of platform, 0.7 foot above land surface. (3).

Apr. 14, 1949	11.36	July 13, 1950	8.17	Aug. 16, 1951	8.16
May 18	10.20	Aug. 10	8.08	Sept. 20	9.12
June 22	10.56	Sept. 13	9.07	Oct. 9	9.14
July 26	8.16	Oct. 12	9.33	Nov. 20	9.00
Aug. 23	7.07	Nov. 17	9.19	Dec. 18	9.67
Sept. 26	8.49	Dec. 12	9.45	Jan. 18, 1952	10.34
Oct. 16	8.67	Jan. 9, 1951	9.50	Feb. 15	10.54
Dec. 10	8.90	Feb. 13	10.18	Mar. 18	11.01
Jan. 12, 1950	9.91	Mar. 15	10.90	June 18	10.19
Feb. 9	10.65	Apr. 12	10.59	Sept. 17	8.85
Mar. 9	10.60	May 10	10.06	Dec. 18	8.30
Apr. 7	10.73	June 17	10.24	Mar. 20, 1953	11.13
May 11	10.62	July 19	9.04	June 18	8.77
June 12	8.82				

B11-3-16cb. D. Gentry. 6-inch drilled well, 28.7 feet deep. Measuring point, top of casing, 1.3 feet above land surface. (3).

Apr. 13, 1949	20.92	June 22, 1949	13.05	Aug. 23, 1949	10.36
May 18	20.30	July 26	9.20	Sept. 26	13.90

B11-3-16dd. A. Thompson. 24-inch dug well, 8.7 feet deep. Measuring point, top of casing, 0.6 foot above land surface. (3).

Apr. 18, 1949	5.60	Dec. 10, 1949	5.75	June 12, 1950	1.74
May 22	3.99	Jan. 12, 1950	6.81	July 13	4.03
July 26	5.38	Feb. 9	7.52	Aug. 10	5.06
Aug. 23	6.01	Mar. 9	6.91	Sept. 13	5.20
Sept. 26	6.12	Apr. 7	6.41	Oct. 12	5.36
Oct. 16	6.51	May 11	5.29	Nov. 17	5.18

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B11-3-17cd. Lutz. 48-inch dug and drilled well, 25.4 feet deep. Measuring point, top of platform, 0.2 foot above land surface. (3).					
Apr. 13, 1949	21.45	June 22, 1949	17.26	Aug. 23, 1949	13.58
May 18	19.20	July 26	15.80	Sept. 26	15.37
B11-3-18dd. W. Taylor. 24-inch dug well, 42.6 feet deep. Measuring point, top of platform, 0.9 foot above land surface. (3).					
Apr. 13, 1949	36.40	June 22, 1949	35.15	Aug. 22, 1949	32.65
May 18	35.00	July 26	33.55	Sept. 26	32.79
B11-3-19ad. E. Charlton. 6-inch drilled well, 63 feet deep. Measuring point, top of casing, 4.2 feet below land surface. (3).					
Apr. 13, 1949	32.62	May 11, 1950	32.47	Apr. 12, 1951	32.46
May 18	30.20	June 12	30.31	May 10	33.83
June 22	30.15	July 13	30.05	June 17	31.18
July 26	30.05	Aug. 10	29.42	July 19	29.91
Aug. 23	27.66	Sept. 13	28.78	Aug. 16	26.94
Sept. 26	28.99	Oct. 12	29.30	Sept. 20	28.51
Oct. 16	29.70	Nov. 17	30.54	Oct. 9	28.35
Dec. 10	30.97	Dec. 12	31.03	Nov. 20	29.54
Jan. 12, 1950	31.77	Jan. 9, 1951	31.66	Dec. 18	30.41
Feb. 9	32.29	Feb. 13	32.57	Jan. 18, 1952	31.23
Mar. 9	32.72	Mar. 15	32.29	Feb. 15	31.67
Apr. 7	32.96				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B11-3-20bb. J. Agato. 11-inch drilled well, 165 feet deep. Measuring point, top of casing, 1.4 feet above land surface. (3).					
Jan. 8, 1949	30.32	May 11, 1950	33.17	July 19, 1951	29.86
Feb. 9	31.29	June 12	31.59	Aug. 16	26.39
Mar. 10	32.57	July 13	30.20	Sept. 20	27.74
Apr. 12	32.85	Aug. 10	29.23	Oct. 9	28.30
June 21	31.00	Sept. 13	29.23	Nov. 20	29.12
July 26	29.07	Oct. 12	29.75	Dec. 18	29.57
Aug. 23	28.22	Nov. 17	30.54	Jan. 18, 1952	30.28
Sept. 23	28.78	Dec. 12	31.13	Feb. 15	30.94
Oct. 16	29.39	Jan. 9, 1951	31.54	Mar. 18	31.29
Dec. 10	30.66	Feb. 13	32.15	June 18	29.27
Jan. 12, 1950	31.50	Mar. 15	32.27	Sept. 17	27.04
Feb. 9	32.03	Apr. 12	31.37	Dec. 18	30.30
Mar. 9	32.54	May 10	32.78	Mar. 20, 1953	32.24
Apr. 7	32.88	June 17	31.62	June 18	31.89
B11-3-21dcl. Masonic Home. 60-inch dug well, 29.9 feet deep. Measuring point, top of platform, 2.6 feet above land surface. (3).					
Apr. 14, 1949	7.54	July 13, 1950	2.66	Aug. 14, 1951	2.12
May 18	5.89	Aug. 10	5.27	Sept. 21	5.36
June 22	1.63	Sept. 13	5.56	Oct. 9	6.33
July 26	3.79	Oct. 12	6.06	Nov. 20	7.37
Aug. 23	4.82	Nov. 17	7.30	Dec. 18	8.02
Sept. 26	7.02	Dec. 12	7.57	Jan. 18, 1952	8.24
Oct. 16	7.17	Jan. 9, 1951	7.81	Feb. 15	8.37
Dec. 10	7.81	Feb. 13	8.08	Mar. 18	8.53
Jan. 12, 1950	8.13	Mar. 15	8.25	June 18	3.57
Feb. 9	8.31	Apr. 12	7.92	Sept. 17	5.93
Mar. 9	8.54	May 10	7.86	Dec. 18	8.40
Apr. 7	8.41	June 17	4.44	Mar. 20, 1953	8.73
May 11	8.42	July 19	5.57	June 18	6.90
June 12	3.51				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

**B11-3-21dc2. Masonic Home. 72-inch driven well, 22.4 feet deep.
Measuring point, top of curb, 1.3 feet above land surface. (3).**

Apr. 14, 1949	9.90	Dec. 10, 1949	10.03	June 12, 1950	9.95
May 18	7.45	Jan. 12, 1950	10.30	July 13	9.87
June 22	8.91	Feb. 9	10.45	Aug. 10	9.60
July 26	8.47	Mar. 9	10.66	Sept. 13	9.74
Aug. 23	9.07	Apr. 7	10.05	Oct. 12	9.80
Sept. 26	9.70	May 11	10.00	Nov. 17	9.73
Oct. 15	9.82				

**B11-3-22cb. _____ 36-inch dug well, 6.6 feet deep.
Measuring point, top of casing, 0.0 foot above land surface. (3).**

Apr. 14, 1949	4.00	Sept. 26, 1949	6.15	Aug. 10, 1950	4.86
May 18	3.40	Oct. 16	6.21	Sept. 13	5.82
June 22	3.82	May 11, 1950	3.96	Oct. 12	5.97
July 26	5.15	June 12	3.97	Nov. 17	4.55
Aug. 25	5.05	July 13	5.02		

**B11-3-22cc. C. Siewert. 16-inch dug well, 13.2 feet deep.
Measuring point, top of platform, 1.0 foot above land surface. (3).**

Apr. 14, 1949	7.32	July 13, 1950	7.51	Aug. 16, 1951	5.64
June 22	3.28	Aug. 10	6.11	Sept. 20	7.05
July 26	4.75	Sept. 13	8.34	Oct. 9	7.60
Aug. 22	5.48	Oct. 12	8.50	Nov. 20	7.79
Sept. 26	7.93	Nov. 17	8.31	Dec. 18	7.87
Oct. 16	8.21	Dec. 12	8.12	Feb. 15, 1952	8.09
Dec. 10	8.08	Jan. 9, 1951	7.99	Mar. 18	8.31
Jan. 12, 1950	8.48	Feb. 13	8.35	June 18	5.45
Feb. 9	8.58	Mar. 15	8.54	Sept. 17	7.48
Mar. 9	8.08	Apr. 12	8.43	Dec. 18	9.01
Apr. 7	7.72	May 10	7.16	Mar. 20, 1953	9.22
May 11	7.24	June 17	6.71	June 18	6.18
June 12	4.64	July 19	6.44		

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B11-3-25dc. F. Miller. 72-inch dug well, 12 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).					
May 19, 1949	6.20	Oct. 19, 1949	6.67	Aug. 11, 1950	6.91
June 23	7.00	May 12, 1950	6.41	Sept. 18	7.02
July 26	7.58	June 13	6.25	Oct. 13	6.50
Aug. 24	7.42	July 14	6.17	Nov. 17	6.78
Sept. 27	7.14				
B11-3-30ad1. W. Rositter. 36-inch dug well, 11.9 feet deep. Measuring point, top of platform, 0.5 foot above land surface. (3).					
Apr. 13, 1949	7.25	July 25, 1949	4.40	Oct. 16, 1949	7.52
May 17	6.30	Aug. 22	4.98	Dec. 10	7.98
June 21	6.05	Sept. 23	6.57		
B11-3-30ad2. H. Ebert. 36-inch dug well, 10.2 feet deep, (drilled to 37 feet). Measuring point, top of pump platform, 3.4 feet below land surface.					
Apr. 13, 1949	3.21	Dec. 10, 1949	3.90	June 7, 1950	1.35
May 17	2.00	Jan. 12, 1950	4.39	July 13	.52
June 21	2.20	Feb. 9	4.46	Aug. 10	.59
July 25	2.05	Mar. 9	4.57	Sept. 13	1.98
Aug. 22	1.25	Apr. 7	4.22	Oct. 12	2.47
Oct. 16	3.32	May 11	3.75	Nov. 17	3.52
B11-3-30cc. Quist. 36-inch dug well, 26.4 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).					
Apr. 13, 1949	23.42	Dec. 10, 1949	24.50	June 12, 1950	18.52
May 18	23.00	Jan. 12, 1950	25.14	July 13	17.50
June 21	17.13	Feb. 9	25.52	Aug. 10	21.04
July 26	21.08	Mar. 4	25.54	Sept. 13	22.30
Aug. 22	22.85	Apr. 7	25.45	Oct. 12	22.78
Sept. 23	23.21	May 11	23.50	Nov. 17	24.66
Oct. 16	23.80				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B11-3-30da. L. Frank. 36-inch dug well, 16.0 feet deep. Measuring point, top of platform, 0.4 foot above land surface. (3).					
July 25, 1949	4.65	Oct. 12, 1950	5.46	Oct. 9, 1951	4.69
Aug. 22	5.10	Nov. 17	5.98	Nov. 20	4.38
Sept. 23	5.76	Dec. 12	6.04	Dec. 18	4.63
Oct. 16	5.78	Jan. 9, 1951	6.07	Jan. 18, 1952	5.20
Dec. 10	6.36	Feb. 13	5.10	Feb. 15	5.23
Apr. 7, 1950	5.25	Apr. 12	4.65	Mar. 18	5.60
May 11	4.83	May 10	3.79	June 18	3.97
June 7	4.94	June 17	3.76	Sept. 17	4.58
July 13	2.43	July 19	2.51	Dec. 18	6.07
Aug. 10	3.18	Aug. 16	3.28	Mar. 20, 1953	6.12
Sept. 13	5.00	Sept. 20	4.76	June 18	4.47
B11-3-31cc. Mills. 6-inch drilled well, 110 feet deep. Measuring point, top of casing, 0.8 foot above land surface. (3).					
Apr. 13, 1949	9.70	July 13, 1950	6.30	Aug. 16, 1951	5.79
May 18	8.30	Aug. 10	7.01	Sept. 20	6.55
June 22	4.65	Sept. 13	7.75	Oct. 9	6.71
July 26	5.82	Oct. 12	8.08	Nov. 20	7.12
Aug. 22	6.76	Nov. 17	8.31	Dec. 18	8.23
Sept. 23	7.66	Dec. 12	8.58	Jan. 18, 1952	8.14
Oct. 16	8.20	Jan. 9, 1951	8.76	Feb. 15	8.70
Dec. 10	9.06	Feb. 13	9.12	Mar. 18	8.89
Jan. 12, 1950	9.62	Mar. 15	9.35	June 18	5.61
Feb. 4	9.98	Apr. 12	9.06	Sept. 17	9.08
Mar. 4	10.17	May 10	9.01	Dec. 18	10.60
Apr. 7	10.25	June 17	2.99	Mar. 20, 1953	10.82
May 11	10.20	July 19	4.93	June 18	5.45
June 12	2.29				

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B11-3-31da. J. Parent. 36-inch dug well, 10.9 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).

Apr. 13, 1949	6.00	June 7, 1950	4.02	July 19, 1951	4.11
May 17	3.80	July 13	4.20	Aug. 16	5.19
June 21	4.20	Aug. 10	5.63	Sept. 20	5.58
July 25	5.85	Sept. 13	6.62	Oct. 9	5.78
Aug. 22	6.64	Oct. 12	6.55	Nov. 20	6.00
Sept. 23	6.71	Nov. 17	6.52	Dec. 18	6.24
Oct. 16	6.72	Dec. 12	6.58	Jan. 18, 1952	6.64
Dec. 10	6.90	Jan. 9, 1951	6.65	Feb. 15	6.56
Jan. 12, 1950	6.97	Feb. 13	6.62	Mar. 18	6.88
Feb. 9	6.95	Mar. 15	7.01	June 18	5.13
Mar. 9	7.00	Apr. 12	6.24	Sept. 17	6.82
Apr. 7	6.70	May 10	6.09	Dec. 18	7.03
May 11	6.66	June 17	4.29		

B11-3-32cb. T. Evans. 48x72-inch dug well, 13.2 feet deep. Measuring point, top of platform, 0.0 foot above land surface. (3).

Apr. 13, 1949	5.92	Sept. 23, 1949	6.75	July 13, 1950	4.21
May 17	4.10	Oct. 16	6.80	Aug. 10	5.61
June 21	4.25	Dec. 10	7.00	Sept. 13	6.53
July 25	5.77	May 11, 1950	6.75	Oct. 12	6.50
Aug. 22	6.56	June 7	4.25	Nov. 17	6.42

B11-3-32cc1. R. Ehlers. 48-inch dug well, 12.3 feet deep. Measuring point, top of platform, 5.7 feet below land surface. (3).

June 21, 1949	8.65	Oct. 16, 1949	10.55	July 13, 1950	8.10
July 25	8.55	Dec. 10	11.05	Aug. 10	8.55
Aug. 22	9.78	May 11, 1950	10.88	Sept. 13	9.53
Sept. 23	10.28	June 7	9.54	Oct. 12	10.18

B11-3-32db1. R. Kelly. 48-inch dug well, 60 feet deep. Measuring point, top of curb, 6.0 feet above land surface. (3).

Apr. 13, 1949	3.05	Sept. 23, 1949	4.80	July 13, 1950	3.01
May 17	2.20	Oct. 16	4.70	Aug. 10	3.51
June 21	3.35	Apr. 7, 1950	3.68	Sept. 13	4.25
July 25	4.00	May 11	3.67	Oct. 12	4.20
Aug. 22	4.60	June 7	2.42	Nov. 16	3.95

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
B11-3-32db2. R. Kelly. 60-inch dug well, 8.2 feet deep. Measuring point, top of platform, 1.0 foot above land surface. (3).					
Apr. 13, 1949	1.75	Sept. 23, 1949	3.30	July 13, 1950	2.54
May 17	1.45	Apr. 7, 1950	2.20	Aug. 10	2.45
June 21	2.55	May 11	2.63	Sept. 13	3.35
July 25	3.25	June 7	2.28	Oct. 12	3.07
Aug. 22	3.60				
B11-3-32dc. A. Schatz. 36-inch dug well, 15.9 feet deep. Measuring point, top of casing, 1.9 feet above land surface. (3).					
Apr. 13, 1949	6.32	July 8, 1950	4.69	Aug. 16, 1951	6.03
May 17	4.30	Aug. 10	6.02	Sept. 20	6.73
June 21	4.05	Sept. 13	7.21	Oct. 9	6.59
July 25	6.60	Oct. 12	7.65	Nov. 20	6.59
Aug. 22	7.48	Nov. 16	6.26	Dec. 18	6.65
Sept. 23	7.82	Dec. 12	6.65	Jan. 18, 1952	6.81
Oct. 16	7.87	Jan. 9, 1951	6.67	Feb. 15	6.78
Dec. 10	7.94	Feb. 13	6.84	Mar. 18	6.89
Jan. 12, 1950	8.10	Mar. 15	7.02	June 18	6.41
Feb. 9	8.10	Apr. 12	6.39	Sept. 17	8.24
Mar. 9	7.63	May 10	5.38	Dec. 18	8.72
Apr. 7	7.22	June 17	4.74	Mar. 20, 1953	7.28
May 11	6.67	July 19	4.24	June 18	4.10
June 7	4.73				
B11-3-33cc. W. Thiel. 30-inch dug well, 7.9 feet deep. Measuring point, top of platform, 0.6 foot above land surface. (3).					
Apr. 14, 1949	2.37	Jan. 12, 1950	4.38	Sept. 13, 1950	4.10
May 18	1.80	Feb. 9	4.28	Oct. 12	3.80
June 22	3.75	Mar. 9	3.43	Nov. 17	3.23
July 26	4.25	Apr. 7	3.12	Dec. 12	3.02
Aug. 24	4.55	May 11	3.28	Jan. 9, 1951	3.38
Sept. 26	4.40	June 13	2.25	Feb. 13	2.96
Oct. 19	4.27	July 13	3.38	Mar. 15	3.39
Dec. 10	4.20	Aug. 10	3.51	Apr. 12	2.77

Lewis and Clark County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

B11-3-34cc2. State of Montana. 72-inch dug pit outside 8-inch drilled well, 17 feet deep. Measuring point, concrete floor of pump house, 1.8 feet above land surface.

July 22, 1948	3.95	May 18, 1949	2.40	Mar. 10, 1950	3.80
Aug. 24	4.69	June 21	2.85	Apr. 7	3.97
Sept. 22	4.65	July 26	4.78	May 11	4.11
Oct. 21	4.26	Aug. 24	4.93	June 13	3.47
Dec. 3	4.21	Sept. 26	4.11	July 13	4.49
Jan. 4, 1949	4.02	Oct. 19	4.33	Aug. 10	4.27
Feb. 9	4.75	Dec. 10	4.41	Sept. 18	4.42
Mar. 9	4.15	Jan. 12, 1950	4.50	Oct. 13	4.04
Apr. 14	3.75	Feb. 10	4.07	Nov. 17	4.36

B11-3-35ac. _____. 2-inch bored observation well, 4 feet deep. Measuring point, top of casing, 0.1 foot above land surface. (3).

June 21, 1949	2.30	Aug. 23, 1949	2.53	Oct. 19, 1949	1.70
July 26	2.50	Sept. 27	1.90		

B11-3-36cd. D. Gibson. 48-inch dug well, 9.2 feet deep. Measuring point, top of platform, 0.7 foot above land surface. (3).

Apr. 15, 1949	2.49	May 12, 1950	2.81	Feb. 13, 1951	2.73
May 19	2.40	June 12	2.74	May 10	3.03
June 23	2.53	July 14	2.69	June 17	2.23
July 26	3.07	Aug. 11	2.69	July 19	3.56
Aug. 23	3.76	Sept. 18	2.74	Aug. 16	3.31
Sept. 27	3.44	Oct. 13	2.77	Sept. 20	4.08
Oct. 19	3.01	Nov. 17	2.43	Oct. 9	2.71
Dec. 11	3.56	Dec. 12	3.37	Dec. 18	3.34
Apr. 8, 1950	2.92	Jan. 9, 1951	3.05		

Prairie County

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

All-50-17ac. Art Martin. 36-inch dug well, 21 feet deep. Measuring point, top of casing, 1.1 feet above land surface. (10).

Jan. 29, 1950	10.45	Aug. 31, 1950	10.71	May 23, 1951	11.30
Feb. 28	10.58	Dec. 29	11.07	Aug. 30	8.08
May 28	11.08	Jan. 30, 1951	10.92	Sept. 26	8.35
June 30	10.97	Feb. 28	11.05	Oct. 25	8.74
July 30	11.12	Mar. 28	11.62	Nov. 28	9.11

All-50-30aa. Ray Gaffield. 36-inch dug well, 13.5 feet deep. Measuring point, top of casing, 2.1 feet above land surface. (10).

Mar. 31, 1950	8.03	Aug. 31, 1950	6.46	Aug. 30, 1951	5.84
May 4	7.70	Sept. 29	6.62	Sept. 26	6.13
May 28	7.93	Oct. 31	6.57	Oct. 25	6.14
June 27	7.69	Dec. 29	6.62	Nov. 28	6.00
July 30	6.57	May 23, 1951	6.45		

Al2-51-16dc. H. C. Stith. 2-inch driven well, 27.3 feet deep. Measuring point, top of casing, 0.3 foot above land surface. (10).

Jan. 29, 1950	19.23	Oct. 30, 1950	19.32	July 26, 1951	19.12
Feb. 28	19.28	Nov. 29	19.56	Aug. 30	18.86
Mar. 31	19.13	Dec. 29	19.78	Sept. 26	18.76
May 5	19.15	Jan. 30, 1951	19.16	Oct. 25	18.68
May 28	19.30	Feb. 28	18.96	Nov. 28	18.61
June 27	19.23	Mar. 29	18.98	Dec. 26	16.15
July 30	19.22	Apr. 26	19.01	Feb. 5, 1952	18.98
Aug. 31	19.01	May 23	19.17	Apr. 21	18.70
Sept. 29	19.16	June	19.16		

Al2-52-lad. A. Schwartz. 31-inch dug well, 33.4 feet deep. Measuring point, top of cover, 0.9 foot above land surface. (10).

Jan. 31, 1950	30.90	Dec. 28, 1950	30.16	July 26, 1951	28.81
Feb. 28	31.01	Jan. 30, 1951	30.21	Aug. 30	28.59
Mar. 31	30.88	Feb. 28	30.20	Sept. 26	28.25
June 30	30.87	Mar. 29	30.17	Oct. 25	28.59
July 31	30.58	Apr.	30.30	Nov. 28	28.59
Aug. 31	30.31	May 23	30.67	Dec. 26	28.76
Oct. 30	30.25	June	29.11	Apr. 18, 1952	28.87

Prairie County--Continued

Date	Water level	Date	Water level	Date	Water level
------	-------------	------	-------------	------	-------------

A13-52-34ac2. _____. 24-inch dug well, 24.2 feet deep.
Measuring point, base of pump, 0.4 foot above land surface. (10).

Jan. 31, 1950	18.86	Aug. 31, 1950	18.77	Apr. , 1951	18.36
Feb. 28	18.97	Oct. 30	18.27	May 23	18.55
Mar. 31	18.80	Dec. 28	18.18	June	18.19
May 30	18.75	Jan. 30, 1951	19.37	July 26	17.95
June 30	19.92	Feb. 28	18.12	Aug. 30	17.55
July 31	19.74	Mar. 29	18.31	Sept.26	17.37

A13-52-34ac4. David Caphart. 36-inch dug well, 19 feet deep.
Measuring point, top of casing, 0.8 foot above land surface. (10).

Jan. 31, 1950	16.27	Dec. 28, 1950	15.30	July 26, 1951	14.88
Feb. 28	16.39	Jan. 30, 1951	15.30	Aug. 30	14.21
Mar. 31	16.33	Feb. 28	15.25	Sept.26	13.92
May 31	16.22	Mar. 29	15.29	Oct. 25	13.62
June 30	16.29	Apr.	15.33	Nov. 28	13.66
July 31	16.34	May 23	15.46	Dec. 26	14.23
Aug. 31	15.94	June	15.13	Apr. 18, 1952	12.37
Oct. 30	15.47				

A13-52-34ad2. John Kessler. 24-inch dug well, 20.3 feet deep.
Measuring point, top of casing, 1.2 feet above land surface. (10).

Jan. 31, 1950	15.59	Dec. 28, 1950	14.96	July 26, 1951	14.67
Feb. 28	15.65	Jan. 30, 1951	15.14	Aug. 30	14.40
Mar. 31	15.47	Feb. 28	14.91	Sept.26	14.16
May 31	15.61	Mar. 29	14.96	Oct. 25	13.94
June 30	15.79	Apr.	15.00	Nov. 28	13.90
July 31	15.88	May 23	15.06	Dec. 26	13.96
Aug. 31	15.37	June	14.78	Apr. 18, 1952	13.90
Oct. 30	15.13				

A13-52-34bd. August Fisher. 24-inch dug well, 23.2 feet deep.
Measuring point, base of pump, 0.2 foot above land surface. (10).

Jan. 31, 1950	18.02	Oct. 30, 1950	16.09	June , 1951	15.35
Feb. 28	18.11	Dec. 28	15.99	July 26	15.00
Mar. 31	17.99	Jan. 30, 1951	16.00	Aug. 30	14.83
Apr. 30	17.80	Feb. 28	15.97	Sept.26	14.20
May 31	17.74	Mar. 29	16.12	Oct. 25	14.75
June 30	17.00	Apr.	16.42	Nov. 28	14.91
July 31	16.87	May 23	17.45	Apr. 18, 1952	15.25
Aug. 31	16.48				

Prairie County--Continued

Date	Water level	Date	Water level	Date	Water level
A13-52-34cal. John Middlestaedt. 36-inch dug well, 21.8 feet deep. Measuring point, top of casing, 0.45 foot above land surface. (10).					
Jan. 31, 1950	18.08	Aug. 31, 1950	17.74	Apr. ,1951	17.16
Feb. 28	18.16	Oct. 30	17.72	May 23	17.23
Mar. 31	18.04	Dec. 28	17.10	June	16.78
May 4	17.99	Jan. 30, 1951	17.05	July 26	16.44
May 31	18.03	Feb. 28	17.03	Aug. 30	15.82
June 30	18.07	Mar. 29	17.12	Sept.26	15.56
July 31	18.02				
A13-52-34ca2. Hoffer. 24-inch dug well, 17 feet deep. Measuring point, top of casing, 1.1 feet above land surface. (10).					
Jan. 30, 1950	14.95	Aug. 31, 1950	15.11	Apr. , 1951	14.71
Feb. 28	14.89	Oct. 30	14.27	May 23	15.19
Mar. 31	14.83	Dec. 28	15.43	June	14.95
May 4	14.97	Jan. 30, 1951	14.50	July 26	14.11
May 31	15.02	Feb. 28	14.49	Aug. 30	13.56
June 30	14.82	Mar. 29	14.55	Sept.26	13.70
July 31	15.39				
A13-52-34cb. H. C. Gifford. 30-inch dug well, 19.9 feet deep. Measuring point, land surface. (10).					
Jan. 31, 1950	17.58	Dec. 28, 1950	17.33	July 26, 1951	16.10
Feb. 28	17.71	Jan. 30, 1951	16.23	Aug. 30	15.82
Mar. 31	17.65	Feb. 28	16.90	Sept.26	15.77
May 31	17.92	Mar. 29	17.40	Oct. 25	15.80
June 30	17.83	Apr.	17.31	Nov. 28	15.92
July 31	17.54	May 23	17.20	Dec. 26	18.00
Aug. 31	17.37	June	16.52	Apr. 18, 1952	16.18
Oct. 30	17.24				
A13-52-34dal. Fred Kaul, Sr. 30-inch dug well, 19.7 feet deep. Measuring point, top of casing, 0.5 foot above land surface. (10).					
Jan. 31, 1950	16.96	Aug. 31, 1950	16.52	Apr. , 1951	16.28
Feb. 28	17.18	Oct. 30	16.85	May 23	16.20
Mar. 31	16.89	Dec. 28	16.55	June	16.11
Apr. 30	16.70	Jan. 30, 1951	16.32	July 26	15.90
May 31	16.90	Feb. 28	16.01	Aug. 30	15.53
June 30	16.72	Mar. 29	16.30	Sept.26	15.45
July 31	16.69				

Prairie County--Continued

Date	Water level	Date	Water level	Date	Water level
A13-52-34db2. Christopp. 36-inch dug well, 22.8 feet deep. Measuring point, top of cover, 0.8 foot above land surface. (10).					
Jan. 31, 1950	19.93	Oct. 30, 1950	18.98	July 26, 1951	18.43
Feb. 28	20.01	Dec. 28	18.81	Aug. 30	18.92
Mar. 31	19.79	Jan. 30, 1951	18.87	Sept. 26	17.60
Apr. 30	19.42	Feb. 28	18.79	Oct. 25	17.70
May 31	19.58	Mar. 29	18.86	Nov. 28	17.69
June 30	19.61	Apr.	18.91	Dec. 26	17.79
July 31	19.62	May 23	19.05	Apr. 18, 1952	17.83
Aug. 31	19.38	June	18.65		

A13-53-19ddc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19.9 feet deep.
Measuring point, top of pipe, 4.0 feet above land surface. (6).

May 2, 1952	16.88	Mar. 7, 1953	16.47	Aug. 25, 1953	15.67
Sept. 6	15.40				

A13-53-20aac. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.5 feet deep.
Measuring point, top of pipe, 4.7 feet above land surface. (6).

May 2, 1952	10.80	Mar. 17, 1953	10.37		
-------------	-------	---------------	-------	--	--

A13-53-20dca. USGS. $\frac{3}{4}$ -inch bored and jetted well, 16.4 feet deep.
Measuring point, top of pipe, 4.0 feet above land surface. (6).
Depth to water, May 2, 1952, 4.90 feet.

A13-53-29acb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.1 feet deep.
Measuring point, top of pipe, 3.5 feet above land surface. (6).
Depth to water, May 2, 1952, 9.29 feet.

A13-53-29bbc. USGS. $\frac{3}{4}$ -inch bored and jetted well, 12.0 feet deep.
Measuring point, top of pipe, 3.4 feet above land surface. (6).
Depth to water, May 2, 1952, 8.06 feet.

A13-53-29bcd1. USGS. $\frac{3}{4}$ -inch bored and jetted well, 23.5 feet deep.
Measuring point, top of pipe, 4.8 feet above land surface. (6).
Depth to water, May 2, 1952, 5.35 feet.

A13-53-29bdb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 16.5 feet deep.
Measuring point, top of pipe, 5.0 feet above land surface. (10).
Depth to water, May 2, 1952, 3.32 feet.

Prairie County--Continued

Date	Water level	Date	Water level	Date	Water level
A13-53-30add. USGS. $\frac{3}{4}$ -inch bored and jetted well, 23.4 feet deep. Measuring point, top of pipe, 3.0 feet above land surface. (6).					
May 2, 1952	10.12	Mar. 17, 1953	10.34	Aug. 25, 1953	8.75
A13-53-30bbb. USGS. $\frac{3}{4}$ -inch bored and jetted well, 33.2 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
Sept. 6, 1952	25.52	Mar. 17, 1953	27.35		
A13-53-30bdd. USGS. $\frac{3}{4}$ -inch bored and jetted well, 18.3 feet deep. Measuring point, top of pipe, 4.0 feet above land surface. (6).					
May 2, 1952	12.38	Aug. 25, 1953	11.70		
A13-53-30dac. USGS. $\frac{3}{4}$ -inch bored and jetted well, 19 feet deep. Measuring point, top of pipe, 5.1 feet above land surface. (6).					
May 2, 1952	12.36	Aug. 25, 1953	13.40		