



DISTRIBUTION OF Se

246 Sample number in tables 18, 19, 20, 21, and 22.

- 4 Chemical or Spectrographic Assay
- x Carnotite deposit
- o Copper deposit
- Δ Manganese deposit
- Mineralized outcrop

— Fault — Fold
 Dotted where concealed.
 Earliest determinable movement in the early Quaternary.

— Fault — Fold
 Dotted where concealed.
 Earliest determinable movement in the middle Tertiary.

— Fault — Fold
 Dotted where concealed.
 Earliest determinable movement in the Tertiary.

UNITS

- 1 = 1 ppm.
- 2 = 1-9 ppm.
- 3 = 10-99 ppm.
- 4 = 50-99 ppm.
- 5 = 100-199 ppm.
- 6 = 150-199 ppm.
- 7 = 200 ppm.

U. S. Geological Survey
 OPEN FILE MAP
 This map is preliminary and has not been edited or reviewed for conformity with Geological Survey standards or nomenclature.

J. S. ATOMIC ENERGY COMMISSION
 PREPARED IN COOPERATION WITH THE

Scale: 1:20,000

SKETCH MAP OF PART OF THE KLONDIKE DISTRICT

GEOLOGY AND ORE DEPOSITS OF THE KLONDIKE RIDGE AREA