


U.S. GEOLOGICAL SURVEY.

REPORTS OPEN FILE. NO. 628.

(200)
R29o
no. 628

181209



CLASS
(200) R290

no. 628, 1962

(200)
R290



✓
U. S. GEOLOGICAL SURVEY.


REPORTS OPEN FILE. NO. 628.



SEP 21 1962

(200)
R290
no. 628

Provisional geologic map of the crystalline rocks of South Carolina



country
William C. Overstreet ¹⁹¹⁹⁻ and Henry Bell ¹⁹²³⁻ 3d

*map in
map drawer
cm.*

Sources

Abbeville County (19)

- a. Lesh, F. R., Geib, W. J., Shearin, A. E., Wanser, D. H., and Lee, W. C., 1937, Soil survey of Abbeville County, South Carolina: U.S. Bur. Chem. and Soils, ser. 1932, no. 18, p. 1-36, map.
- b. Taylor, F. W., and Rice, T. D., 1903, Soil survey of the Abbeville area, South Carolina: U.S. Bur. Soils, Advance sheet, field operations 1902, p. 273-289, map.
- c. Trend of planar features from Caldwell, D. W., 1952, unpublished data; road traverses by Henry Bell, 3d, and W. C. Overstreet, May 1960; Johnson, H. S., Jr., 1960, written communication.
- d. Muscovite pegmatites from Griffitts, W. R., and Olson, J. C., 1953, Mica deposits of the southeastern Piedmont: U.S. Geol. Survey Prof. Paper 248-E, p. 293-324; Slean, Earle, 1908, Catalogue of the mineral localities of South Carolina: South Carolina State Devel. Board, Div. Geol. reprint, p. 142-149 [1958]; Caldwell, D. W., 1952; Teague, K. H., 1960, unpublished manuscript on pegmatites in northwestern South Carolina, South Carolina State Devel. Board, Div. Geol.

Aiken County (24)

- a. Lang, W. B., 1940, The sedimentary kaolinitic clays of South Carolina, in Lang, W. B., and others, Clay investigations in the southern states, 1934-35: U.S. Geol. Survey Bull. 901, pl. 2.

- b. Geology and planar features in part from Schmidt, R. G., 1960, unpublished data.

Anderson County (3)

- a. McLendon, W. E., 1910, Soil survey of Anderson County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1909, p. 5-27, map.
- b. Principal source for geology is Caldwell, D. W., 1952.
- c. Geologic interpretation along the Savannah River extrapolated from Grant, W. H., 1958, The geology of Hart County, Georgia: Georgia State Div. Conserv., Dept. Mines, Mining and Geol. Bull. 67, geologic map.
- d. Muscovite pegmatites from Criffitts, W. R., and Olson, J. C., 1953; Caldwell, D. W., 1952; Sloan, Earle, 1908; and Teague, K. H., 1960.
- e. Diabase dikes in part from Hammond, Harry, 1883, South Carolina Resources and population, institutions and industries: Charleston, S. C., South Carolina State Board of Agriculture, Geol. map, scale 1:633,600.

Cherokee County (6)

- a. Drake, J. A., and Belden, H. L., 1906, Soil survey of Cherokee County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1905, p. 5-21, map.
- b. Keith, Arthur, and Sterrett, D. B., 1931, Description of the Gaffney and Kings Mountain quadrangles, South Carolina-North Carolina: U.S. Geol. Survey Geol. Atlas, Folio 222, maps.

- c. Trend of planar features in extreme northeastern part of county from Griffitts, W. R., 1953; unpublished data by D. B. Sterrett and Arthur Keith, 1908-12, U.S. Geol. Survey; east of Gaffney from Clarke, J. W., 1958, The carbonate rocks of the Piedmont of South Carolina and a resume of the regional geology: South Carolina State Devel. Board, Div. Geol., unpublished manuscript, p. 1-69; and Theobald, P. K., Jr., 1952, unpublished data.
- d. Information on muscovite pegmatites from Griffitts, W. R., and Olson, J. C., 1953; and Sloan, Earle, 1908.

Chester County (9)

- a. McLendon, W. E., and Crabb, G. A., 1913, Soil survey of Chester County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1912, p. 5-41, map.
- b. Trend of planar features from road traverses by W. C. and E. F. Overstreet, Sept. 1959; Henry Bell, 3d, and W. C. Overstreet, May 1960.
- c. Syenite from Sloan, Earle, 1908, map.
- d. Diabase dikes from Hammond, Harry, 1883.

Chesterfield County (11)

- a. Latimer, W. J., Beck, H. W., Snyder, J. M., Cantrell, L., and Kirk, H. M., 1915, Soil survey of Chesterfield County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations, 1914, p. 3-45, map.
- b. Planar features from W. C. and E. F. Overstreet, Sept. 1959.
- c. Triassic diabase dike from Lieber, O. M., 1858, Report on the survey of South Carolina: South Carolina Geol., Mineralog. and Agri. Survey, Repts., v. 1, pl. 6.

Edgefield County (22)

- a. Lesh, F. R., Geib, W. J., Shearin, A. E., and Wanser, C. H., 1938, Soil survey of Edgefield County, South Carolina: U.S. Bur. Chem. and Soils, ser. 1935, no. 1, p. 1-56, map.
- b. Trends of folds, planar features, and diabase dikes in rocks of the Carolina slate belt from McCutchen, W. T., 1959, South Carolina State Devel. Board, Div. Geol., unpublished county geologic map.
- c. Trend of planar features in and geology of the southern part of the county from Schmidt, R. G., 1960, written communication.
- d. Outliers of Coastal Plain sediments adapted from Buie, B. F., and Robinson, C. C., 1949, The distribution and properties of the shales of South Carolina: South Carolina Research, Planning and Devel. Board, Bull. 19, geologic map.

Fairfield County (14)

- a. Carr, H. E., Welsh, F. S., Crabb, G. A., Allen, R. T., and Byers, W. C., 1913, Soil survey of Fairfield County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1911, p. 3-37, map.
- b. Planar features from Kesler, T. L., 1936, Granitic injection processes in the Columbia quadrangle, South Carolina: Jour. Geology, v. 44, no. 1, fig. 1; W. C. and E. F. Overstreet, Sept. 1959; Henry Bell, 3d, and W. C. Overstreet, May 1960.

Greenville County (4)

- a. Watkins, W. I., Snyder, J. M., and Smith, H. C., 1924, Soil survey of Greenville County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1921, p. 189-212, map.

- b. Principal geologic interpretation from Cuppels, N. P., and Caldwell, D. W., 1952, unpublished data.
- c. Diabase dikes in part from Hammond, Harry, 1883; Lieber, O. M., 1859, Report on the Survey of South Carolina: South Carolina Geol., Mineralog. and Agri. Survey, Repts., v. 3, pl. 16; and King, P. B., 1955, A geologic section across the southern Appalachians: an outline of the geology in the segment in Tennessee, North Carolina, and South Carolina, in Russell, R. J., 1955, Guides to southeastern geology: Geol. Soc. America Guidebook, geologic map.
- d. Detail at the State border projected southward from Stuckey, J. L., and Conrad, S. G., 1958, Explanatory text for a geologic map of North Carolina: North Carolina Dept. Conserv. and Devel., Div. Mineral Resources Bull. 71, geologic map.
- e. Muscovite pegmatites from Griffiths, W. R., and Olson, J. C., 1953; Caldwell, D. W., and Cuppels, N. P., 1952; Sloan, Earle, 1908; and Teague, K. H., 1960.
- f. Geology and planar features in the northern part of the county modified from Keith, Arthur, 1907, Description of the Pisgah quadrangle, North Carolina-South Carolina: U.S. Geol. Survey Geol. Atlas, Folio 147, map; and unpublished data.

Greenwood County (20)

- a. Lesh, F. R., Hendrickson, B. H., Hasty, A. H., Latimer, W. J., and Bacon, S. R., 1929, Soil survey of Greenwood County, South Carolina: U.S. Bur. Chem. and Soils, ser. 1929, no. 26, p. 1-31.
- b. Diabase dike from Hammond, Harry, 1883.
- c. Planar features by Henry Ball, 3d, and W. C. Overstreet, May 1960.

Kershaw County (13)

- a. Latimer, W. J., Cobb, W. B., McLendon, W. B., Van Dwyne, Cornelius, and Eckmann, W. S., 1922, Soil survey of Kershaw County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1919, p. 5-71, map.
- b. Planar features in the northern and central parts of the county by W. C. and E. F. Overstreet, Sept. 1959; in southern part of the county from Ridgeway, D. C., 1960, Geology of the Blaney quadrangle, South Carolina: unpublished thesis, Univ. South Carolina.

Lancaster County (10)

- a. Root, A. S., and Hurst, L. A., 1905, Soil survey of Lancaster County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1904, p. 5-20, map.
- b. Diabase dikes in part from Pardee, J. T., and Park, C. F., Jr., 1948, Gold deposits of the southern Piedmont: U.S. Geol. Survey Prof. Paper 213, pl. 32; in part from King, P. B., 1955, and in part from Hammond, Harry, 1883.
- c. Planar features from W. C. and E. F. Overstreet, Sept. 1959.

Laurens County (18)

- a. Taylor, F. W., and Rice, T. D., 1903.
- b. Principal source of geology is road traverses by Henry Bell, 3d, and W. C. Overstreet, May 1960.
- c. Alluvium from Cuppels, N. P., and Caldwell, D. W., 1952.
- d. Trend of planar features partly from Clarke, J. W., 1958; Cuppels, N. P., and Caldwell, D. W., 1952.
- e. Marble from Sloan, Earle, 1908, p. 230-233; Clarke, J. W., 1957, Contact metamorphism in Laurens County, South Carolina: South Carolina State Devel. Board, Div. Geol. Monthly Bull., v. 1, no. 4, p. 2-7.

Lexington County (16)

- a. Latimer, W. J., Van Dwyne, Cornelius, McLendon, W. E., 1925, Soil survey of Lexington County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1922, p. 153-202, map.
- b. Geology and planar features in part from Schmidt, R. G., 1960.
- c. Heron, S. D., Jr., and Johnson, H. S., Jr., 1950, Geology of the Irmo quadrangle, South Carolina: South Carolina State Devel. Board, Div. Geol., geologic map.
- d. Kesler, T. L., 1936.

Marlboro County (12)

- a. Van Dwyne, Cornelius, McLendon, W. E., Latimer, W. J., and Morrison, T. H., 1919, Soil survey of Marlboro County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1917, p. 5-73, map.

McCormick County (21)

- a. Taylor, F. W., and Rice, T. D., 1903.
- b. Syenite and quartzite from G. H. Espenshade, 1959, oral communication.
- c. Volcanic slates modified from Buie, B. F., and Robinson, C. C., 1949.
- d. Planar features in southern part of county from Smith, L. H., 1959, Reconnaissance geologic map of Carolina slate in McCormick County, S. C.: South Carolina State Devel. Board, Div. Geol., unpublished map; Schmidt, R. G., 1960.
- e. Diabase dike near Linkay Creek from Hammond, Harry, 1883.
- f. Principal source of geology is road traverses by Henry Bell, 3d, and W. C. Overstreet, May 1960.

Newberry County (17)

- a. Latimer, W. J., Morrison, T. M., and Hutton, F. Z., 1921, Soil survey of Newberry County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1918, p. 5-46, map.
- b. Trend of planar features and diabase dikes in eastern part of county from McCauley, J. F., 1959, South Carolina State Devel. Board, Div. Geol., unpublished county geologic map; elsewhere from W. C. and E. F. Overstreet, Sept. 1959.

Oconee County (1)

- a. McLendon, W. E., and Latimer, W. J., 1908, Soil survey of Oconee County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1907, p. 5-32, map.
- b. Trend of planar features in southern part of county by Caldwell, D. W., 1952; elsewhere from H. S. Johnson, Jr., 1960, written communication; W. C. Overstreet and Henry Bell, 3d, road traverses in December 1960; and Clarke, J. W., 1958, fig. 2.
- c. Muscovite pegmatites from Griffiths, W. R., and Olson, J. C., 1953; Sloan, Earle, 1903; and Teague, K. H., 1960.
- d. Quartzite extrapolated from Teague, K. H., and Furcron, A. S., 1948, Geology and mineral resources of Rabon and Habersham Counties, Georgia: Georgia Dept. Mines, Mining, and Geol., map.
- e. Whiteside granite in the Blue Ridge belt adapted from King, P. B., 1955.

- f. Biotite granite gneiss in the Inner Piedmont belt projected northeastward from Stose, G. W., and Smith, R. W., 1939, Geologic map of Georgia: Georgia Div. Mines, Mining and Geol., map; projected southwestward from Brown, C. Q., 1959, South Carolina State Devel. Board, Div. Geol., unpublished geologic map of Pickens County, S. C.
- g. Marble and dolomite from Sloan, Earle, 1908, p. 225-230; H. S. Johnson, Jr., 1960, written communication; and Clarke, J. W., 1958, fig. 2.

Pickens County (2)

- a. Shearin, A. E., Simmons, C. S., Lesh, F. R., and Wanser, C. H., 1943, Soil survey of Pickens County, South Carolina: U.S. Bur. Plant Ind., ser. 1937, no. 7, p. 1-54, map.
- b. Principal geologic interpretation from Brown, C. Q., 1959.
- c. Geology and planar features of the northern part of the county modified from Keith, Arthur, 1907 and 1904-05.
- d. Trend of planar features in southern part of county from Caldwell, D. W., 1952.
- e. Muscovite pegmatites from Criffitts, W. R., and Olson, J. C., 1953; Sloan, Earle, 1908; and Teague, K. H., 1960.
- f. Gabbro from Lieber, O. H., 1859, pl. 17.

Richland County (15)

- a. Van Dyne, Cornelius, McLendon, W. E., and Rice, T. D., 1918, Soil survey of Richland County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1916, p. 3-72, map.
- b. Heron, S. D., Jr., and Johnson, H. S., Jr., 1958.
- c. Kessler, T. L., 1936.

Saluda County (23)

- a. McLendon, W. E., 1910, Soil survey of Saluda County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1909, p. 5-33, map.
- b. Geology in part and planar features from Schmidt, R. G., 1960; Henry Bell, 3d, and W. C. Overstreet, May 1960.

Spartanburg County (5)

- a. Latimer, W. J., Dester, E. B., Perkins, S. O., Hearn, W. E., and Van Dwyne, Cornelius, 1924, Soil survey of Spartanburg County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations 1921, p. 409-449, map.
- b. Principal geologic interpretation from Cuppels, N. P., 1952, written communication.
- c. Trend of planar features in extreme eastern part of county from Clarke, J. W., 1958.
- d. Muscovite pegmatites from Griffiths, W. R., and Olson, J. C., 1953; Sloan, Earle, 1903; and Teague, K. H., 1960.

Union County (7)

- a. Lounsbury, Clarence, McLendon, W. E., and Kerr, J. A., 1914, Soil survey of Union County, South Carolina: U.S. Bur. Soils, Advance sheets, field operations, p. 3-36, map.
- b. Marble from H. S. Johnson, Jr., 1959, written communication; Johnson, H. S., Jr., 1958, Marble in Union County, South Carolina: South Carolina State Devel. Board, Div. Geol. Monthly Bull., v. 2, no. 1, p. 13-15; and Sloan, Earle, 1908, p. 233-234.
- c. Planar features from H. S. Johnson, Jr., 1960, written communication; Henry Bell, 3d, and W. C. Overstreet, May 1960.

York County (8)

- a. Drake, J. A., and Belden, H. L., 1906, Soil survey of York County, South Carolina: U.S. Bur. Soils, Advance sheet, field operations 1905, p. 5-28, map.
- b. Trend of planar features in extreme northwestern part of county from Griffitts, W. R., 1953; in eastern part of county from Henry Bell, 3d, and W. C. Overstreet, May 1960.
- c. Keith, Arthur, and Sterrett, D. B., 1931.
- d. Oligoclase tonalite adapted from Potter, D. B., 1954, High-alumina metamorphic rocks of the Kings Mountain district, North Carolina and South Carolina: U.S. Geol. Survey open-file report, pl. 1.



60) *accompanied*
190
628

Weld - Int. 2905

UNITED STATES
DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY
Washington, D. C.



For release JANUARY 4, 1962

The Geological Survey is releasing in open file the following reports. Copies are available for consultation in the Geological Survey library, 1033 GSA Bldg., Washington, D. C., and in other offices as listed:

1. Quaternary geology of the Bellevue area in Blaine and Camas Counties, Idaho, by D. L. Schmidt. 92 p., 1 pl., 43 figs., 3 tables.

2. Geologic map of the Mammoth mine area, Tintic district, Utah, by H. T. Morris. 1 map. On file in Geological Survey libraries, Bldg. 25, Federal Center, Denver, Colo., and 345 Middlefield Rd., Menlo Park, Calif.; 504 Federal Bldg., Salt Lake City, Utah; 468 New Custom House, Denver, Colo. Copies from which reproductions can be made at private expense are available in the Salt Lake City and Menlo Park offices.

3. TEI-172. Preliminary reconnaissance survey for thorium, uranium, and rare-earth oxides, Bear Lodge Mountains, Crook County, Wyoming, by V. R. Wilmarth and D. H. Johnson. 26 p., 2 figs., 4 tables. On file in Geological Survey libraries, Bldg. 25, Federal Center, Denver, Colo., and 345 Middlefield Rd., Menlo Park, Calif.; Geological Survey of Wyoming, Geology Hall, University of Wyoming, Laramie, Wyo.

4. Provisional geologic map of the crystalline rocks of South Carolina, by W. C. Overstreet, and Henry Bell, 3d. 11 p., 1 map. On file in Geological Survey libraries, Bldg. 25, Federal Center, Denver, Colo., and 345 Middlefield Rd., Menlo Park, Calif.; Room 11, Post Office Bldg., Knoxville, Tenn.; Office of District Geologist, Ground Water Branch, USGS, 627 Bull St., Columbia, S. C.; and Office of the State Geologist, State Development Board, Columbia, S. C. Copies from which reproductions can be made at private expense are available in the Ground Water Branch Office, 627 Bull St., S.C.

PAMPHLET BINDERS

This is No. 1529

also carried in stock in the following sizes

	HIGH	WIDE	THICKNESS		HIGH	WIDE	THICKNESS
	inches	inches	$\frac{1}{8}$ inch		inches	inches	$\frac{1}{8}$ inch
1523	9	7	"	1529	12	10	"
1524	10	7	"	1530	12	9 $\frac{1}{2}$	"
1525	9	8	"	1532	13	10	"
1526	9 $\frac{1}{2}$	7 $\frac{1}{2}$	"	1933	14	11	"
1527	10 $\frac{1}{2}$	7 $\frac{1}{2}$	"	1934	16	12	"
1528	11	8	"				

Other sizes made to order.

USGS LIBRARY - RESTON



3 1818 00083208 7