

(200)
R295
no. 1086



[REPORTS - OPEN FILE SERIES]

✓ ✓
U.S. Geological Survey.

Metallic mineral resources map of the
Ruby quadrangle, Alaska.

U. S. GEOLOGICAL SURVEY
MENLO PARK
JUL 24 1968
LIBRARY

(200)
R295
no. 1086

✓
UNITED STATES DEPARTMENT OF THE INTERIOR
✓✓
GEOLOGICAL SURVEY

[REPORTS - OPEN FILE SERIES]

METALLIC MINERAL RESOURCES MAP OF THE RUBY QUADRANGLE, ALASKA

Compiled by

Edward H. Cobb

Open-file map
1968



This map is preliminary
and has not been edited or
reviewed for conformity with
Geological Survey standards
or nomenclature.

to accompany
Weld - Int. 2905

U. S. GEOLOGICAL SURVEY
Washington, D. C.
20242

For release JULY 24, 1968

The U. S. Geological Survey is releasing in open files the following reports. Copies are available for consultation in the Geological Survey Libraries, 1033 GSA Bldg., Washington, D.C. 20242; Bldg. 25, Federal Center, Denver, Colo. 80225; and 345 Middlefield Rd., Menlo Park, Calif. 94025. Copies are also available for consultation in the Brooks Bldg., College, Alaska 99701; 441 Federal Bldg., Juneau, Alaska 99801; 108 Skyline Bldg., 508 2nd Ave., Anchorage, Alaska 99501; 678 U.S. Court House Bldg., Spokane, Wash. 99201; 504 Custom House, San Francisco, Calif. 94111; 7638 Federal Bldg., Los Angeles, Calif. 90012; 1012 Federal Bldg., Denver, Colo. 80202; and in offices of the Alaska Div. of Mines and Minerals, 509 Goldstein Bldg., Juneau, Alaska 99801; 3001 Porcupine Dr., Anchorage, Alaska 99504; and University Ave., College, Alaska 99701.

Material from which copy can be made at private expense is available in the Alaskan Geology Branch, USGS, 345 Middlefield Rd., Menlo Park, Calif. 94025.

1. Metallic mineral resources map of the Baird Mountains quadrangle, Alaska, compiled by Edward H. Cobb. 2 p., 1 map, scale 1:250,000.
2. Metallic mineral resources map of the Ambler River quadrangle, Alaska, compiled by Edward H. Cobb. 3 p., 1 map, scale 1:250,000.
3. Metallic mineral resources map of the Shungnak quadrangle, Alaska, compiled by Edward H. Cobb. 3 p., 1 map, scale 1:250,000.
4. Metallic mineral resources map of the Hughes quadrangle, Alaska, compiled by Edward H. Cobb. 3 p., 1 map, scale 1:250,000.
5. Metallic mineral resources map of the Ruby quadrangle, Alaska, compiled by Edward H. Cobb. 5 p., 1 map, scale 1:250,000.
6. Metallic mineral resources map of the Ophir quadrangle, Alaska, compiled by Edward H. Cobb. 3 p., 1 map, scale 1:250,000.
7. Metallic mineral resources map of the Iditarod quadrangle, Alaska, compiled by Edward H. Cobb. 5 p., 1 map, scale 1:250,000.
8. Metallic mineral resources map of the Medfra quadrangle, Alaska, compiled by Edward H. Cobb. 3 p., 1 map, scale 1:250,000.
9. Metallic mineral resources map of the McGrath quadrangle, Alaska, compiled by Edward H. Cobb. 3 p., 1 map, scale 1:250,000.

* * *

LODE DEPOSIT

<u>Number</u>	<u>Name and principal reference(s)</u>	<u>Commodity</u> <u>1/</u> , <u>2/</u>
1	Beaver (New York) Creek: Brown (1926), p. 145-150; Mertie (1937), p. 175-176	Au, Pb, <u>Ag</u>
<u>1/</u>	Symbols - Au, gold; Pb, lead; Ag, silver.	
<u>2/</u>	Symbol underlined indicates recorded production.	

PLACER DEPOSITS

<u>Number</u>	<u>Name and principal references(s)</u>	<u>Commodity</u> <u>1/</u> , <u>2/</u>
2	Ruby Creek: Mertie and Harrington (1916), p. 260; Mertie (1936), p. 144	Au, Sn
3	Glacier Creek: White and Stevens (1953), p. 3; Chapman, Coats, and Payne (1963), p. 37, 46-47	Bi, Au, Sn
4	Big Creek: Mertie (1936), p. 144-145; Chapman, Coats, and Payne (1963), p. 37, 40, 44-46	Au, Sn
5	Cox Pup (Gulch): Chapman, Coats, and Payne (1963), p. 40, 44-46	Au, Sn
6	Straight Creek: Chapman, Coats, and Payne (1963), p. 42-44	Au, Sn
7	Crooked Creek: Chapman, Coats, and Payne (1963), p. 42-43	Au, Sn
8	Lucky Creek: Eakin (1914), p. 367	Au
9	Birch Creek: White and Stevens (1953), p. 3-4, 7; Chapman, Coats, and Payne (1963), p. 37, 40, 42-44	Bi, Au, RE, Sn
10	Swift Creek: Mertie (1936), p. 145, 155	Au
11	Willow Creek: Mertie and Harrington (1916), p. 243	Au
12	Bear Gulch (Pup): Mertie (1936), p. 146, 148-151	Au, Sn
13	Long Creek: Mertie (1936), p. 146-151; Mertie (1937), p. 173	Au, Sn
<u>1/</u>	Symbols - Bi, bismuth; Au, gold; RE, mineral (other than monazite) that contains rare-earth element(s); Sn, tin.	
<u>2/</u>	Gold has been produced from most and tin from several of the listed placers.	

<u>Number</u>	<u>Name and principal reference(s)</u>	<u>Commodity</u> <u>1/</u> , <u>2/</u>
14	Fifth of July Creek: Chapman, Coats, and Payne (1963), p. 49	Au, Sn
15	Short Creek: Mertie (1936), p. 151; Chapman, Coats, and Payne (1963), p. 48-49	Au, Sn
16	Glen Gulch: Mertie (1936), p. 158	Au
17	Flint Creek: Mertie (1936), p. 148-149, 157-158; White and Stevens (1953), p. 4-9; Chapman, Coats, and Payne (1963), p. 40, 49-50	Au
18	Trail Creek: Mertie (1936), p. 148-149, 156-157; Joesting (1943), p. 20; Chapman, Coats, and Payne (1963), p. 37, 50	Au, Pb, Sn, W
19	Granite Creek: Moffit (1927), p. 33	Au, Pt
20	Flint Creek: Mertie (1936), p. 148-149, 157-158; White and Stevens (1953), p. 4-9; Chapman, Coats, and Payne (1963), p. 40, 49-50	RE, Sn
21	Flat Creek: Chapman, Coats, and Payne (1963), p. 48	Au
22	Midnight Creek: Joesting (1943), p. 20; Chapman, Coats, and Payne (1963), p. 37, 40-42	Au, Sn, W
23	Greenstone Creek: Mertie (1936), p. 146, 152-153; Chapman, Coats, and Payne (1963), p. 37, 40, 47-48 Greenstone Gulch: Mertie (1936), p. 152-153	Au, Sn Au
24	Monument Creek: Mertie (1936), p. 153-154; Chapman, Coats, and Payne (1963), p. 51	Au, Sn
25	Ophir Creek: Eakin (1914), p. 367-368; Cass (1959)	Au
26	Meketchum Creek: Mertie (1936), p. 155	Au
27	Fourth of July Creek: Brooks (1918), p. 57	Au
28	Spruce Creek: Mertie and Harrington (1916), p. 244; Chapin (1919), p. 337	Au, Sn

1/ Symbols - Au, gold; Pb, lead; Pt, platinum-group metals; RE, mineral (other than monazite) that contains rare-earth element(s); Sn, tin; W, tungsten

2/ Gold has been produced from most and tin from several of the listed placers.

<u>Number</u>	<u>Name and principal reference(s)</u>	<u>Commodity</u> <u>1/</u> , <u>2/</u>
29	Tamarack Creek: Mertie and Harrington (1916), p. 244-245; Chapin (1919), p. 337 Willow Gulch: Brooks (1915), p. 58	Au, Sn Au
30	Duncan Creek: Mertie (1936), p. 163 Little Pup: Mertie (1936), p. 163 Poorman Creek: Mertie and Harrington (1916), p. 247-248, 265; Mertie (1936), p. 157-162, 165-166 Tenderfoot Creek: Eakin (1914), p. 368-369	Au Au Au, Sn Au
31	Beaver Creek: Mertie (1936), p. 169	Au
32	Poorman Creek: Mertie and Harrington (1916), p. 247-248, 265; Mertie (1936), p. 158-162, 165-166	Au, Sn
33	Solomon Creek: Mertie (1936), p. 164-165; White and Stevens (1953), p. 1, 9	FM, Au, RE
34	Flat Creek: Chapin (1919), p. 337; Mertie (1936), p. 166-167	Au, Sn
35	Timber Creek: Smith (1941), p. 50	Au
36	Moose Creek: Mertie (1936), p. 168-169	Au
37	American Creek: Mertie and Harrington (1916), p. 220	Au
38	Baker Creek: Mertie and Harrington (1916), p. 220	Au

Placer deposits not shown on map because occurrences could not be located closely enough to plot:

<u>Name and principal reference</u>	<u>Commodity</u> <u>1/</u> , <u>2/</u>
Basin Creek: Mertie and Harrington (1916), p. 243, 265	Au
Elk Creek: Brooks (1918), p. 58	Au

1/ Symbols - FM, fissionable materials (other than monazite); Au, gold; RE, mineral (other than monazite) that contains rare-earth element(s); Sn, tin.


2/ Gold has been produced from most and tin from several of the listed placers.

REFERENCES

- Brooks, A. H., 1915, The Alaskan mining industry in 1914: U.S. Geol. Survey Bull. 622, p. 15-68.
- , 1918, The Alaskan mining industry in 1916: U.S. Geol. Survey Bull. 662, p. 11-62.
- Brown, J. S., 1926, Silver-lead prospects near Ruby: U.S. Geol. Survey Bull. 783, p. 145-150.
- Cass, J. T., 1959, Reconnaissance geologic map of the Ruby quadrangle, Alaska: U. S. Geol. Survey Misc. Geol. Inv. Map I-289.
- Chapin, Theodore, 1919, Tin deposits of the Ruby district: U.S. Geol. Survey Bull. 692, p. 337.
- Chapman, R. M., Coats, R. R., and Payne, T. G., 1963, Placer tin deposits in central Alaska: U.S. Geol. Survey open-file rept., 53 p.
- Eakin, H. M., 1914, Placer mining in the Ruby district: U.S. Geol. Survey Bull. 592, p. 363-369.
- Joesting, H. R., 1943, Supplement to Pamphlet No. 1--Strategic mineral occurrences in interior Alaska: Alaska Dept. Mines Pamph. 2, 28 p.
- Mertie, J. B., Jr., 1936, Mineral deposits of the Ruby-Kuskokwim region, Alaska: U.S. Geol. Survey Bull. 864-C, p. 115-245.
- , 1937, The Kaiyuh Hills, Alaska: U.S. Geol. Survey Bull. 868-D, p. 145-178.
- Mertie, J. B., Jr., and Harrington, G. L., 1916, Mineral resources of the Ruby-Kuskokwim region: U.S. Geol. Survey Bull. 642, p. 223-266.
- Moffit, F. H., 1927, Mineral industry in Alaska in 1925: U.S. Geol. Survey Bull. 792, p. 1-39.
- Smith, P. S., 1941, Mineral industry of Alaska in 1939: U.S. Geol. Survey Bull. 926-A, p. 1-106.
- White, M. G., and Stevens, J. M., 1953, Reconnaissance for radioactive deposits in the Ruby-Poorman and Nixon Fork districts, west-central Alaska, 1949: U.S. Geol. Survey Circ. 279, 19 p.

SOURCE OF DATA ON DISTRIBUTION OF GRANITIC ROCKS

- Cass, J. T., 1959, Reconnaissance geologic map of the Ruby quadrangle, Alaska: U.S. Geol. Survey Misc. Geol. Inv. Map I-289.



Index map showing location of the Ruby quadrangle.

