UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

OPEN-FILE MAP

EXPLANATION

X MK 50A
Location of bedrock sample
Analytical data given in Table 1.

• WK 24C
Location of stream-sediment sample
Analytical data given in Table 2.

Letter prefixes indicate collector:

MK	E. M. MacKevett, Jr.
WK	G. R. Winkler
BD	D. A. Brew
GK	Donald Grybeck
WH	R. J. Wehr

▲ Approximate location of known mineral deposit



Skagway B-4 quadrangle

Skagway B-3 quadrangle

Base from Skagway (1:250,000) quadrangle, 1964

U.S. GEOLOGICAL SURVEY
LIBRARY
MAY 13 1970
DENVER

APPROXIMATE MEAN DECLINATION, 1954

PLEASE REPLACE IN POCKET
IN BACK OF BOUND VOLUME

0 5 10 15 MILES

SCALE 1:125,000

U.S. Geological Survey
OPEN-FILE MAP
This map is preliminary and has not been reviewed or edited for conformity with Geological Survey standards and nomenclature

(200)
R29
no. 70-369

Figure 1. Map of Haines-Porcupine region, southeastern Alaska, with locations of analyzed bedrock and stream-sediment samples