


U. S. Geological Survey.

REPORTS-OPEN FILE SERIES, no. 1536: 1971.



(200)
R29e
no. 1536




Weld - Int. 2905

✓
U.S. GEOLOGICAL SURVEY
(WASHINGTON, D. C.)

20242

[Reports - Open file series]



15367
For release APRIL 8, 1971

The U.S. Geological Survey is releasing in open file the following reports. Copies are available for inspection in the Geological Survey Libraries, 1033 GSA Bldg., Washington, D.C. 20242; Bldg. 25, Federal Center, Denver, Colo. 80225; and 345 Middlefield Rd., Menlo Park, Calif. 94025. Copies are also available for inspection at other offices as listed:

1. Reconnaissance geology and geochemistry of Forrester Island National Wildlife Refuge, Alaska, by Allen L. Clark, H. C. Berg, Donald Grybeck, and A. Thomas Ovenshine. 9 p., 1 fig. (scale 1:63,360), 1 table. Brooks Bldg., College, Alaska 99701; 441 Federal Bldg., Juneau, Alaska 99801; 108 Skyline Bldg., 508 2nd Ave., Anchorage, Alaska 99501; 678 U.S. Court House Bldg., Spokane, Wash. 99201; 504 Custom House, San Francisco, Calif. 94111; 7638 Federal Bldg., Los Angeles, Calif. 90012; 1012 Federal Bldg., Denver, Colo. 80202; and in offices of the Alaska Div. of Geological Survey, 509 Goldstein Bldg., Juneau, Alaska 99801; 323 E. 4th Ave., Anchorage, 99504; and University Ave., College, Alaska 99701. [Material from which copy can be made at private expense is available in the Alaskan Mineral Resources Branch, USGS, 345 Middlefield Rd., Menlo Park, Calif. 94025.]

2. Geochemical reconnaissance of the McCarthy B-6 quadrangle, Alaska, by G. R. Winkler, E. M. MacKevett, Jr., and James G. Smith. 8 p., including 4 tables; 1 pl., scale 1:63,360. [See information following No. 1, above.]

3. Estimated relative abundance of landslides in the San Francisco Bay region, California, by Dorothy H. Radbruch and Carl M. Wentworth. Map (scale 1:500,000), text, explanation (total, 1 sheet). 504 Custom House, San Francisco, Calif. 94111; 7638 Federal Bldg., Los Angeles, Calif. 90012; California Div. Mines and Geology offices in the Ferry Bldg., San Francisco, Calif. 94111, and State Office Bldg., 107 So. Broadway, Los Angeles, Calif. 90012. [Material from which copy can be made at private expense is available in the San Francisco and Los Angeles offices of USGS listed above, and in the USGS Library, 345 Middlefield Rd., Menlo Park, Calif. 94025.]

4. Preliminary log of 70 mm pictures taken on the lunar surface during the Apollo 14 mission: Magazines II, JJ, KK, LL, MM, by R. M. Batson and K.B. Larson, sample information by R. L. Sutton. 31 p., including 27 p. tabular material. 601 E. Cedar Ave., Flagstaff, Ariz. 86001. [A small supply of additional copies is available from the Flagstaff office.]

5. Preliminary tectonic map of the Arabian Peninsula, by Glen F. Brown. 7 p., 1 map, scale 1:10,000,000.

6. Bibliography of Precambrian geology of Wisconsin 1778-1968, by Carl E. Dutton and Reta E. Bradley. 28 p. Wisconsin Geol. and Nat. History Survey, University of Wisconsin, 1815 University Ave., Madison, Wis. 53706.

U.S. Geological Survey
Reports - Open file series 7 no. 1536
BIBLIOGRAPHY OF PRECAMBRIAN GEOLOGY

OF WISCONSIN 1778-1968


By Carl E. Dutton and Reta E. Bradley

227018

U. S. Geological Survey
OPEN FILE REPORT
This report is preliminary and
not been edited or reviewed for
conformity with Geological Survey
standards or nomenclature.

- Adair, D.L., 1956, Anomalous structures of the Baraboo basin, Wisconsin: Madison, Wisconsin Univ. M.Sc. thesis, 103 p.
- Alden, W.C., 1918, The Quaternary geology of southeastern Wisconsin with a chapter on the older rock formations: U.S. Geol. Survey Prof. Paper 106, p. 49-71.
- Aldrich, H.R., 1923, Magnetic surveying on the copper-bearing rocks of Wisconsin: Econ. Geology, v. 18, p. 562-574.
- Aldrich, H.R., 1929, The geology of the Gogebic iron range of Wisconsin: Wisconsin Geol. and Nat. Hist. Survey, Bull. 71, 279 p.
- Aldrich, H.R., 1930, The geology of the Gogebic iron range of Wisconsin: Madison, Wisconsin Univ. Ph.D. thesis.
- Aldrich, L.T., Wetherill, G.W., Bass, M.N., Compston, W., Davis, G.L., and Tilton, G.R., 1959, Mineral age measurements: Carnegie Inst. of Washington Yearbook 1958-59, Washington, D.C., p. 246-247.
- Aldrich, L.T., Wetherill, G.W., Bass, M.N., Tilton, G.R., and Davis, G.L., 1960, Mineral age measurements and earth history: Carnegie Inst. of Washington Year Book 1959-60, Washington, D.C., p. 209-213.
- Aldrich, L.T., and Davis, G.L., 1961, Summary of discussions of mineral age measurements in the Canadian Shield, *in* Geochronology of rock systems: New York Acad. Sci. Annals, v. 91, art. 2, p. 430.
- Aldrich, L.T., Davis, G.L., James, H.L., 1965, Ages of minerals from metamorphic and igneous rocks near Iron Mountain, Michigan: Jour. Petrology, v. 6, no. 3, p. 445-472.
- Allen, R.C., and Barrett, L.P., 1915, Contributions to the pre-Cambrian geology of northern Michigan and Wisconsin: Michigan Geol. and Biol. Survey Pub. 18, Geol. ser. 15, p. 65-129.
- Allen, R.C., and Leith, C.K., 1915, Discussion of correlation of pre-Cambrian formations of Lake Superior region: Jour. Geology, v. 23, p. 703-729.
- Allingham, J.W., and Bates, R.G., 1961, Use of geophysical data to interpret geology in Precambrian rocks of central Wisconsin: U.S. Geol. Survey Prof. Paper 424-D, p. 292-296.
- American Geophysical Union, U.S. Geol. Survey, 1964, Bouguer gravity anomaly map of the United States (exclusive of Alaska and Hawaii): Washington, D.C., U.S. Geological Survey, 2 sheets.
- Asquith, G.B., 1962, Origin of the Precambrian Wisconsin rhyolites: Madison, Wisconsin Univ. M.Sc. thesis, 34 p.

3 1818 00081825 0



USGS LIBRARY - RESTON

(200)

R290

no. 1536

- Asquith, G.B., 1964, Origin of Precambrian Wisconsin rhyolites: Jour. Geology, v. 72, no. 6, p. 835-847.
- Atwater, G.I., 1935, A summary of the stratigraphy and structure of the Gogebic iron range, Michigan and Wisconsin: Kansas Geol. Soc. Guidebook, 9th Ann. Field Conf., p. 417-420.
- Atwater, G.I., 1935, The Keweenaw-Upper Cambrian unconformity in the Upper Mississippi Valley: Kansas Geol. Soc. Guidebook, 9th Ann. Field Conf., p. 316-319.
- Atwater, G.I. and Clement, G.M., 1935, Precambrian and Cambrian relations in the Upper Mississippi Valley: Geol. Soc. America Bull. v. 46, no. 11, p. 1659-1686.
- Bacon, L.O., 1966, Geologic structure east and south of the Keweenaw fault on the basis of geophysical evidence, in Steinhart, J.S., and Smith, T.J. eds., The Earth beneath the continents: Am. Geophys. Union Geophys. Mon. Ser. 10, p. 42-55.
- Bagg, R.M., 1913, The discovery of pyrrhotite in Wisconsin, with a discussion of its probably origin by magmatic differentiation: Econ. Geology, v. 8, p. 369-372.
- Balsley, J.R., and Long, C.L., 1965, Aeromagnetic map of southern Dickinson County, Michigan, and adjacent part of Wisconsin: U.S. Geol. Survey open-file map.
- Balsley, J.R., and Petrafeso, F.A., 1967, Aeromagnetic map of Iron River and vicinity, Michigan and Wisconsin: U.S. Geol. Survey Geophys. Inv. Map GP-605.
- Banks, P.O., and Cain, J.A., 1969, Zircon ages of Precambrian rocks, northeast Wisconsin: Jour. Geology, v. 77, no. 2, p. 208-220.
- Bass, M.N., 1961, Summary of discussion of Pre-Cambrian of central Wisconsin in Geochronology of rock systems: New York Acad. Sci. Annals, v. 91, art. 2, p. 432.
- Bates, R.G., and Allingham, J.W., 1958, Correlation of airborne geophysical data with geology of the Wausau area, Wisconsin: (abs.) Geophysics, v. 23, no. 5, p. 1068.
- Bayley, R.W., Dutton, C.E., and Lamey, C.A., 1966, Geology of the Menominee iron-bearing district, Dickinson County, Michigan, and Florence and Menominee Counties, Wisconsin: U.S. Geol. Survey Prof. Paper 513, 96 p.
- Bayley, W.S., 1893, The basic massive rocks of the Lake Superior Region: Jour. Geology, v. 1, p. 587-596.
- Bean, E.F., 1939, Geologic map of Wisconsin: Wisconsin Geol. and Nat. Hist. Survey, revised 1949, reprinted 1959.

- Becker, Hans, 1931, A study of the heavy minerals of the Precambrian and Paleozoic rocks of the Baraboo Range, Wisconsin: Jour. Sed. Petrol., v. 1, p. 91-95.
- Berkey, C.P., 1897, Geology of the St. Croix Dalles: Am. Geologist, v. 20, 1897, p. 345-383; v. 21; 1898, p. 139-155, p. 270-294.
- Berkstresser, C.F., Jr., 1964, Ground-water resources of Waupaca County, Wisconsin: U.S. Geol. Survey, Water Supply Paper 1669-U, p. U1-U38.
- Berry, M.J., West, G.F., 1966, An interpretation of the first-arrival data of the Lake Superior experiment by the Time-Term method, Seismol. Soc. American Bull., v. 56, p. 141-171.
- Beutner, Edward L., 1932, Intrusive rocks of the Marenisco Range, Michigan and Wisconsin: Evanston, Northwestern Univ. M. Arts thesis.
- Beutner, Edward L., 1958, Characteristics of some iron-bearing formations in northern Wisconsin: (abs) in Institute on Lake Superior Geology, Minneapolis, Minn., Univ. Minnesota, p. 29.
- Black, W.A., 1955, Study of the marked positive gravity anomaly in the northern mid-continent region of the United States: (abs.), Geol. Soc. America Bull., v. 66, p. 1531.
- Blanchard, F.N., 1960, Drift analysis as a guide to the character of the bedrock in Oneida County, Wisconsin: Ann Arbor, Michigan Univ. Ph. D. thesis, 198 p.
- Blanchard, F.N., 1961, Drift analysis as a guide to the character of the bedrock in Oneida County, Wisconsin: (abs.), Dissert. Abs., v. 21, no. 8, p. 2245.
- Boardman, Leona, and Young, Ruth C., 1953, Geologic map index of Wisconsin: in U.S. Geol. Survey Index of Geol. Mapping of U.S., Scale 1:750,000.
- Books, K.G., White, W.S., Beck, M.E., Jr., 1966, Magnetization of Keweenawan gabbro in northern Wisconsin and its relation to time of intrusion: U.S. Geol. Survey Prof. Paper 550-D, p. D117-D124.
- Borst, R.L., 1958, The granites of Big Falls, Wisconsin: Madison, Wisconsin Univ. M.Sc. thesis, unpublished, 61 p.
- Boynton, G.R., and Vargo, J.L., 1964, Aeromagnetic map of parts of Gogebic and Ontonagon Counties, Michigan: U.S. Geol. Survey open-file map.
- Brett, G.W., 1955, Cross-bedding in the Baraboo quartzite of Wisconsin: Jour. Geology, v. 63, no. 2, p. 143-148.
- Brooks, T.B., and Pumpelly, R., 1872, On the age of the copper-bearing rocks of Lake Superior: Am. Jour. Sci., 3d series, v. 3, p. 428-432.
- Brooks, T.B., 1880, Geology of the Menominee region in Geology of Wisconsin 1873-79, Wisconsin Geol. Survey v. 3, p. 430-655.

- Brooks, T.B., 1880, The geology of the Menominee iron region (east of the center of R.17E., Oconto County, Wisconsin: in Geology of Wisconsin 1873-1879, v. 3, p. 429-599.
- Buckley, E.R., 1898, Building and ornamental stones of Wisconsin: Wisconsin Geol. and Nat. History Survey, Bull. 4, 544 p.
- Buckstaff, Sherwood, 1923, A study of the distribution of magnetite in one of the Keweenaw lava flows: Madison, Wisconsin Univ., M.Sc. thesis, unpublished, 17 p.
- Buell, Ira M., 1893, Geology of the Waterloo Quartzite area: Wisconsin Acad. Sci. Trans. 9, p. 255-274.
- Burkhead, Wayne Z., 1931, The geology of Burnett County, Wisconsin: Madison, Wisconsin Univ., B.Arts thesis, unpublished, 61 p.
- Butz, A.R., 1931, The geology of Washburn County, Wisconsin: Madison, Wisconsin Univ., B.Arts thesis, unpublished, 71 p.
- Cain, J. Allan, 1961, Geology of the Pembine area, Marinette County, Wisconsin: Northwestern Univ., Evanston, M.Sc. thesis.
- Cain, J. Allan, 1961, Geology of the Pembine area, Marinette County, Wisconsin: open-file report, 105 p., at Wisconsin Geological and Nat. Hist. Survey.
- Cain, J. Allan, 1961, Precambrian granitic complex of northeastern Wisconsin: (abs), in Inst. Lake Superior Geology, 7th Ann., Port Arthur, Ontario, Canadian Inst. Mining and Metallurgy, Lakehead Br., p. 6.
- Cain, J. Allan, 1962, Petrology of a Precambrian pluton near Pembine, Wisconsin: (abs), in Inst. Lake Superior Geology, 8th Ann., Houghton, Mich., Michigan Coll. Mining and Technology, p. 5.
- Cain, J. Allan, 1962, Precambrian granitic complex of Northeastern Wisconsin: Ph.D., thesis, Northwestern University, Evanston, Illinois.
- Cain, J. Allan, 1963, Correlations among mineralogical and specific gravity data from a granodiorite pluton: Ohio Jour. Sci., v. 63, no. 5, p. 210-214.
- Cain, J. Allan, 1963, Precambrian granitic complex of northeastern Wisconsin: (abs), Dissert. Abs., v. 23, no. 9, p. 3318.
- Cain, J. Allan, 1963, Some problems of the Precambrian geology of northeastern Wisconsin: A review. Ohio Jour. Sci., v. 63, no. 1, p. 1-14.
- Cain, J. Allan, 1964, Areal variability of specific gravity data from a granodiorite pluton: Am. Jour. Sci., v. 262, no. 4, p. 532-540.
- Cain, J. Allan, 1964, Precambrian geology of the Pembine area, northeastern Wisconsin: Michigan Acad. Sci., Arts and Letters Papers, v. 49, p. 81-103.
- Cain, J. Allan, 1964, Rapakivi-type granites of the Amberg area, Wisconsin: (abs), Inst. Lake Superior Geology, 10th Ann., Ishpeming, Mich., Marquette Range Comm., p. 32.

- Cain, J. Allan, and Beckman, W.A., Jr., 1964, Preliminary report on the Precambrian geology of the Athelstane area, northeastern Wisconsin: Ohio Jour. Sci., v. 64, no. 1, p. 57-60.
- Cain, J. Allan, and Rebello, D.P., 1966, Precambrian geology of Amberg area, northeastern Wisconsin: Geol. Dept., Western Reserve University, unpublished map.
- Carlson, C.G., 1917, The occurrence and genesis of the disseminated copper ores of the Nonesuch shales and sandstones: B.Arts, Univ. of Wisconsin, Madison, unpublished, 31 p.
- Carver, Jonathan, 1778, Travels through the interior parts of North America in the years 1766, 1767, and 1768: London--reprinted as Travels in Wisconsin, from the third London edition, New York, 1883, 362 p.
- Case, E.C., 1907, Wisconsin, its geology and physical geography: Hende, Bamford, and Crandall Co., Milwaukee, 197 p.
- Cayeux, L., 1911, Existence de restes organiques dans les roches ferrugineuses associees aux mineraux de fer huroniens des Etats-Unis: Ac. Sc. Paris, C.R. 153, p. 910-912.
- Chamberlin, T.C., 1874, Some evidences bearing upon the method of upheaval of the quartzites of Sauk and Columbia Counties: Wis. Acad. Sci. Trans., v. 2, p. 129-132, p. 133-138.
- Chamberlin, T.C., 1877, Geology of eastern Wisconsin: in Geology of Wis. 1873-77, Wisconsin Geol. Survey, v. 2, p. 248-256.
- Chamberlin, T.C., 1877, Geology of Wisconsin, Geology of Wisconsin 1873-1877: Wisconsin Geol. Survey, v. 2, 768 p.
- Chamberlin, T.C., 1878, Annual report of the Wisconsin State Geol. Survey for the year 1877: Madison, Wisconsin, 93 p.
- Chamberlin, T.C., 1879, Annual Report of the Wisconsin Geological Survey for the year 1878: Madison, Wisconsin p. 5-7.
- Chamberlin, T.C., 1880, Geology of Wisconsin v. 3, Madison, Wisconsin, 741 p.
- Chamberlin, T.C., 1882, Geology of Wisconsin 1873-1879, Wisconsin Geol. Survey v. 4, 779 p.
- Chamberlin, T.C., 1882, The quartzites of Barron and Chippewa Counties: in Geology of Wisconsin 1873-79; Wisconsin Geol. Survey, v. 4, p. 573-581.
- Chamberlin, T.C., 1883, Geology of Wisconsin 1873-79; Wisconsin Geol. Survey, v. 1, p. 1-300.
- Chamberlin, T.C., 1883, The copper-bearing series of Lake Superior: Science, v. 1, p. 453-455.
- Chamberlin, T.C., 1883, Lithological Geology: in Geology of Wisconsin, Survey of 1873-79, v. 1, pt. 1, p. 13-118.

- Chamberlin, T.C., Irving, R.D., and Strong, Moses, 1877, Atlas of the Geol. Survey of Wisconsin to accompany Geology of Wisconsin 1873-79, v. 2, v. 3, and v. 4, 45 plates.
- Chamberlin, T.C., Irving, R.D., and Strong, Moses, 1890, Macfarlane's Geological Railway Guide: 2nd ed., p. 223-232.
- Chamberlin, T.C., and Strong, Moses, 1880, Geology of the Upper St. Croix district: in Geology of Wisconsin 1873-79: Wisconsin Geol. Survey, v. 3, p. 363-428.
- Chamberlin, T.C., (with others), 1891, The crystalline schists of the Lake Superior district: Int. Geol. Cong., 4th meeting, London, C.R., p. 156-170.
- Cohen, T.J., 1966, Explosion seismic studies of the mid-continent gravity high: Madison, Wisconsin Univ. Ph.D. thesis, 329 p.
- Cohen, T.J., 1967, Explosion seismic studies of the mid-continent gravity high: (abs.), Dissert. Abs., v. 28, no. 3, p. 938-B.
- Cohen, T.J., and Meyer, R.P., 1966, The mid-continent gravity high: in Steinhart, J.S., and Smith, T.J., eds., The earth beneath the continents, Am. Geophys. Union Geophys. Mon. 10, p. 141-165.
- Cole, W.A., and others, 1961, Lightweight aggregates: Expansion properties of clays, shales, and Precambrian rocks of Wisconsin, U.S. Bur. Mines Rept., Inv. 5906, 26 p.
- Collie, G.L., 1901, Wisconsin Shore of Lake Superior: Geol. Soc. of Am., v. 12, p. 197-216.
- Coons, R.L., 1966, Precambrian basement geology and Paleozoic structure of the mid-continent gravity high: Madison, Univ. of Wisconsin Ph.D. thesis, unpublished, 296 p.
- Coons, R.L., 1967, Precambrian basement geology and Paleozoic structure of the mid-continent gravity high (abs.): Dissert. Abs., v. 28, p. 739B.
- Craddock, Campbell, Thiel, E.C., and Gross, Barton, 1963, A gravity investigation of the Precambrian of southeastern Minnesota and western Wisconsin: Jour. Geophys. Research, v. 68, no. 21, p. 6015-6032, Illus. geol. maps, 1963: correction, ibid., v. 69, no. 6, p. 1157, 1964.
- Dahm, John N., and Mees, Edward C., 1943, The geology of an area west of Ableman, Wisconsin: Madison, Univ. of Wisconsin B.Arts thesis, unpublished, 37 p.
- Davis, Clyde, 1962, Anorthosite of the Tigerton area, Wisconsin: Senior Tutorial, Lawrence University, Appleton, Wisconsin, unpublished, 31 p.
- DuBois, Philip M., 1959: Correlation of Keweenawan rocks of Lake Superior district by palaeomagnetic methods: Geol. Assoc. Canada Proc., v. 11, p. 115-128.

- DuBois, Philip M., 1962, Paleomagnetism and correlation of Keweenawan rocks (with French abstract), Canada Geol. Survey, Bull. 71, 75 p.
- Dutton, Carl E., 1960, Precambrian rocks of the Florence district, Wisconsin: (abs), Inst. Lake Superior Geology, 6th Ann., Madison, Wisconsin, Univ. Wis., p. 19.
- Dutton, Carl E., 1964, Geology of the Florence area, Wisconsin-Michigan: (abs) Inst. Lake Superior Geology, 10th mtg., Ishpeming, Michigan, Marquette Range Comm., p. 21-22.
- Dutton, Carl E., 1970, Geology of the Florence area, Wisconsin-Michigan: U.S. Geol. Survey Prof. Paper 633, in press.
- Dutton, Carl E., and Linebaugh, Reta E., 1966, Map showing Precambrian Geology of the Menominee iron-bearing district and vicinity, Iron and Dickinson Counties, Michigan, Florence and Marinette Counties, Wisconsin: U.S. Geol. Survey, Misc. Geol. Investig. Map I-466.
- Emmons, R.C., 1945, Nepheline syenites of Wausau, Wisconsin (abs), Am. Mineralogist, v. 30, nos. 3-4, p. 169.
- Emmons, R.C., 1953, Petrogeny of the syenites and nepheline syenites of central Wisconsin: in Selected petrogenic relationships of plagioclase, Geol. Soc. America Mem. 52, p. 71-88.
- Emmons, R.C., and Snyder, F.G., 1944, A structural study of the Wausau area: Wisconsin Geol. and Nat. History Survey open-file report.
- Farrand, W.R., Zumberg, J.H., and Parker, J., 1966, New Bathymetric map of Lake Superior and some geological implications: (abs), in Inst. Lake Superior Geology, 12th Ann. Conf. 1966, Sault St. Marie, Michigan, Michigan Technol. Univ., p. 6.
- Field, George W., 1935, The Baxter Hollow granite: Madison, Wisconsin, Ph.D. thesis, unpublished, 12 p.
- Flawn, Peter T., (Chairman), 1967, Basement map of North America between 24 deg. and 60 deg. North Latitude: Am. Assoc. Petrol. Geol. and U.S. Geol. Survey.
- Foster, John W., 1849, Notes on the geology and topography of portions of the country adjacent to Lakes Superior and Michigan in the Chippewa land district: Sen. Documents, 31st Cong., 1st sess., v. 3, no. 1, p. 773-801.
- Foster, J.W., and Whitney, J.D., 1851, On the age of the sandstone of Lake Superior, with a description of the phenomena of the association of igneous rocks: Proc. Am. Assoc. Adv. Sci., Fifth mtg., p. 22-38.
- Foster, J.W., and Whitney, J.D., 1851, Report on the geology of the Lake Superior land district, part 2; The iron region together with the general geology: U.S. Senate docs., Special Sess., Exec. no. 4, 32nd Cong., v. 3, 406 p.

- Frey, M.G., 1939, Geology of the region about the west end of Lake Superior: University of Minnesota, Minneapolis, Ph.D. thesis, 83 p.
- Fries, Carl, Jr., 1939, Petrogeny of the kyanite deposit at Powell: Madison, Wisconsin Univ. M.Arts thesis, 40 p.
- Frischknecht, Frank C., and Ekern, E.B., 1961, Electromagnetic studies of iron-formations in the Lake Superior region: Min. Eng., v. 13, no. 10, p. 1157-1162.
- Frischknecht, Frank C., and Ekren, E.B., 1963, Evaluation of magnetic anomalies by electromagnetic measurement: U.S. Geol. Survey Prof. Paper 475-C, p. C117-C120.
- Fritts, Charles C., 1931, Carbonaceous matter in the Nonesuch shale (north-eastern Wisconsin): Madison, Wisconsin Univ. M.Sc. thesis, unpublished, 20 p.
- Fritts, Crawford, E., 1965, Stratigraphy, structure, and granitic rocks in the Marenisco-Watersmeet area, Michigan: Inst. Lake Superior Geology, 11th Ann., St. Paul, Minn., Univ. of Minnesota, p. 15-16.
- Fritts, Crawford, E., 1969, Geologic map of Marenisco-Watersmeet area, Michigan: U.S. Geol. Survey Misc. Geol. Investig. Map I-576.
- Froelich, A.L., 1953, The geology of a part of the Wisconsin granite--Quinnesec Greenstone Complex, Florence County, Wisconsin: Ohio State University, Columbus, M.Sc. thesis.
- Fulweiler, R.E., 1957, The Geology of part of the igneous and metamorphic complex of southeastern Florence County, Wisconsin: Ohio State University, Columbus, M.Sc. thesis.
- Furbish, William J., 1953, Mineralogical association of molybdenum, Middle Inlet, Wisconsin: Madison, Wisconsin Univ. M.Sc. thesis, unpublished, 23 p.
- Gair, J.E., 1955, Geology and magnetic data in the Stager Lake Area, Michigan and Wisconsin: U.S. Geol. Survey, open-file map.
- Gates, Robert M., 1941, The Baxter Hollow granite cupola: Madison, Wisconsin Univ. M.Arts thesis, 25 p.
- Gates, Robert M., 1942, The Baxter Hollow granite cupola: Am. Mineralogist, v. 27, no. 10, p. 699-711.
- Geisse, Elaine, 1951, The petrography of the syenites, nepheline syenites, and related rocks, west of Wausau, Wisconsin: M.Sc. thesis, Smith College.
- Geisse, Elaine, 1951, Syenites and nepheline syenites of Stettin, Marathon County, Wisconsin: (abs), Geol. Soc. America Bull, v. 62, no. 12, pt. 2, p. 1442.
- 8

- Geisse, Elaine, 1952, Syenites and nepheline syenites of Stettin, Marathon County, Wisconsin: (abs), Am. Mineralogist, v. 37, nos. 3-4, p. 291.
- Giuyme, Charles S., 1925, Weathering of the Precambrian rocks in central Wisconsin: Cornell University, Ithaca, Ph.D. thesis.
- Goldich, Samuel S., Baadsgaard, Halfdan, and Nier, A.O.C., 1957, Investigation in A^{40}/K^{40} dating: Am. Geophys. Union Trans., v. 38, p. 547-551.
- Goldich, Samuel J., Nier, Alfred, O., and Baadsgaard, Halfdan, 1958, Three-fold division of the Precambrian in the Lake Superior region: (abs) Am. Geophys. Union Trans., v. 39, no. 3, p. 516.
- Goldich, Samuel S., and others, 1961, Summary of discussion of Precambrian geochronology of Minnesota and adjacent areas: in Geochronology of rock systems. Conference editor J. Laurence Kulp, New York Acad. Sci. Annals, v. 91, art. 2,
- Goldich, Samuel S., Nier, Alfred O., Baadsgaard, Halfdan, Hoffman, John H., Krueger, Harold W., 1961, The Precambrian geology and geochronology of Minnesota, Minnesota Geol. Survey, Bull. 41, 193 p.
- Goldich, Samuel S., Lidiak, Edward G., Hedge, Carl E., and Walthall, Frank G., 1966, Geochronology of the mid-continent region, United States: (Pt) 2., Jour. Geophys. Research, v. 71, no. 22, p. 5389-5408.
- Gore, Dorothy J., 1963, Potash metasomatism in granitization as illustrated in the rocks of the Niagara and Neillsville area of Wisconsin: Madison, Wisconsin Univ. Ph.D. thesis, 141 p.
- Gore, Dorothy J., 1963, Potash metasomatism in granitization as illustrated in the rocks of the Niagara and Neillsville areas of Wisconsin: (abs), Dissert. Abs., v. 23, no. 11, p. 4314-4315.
- Gram, Oscar E., 1940, Tectonic features of the Utley and Berlin regions, Wisconsin: Northwestern University, Evanston, M.Sc. thesis.
- Gram, Oscar E., 1947, Tectonic features of the Utley meta-rhyolite: Jour. Geol., v. 55, p. 427-438.
- Grant, U.S., 1900, Preliminary report on the copper-bearing rocks of Douglas County, Wisconsin: Wisconsin Geol. and Nat. History Survey Bull., no. 6, 1st ed., 55 p.
- Grant, U.S., 1901, Preliminary report on the copper-bearing rocks of Douglas County and parts of Washburn and Bayfield Counties, Wisconsin: Wisconsin Geol. and Nat. History Survey Bull. 6, 2nd ed., 83 p.
- Grant, U.S., 1902, Junction of Lake Superior Sandstone and Keweenawan traps in Wisconsin: Geol. Soc. America Bull., v. 13, p. 6-9.
- Griesell, Jason A., 1937, Structural features of the quartzite in the Baraboo southwest range: Madison, Wisconsin Univ. B.Arts thesis, unpublished, 40 p.

Grout, F.F., 1910, Contribution to the petrography of the Keweenawan: Jour. Geol., v. 18, p. 633-657.

Guilbert, John M., 1955, The autoradiographic determination of alpha-activity distribution in certain Wisconsin granites and related rocks: Madison, Wisconsin Univ. Ph.D. thesis, 66 p.

- Hall, C.W., 1901, Keweenawan area of Eastern Minnesota: Geol. Soc. America Bull. v. 12, p. 313-342.
- Halls, H.C., 1966, A review of the Keweenawan geology of the Lake Superior region: in The earth beneath the continents, Am. Geophys. Union Geophys. Mon. 10, Steinhart, J.S., and Smith, T.J., eds., Ser. 10, p. 3-27.
- Hamblin, W.K., 1961, Paleogeographic evolution of the Lake Superior region from late Keweenawan to late Cambrian time: Geol. Soc. America Bull., v. 72, no. 1, p. 1-18.
- _____, 1965, Basement control of Keweenawan and Cambrian sedimentation in Lake Superior Region: Am. Assoc. Petroleum Geologists Bull., v. 49, no. 7, p. 950-958.
- _____, 1964, Basement control of Keweenawan and Cambrian sedimentation in the Lake Superior Region: (abst), Am. Assoc. Petroleum Geologist Bull., v. 48, no. 4, p. 529.
- Hancock, E.T., 1901, Geology of the area at Black River Falls, Wisconsin: Thesis, B. Sc., U. of Wisconsin, Madison, 42 p.
- Hansell, J.M., 1926, A cross-section in the Keweenawan of Wisconsin: Thesis, M. Sc., U. of Wisconsin, Madison, 80 p.
- Hanson, G.F., 1954, Mineral resources of Wisconsin: Wisconsin Geol. and Nat. Hist. Survey, Univ. of Wisconsin Press, Madison, 23 p.
- _____, 1964, Minerals, water, and soils in northern Wisconsin: in The natural resources of northern Wisconsin--A Wisconsin Academy profile, Wisconsin Acad. Sci., Arts, and Letters Trans., v. 53, pt. A., p. 41-44.
- _____, 1964, Wells in Wisconsin penetrating basement: Wisconsin Geol. and Nat. History Survey, 41 p.
- Heising, L.F., and Frommer, D.W., 1967, Lake Superior iron resources: U.S. Bur. Mines Rept. Inv. 6895, 31 p.
- Henderson, J.R., Tyson, N.S., and Paige, J.R., 1963, Aeromagnetic map of the Wausau area, Wisconsin: U.S. Geol. Survey Geophys. Inv. Map GP-401.
- Hendrix, T.E., 1960, Structural history of the East Gogebic Iron Range, Michigan-Wisconsin: (abs.), Dissert. Abs., v. 21, no. 3, p. 594.
- Hendrix, T.E., and Schaiowitz, M., 1964, Gravitational structures in the Baraboo Quartzite near Baraboo, Wisconsin: Geol. Soc. Am. Bull., v. 75, no. 10, p. 1045-1050.
- Hille, F., 1904, The Baraboo iron ore: Eng. Mining Jour., v. 77, p. 875.
- Hinze, W.J., 1957, A gravity investigation of the Baraboo syncline region: Madison, Wisconsin Univ. M. Sc. thesis.

- _____, 1957, A gravity investigation of the Baraboo syncline region, Wis: (abs.), Dissert. Abs., v. 17, no. 19, p. 1982-1983.
- _____, 1959, A gravity investigation of the Baraboo syncline region: Jour. Geol., v. 67, no. 4, p. 417-446.
- Hite, David, 1967, Sedimentology of upper Keweenawan sediments of northern Wisconsin and adjacent Michigan: Madison, Wisconsin Univ. M. Sc. thesis, 217 p.
- Hobbs, W.H., 1895, Precambrian volcanoes in southern Wisconsin: (abs.), Am. Geol., v. 16, p. 240; Science n s , v. 2, p. 279.
- Hobbs, W.H. and Leith, C.K., 1907, The Precambrian volcanic and intrusive rocks of the Fox River Valley, Wisconsin: U. of Wisconsin, Bull. 158, Sci. Series, v. 3, no. 6, p. 247-277.
- Hoffman, F.V., 1943, Map of McCaslin Mountain, Wisconsin drawn from aerial photographs: Madison, Wisconsin Univ. B. arts thesis, 11 p.
- Hole, F.D., and Schmude, K.O., 1959, Soil Survey of Oneida County: Wisconsin Geol. and Nat. Hist. Survey Bull. no. 82, Soil series no. 57, 59 p.
- Hole, F.D., Olson, G.W., Schmude, K.O., and Milfred, C.J., 1962, Soil Survey of Florence County, Wisconsin: Wisconsin Geol. and Nat. History Survey Bull. no. 84, Soil Series no. 59, 140 p.
- Holliday, R.W., 1955, Investigation of Chippewa copper-nickel prospect near Rockmont, Douglas County, Wisconsin: U.S. Bur. Mines Rept. Inv. 5114, 11 p.
- Holt, Jr., C.L.R., 1965, Geology and water resources of Portage County Wisconsin: U.S. Geol. Survey Water Supply Paper 1796, 77 p.
- Hotchkiss, W.O., 1911, The general structure of the Florence iron district, Wisconsin: (abs.), Science n s , v. 33, p. 464.
- _____, 1916, Mineral land classification showing indications of iron-formations in parts of Ashland, Bayfield, Washburn, Sawyer, Price, Oneida, Forest, Rush, Barron, and Chippewa Counties, Wisconsin: Madison, Wisconsin Univ. Ph. D thesis.
- _____, 1919, Geology of the Gogebic Range and its relation to recent mining developments: Eng. and Min. Jour., v. 108, p. 443-452, p. 501-507, p. 537-541, p. 577-582.
- _____, 1923, The Lake Superior geosyncline: Geol. Soc. America Bull. 34, p. 669-678.
- _____, and Bean, E.F., 1925, A brief outline of the geology, physical geography, geology, and industries of Wisconsin: Wisconsin Geol. and Nat. History Survey, Bull. 67, 60 p.

- _____, 1933, The Lake Superior Region: International Geological Congress, 16th session, United States., Guidebook 27, Excursion C-4, United States Government Printing Office, Washington, p. 51-59.
- _____, 1923, Recent developments in the geology of the Gogebic Range with discussion by A.C. Lane: Lake Superior Min. Inst. Proc., v. 23, p. 47-55.
- _____, Bean, E.F., and Aldrich, H.R., 1929, Mineral lands of part of northern Wisconsin: Wisconsin Geol. and Nat. History Survey Bull. 46, 212 p.
- _____, 1915, Mineral land classification in parts of northwestern Wisconsin: Wisconsin Geol. and Nat. History Survey Bull. 44, 378 p.
- _____, Rooney, W.J., and Fisher, James. 1929, Earth-resistivity measurements in the Lake Superior Copper Country: Am. Inst. Mining Metall. Engineers Geophysical Prospecting, p. 51-67.
- Hough, J.L., 1958, Geology of the Great Lakes: Univ. of Illinois Press, Urbana, 313 p.
- _____, 1962, Geologic framework in Great Lakes basin--A Symposium: Chicago, 1959, Am. Assoc. Adv. Sci., pub. 71, p. 3-27.
- Hubbard, H.A., 1968, Stratigraphic relationships of some Keweenaw rocks of Michigan and Wisconsin: Inst. Lake Superior Geology, 14th Ann., Superior, Wis., Wisconsin State University-Superior, p. 35-36.
- Huber, N.K., 1959, Some aspects of the origin of the Ironwood iron-formation of Michigan and Wisconsin: Econ. Geology, v. 54, no. 1, p. 82-118.
- Hunzicker, A.A., 1929, A study of a section of the Middle Keweenaw series of Douglas County, Wisconsin by core drilling: Madison, Wisconsin Univ. B. Arts thesis, 7 p.
- Irving, R.D., 1872, On the age of the quartzites, schists, and conglomerates of Sauk County, Wisconsin: Wisconsin Acad. Sci. Trans., v. 1, p. 129-137; Am Jour. Sci., 3rd series, v. 3, p. 93-99.
- _____, 1880, Sketch of the geological Structure of Wisconsin: Am. Jour. Min. Eng., Tr. no. 8, p. 479-491.
- _____, 1873, Note on the age of the metamorphic rocks of Portland, Dodge County, Wisconsin: Am. Jour. Sci., 3rd ser., v. 5, p. 282-286.
- _____, 1874, On a hand specimen showing the exact junction of the Primordial sandstones and Huronian schists: Wisconsin Acad. Sci. Trans., no. 2, p. 139.
- _____, 1874, On some points in the geology of northern Wisconsin: Wisconsin Acad. Sci. Trans., 1873-74, p. 107-119.
- _____, 1874, On the age of the Copper-Bearing Rocks of Lake Superior and on the westward continuation of the Lake Superior Synclinal: Am. Jour. Sci., 3 d ser., v. 8, p. 46-56.
- _____, 1874, On the occurrence of gold and silver in minute quantities in quartz from Clark Co: Wisconsin Acad. Sci. Trans., no. 2, p. 140-141.

- _____, 1875, Note on some new points in the elementary stratification of the Primordial and Canadian rocks of South central Wisconsin: Am. Jour. Sci., 3d. series, v. 9, p. 440-443.
- _____, 1876, On the Youngest Huronian rocks south of Lake Superior: Am. Jour. Sci., 3rd series, v. 11, p. 493.
- _____, 1877, Geology of Central Wisconsin: in Geology of Wisconsin 1873-77: Wisconsin Geol. Survey, v. 2, p. 498-524; Microscopic lithology by Chas. E. Wright in Appendix, p. 637-639.
- _____, 1877, Note on the Age of the Crystalline Rocks of Wis: Am. Jour. Sci., 3rd series, v. 13, p. 307-309.
- _____, 1877, On the geology of northern Wisconsin: Ann. Report Wisconsin Geol. Survey for 1877, p. 17-25.
- _____, 1880, Geology of the Eastern Lake Superior District: Geology of Wisconsin, 1873-79: v. 3, Wisconsin Geol. Survey, p. 53-238.
- _____, 1880, The geological structure of northern Wisconsin in Geology of Wisconsin 1893-79: v. 3, Wisconsin Geol. Survey, p. 1-25.
- _____, 1880, The Mineral Resources of Wisconsin: Trans. Am. Inst. Min. Eng., v. 8, p. 487-508.
- _____, 1882, Microscopic examination of a suite of specimens from the Flambeau River country, Wis: in Geology of Wisconsin; v. 4, Wisconsin Geol. Survey, p. 617-631.
- _____, 1883, Copper-bearing rocks of Lake Superior: U.S. Geol. Survey, 3rd Annual Rept., p. 89-188.
- _____, 1883, Copper-bearing rocks of Lake Superior: U.S. Geol. Survey, Mon. 5, 464 p.
- _____, 1883, Iron ore: in Wisconsin Geol. Survey 1873-79, v. 1, p. 613-636.
- _____, 1883, Lithology of Wisconsin: in Wisconsin Geol. Survey 1873-79, v. 1, p. 309-361.
- _____, 1885, Divisibility of the Archean in the northwest: Am. Jour. Sci., 3d series, v. 29, p. 237-249.
- _____, 1885, Investigation of the Archean formations of the northwestern states: U.S. Geol. Survey, 5th Ann. Rept., p. 175-242.
- _____, 1887, Is there a Huronian group?: Am. Jour. Sci., 3d series, v. 34, p. 204-216, 249-263, 365-374.
- _____, 1888, On the classification of the early Cambrian and pre-Cambrian formations: U.S. Geol. Survey, 7th Ann. Rept. 7, p. 365-454.

- _____, and Van Hise, C.R., 1882, Crystalline rocks of the Wisconsin valley: in Geology of Wisconsin 1873-79: Wisconsin Geol. Survey v. 4, p. 623-714.
- _____, 1884, On secondary enlargements of mineral fragments in certain rocks: U.S. Geol. Survey Bull. 8, 56 p.
- _____, 1890, The Penokee iron-bearing series of Michigan and Wisconsin: U.S. Geol. Survey 10th Ann. Rept., p. 341-507.
- _____, 1892, The Penokee iron-bearing series of Michigan and Wisconsin: U.S. Geol. Survey Mon. 19, 534 p.
- James, H.L., 1955, Zones of regional metamorphism in the Precambrian of northern Michigan: Geol. Soc. America Bull., v. 66, p. 1455-1488.
- _____, 1960, Problems of stratigraphy and correlation of Precambrian rocks with particular reference to Lake Superior region: Am. Jour. Sci., Bradley v. 258-A, p. 104-114.
- _____, Dutton, C.E., Pettijohn, F.J., and Wier, K.L., 1959, Geologic map of the Iron River-Crystal Falls district, Iron County, Michigan: U.S. Geol. Survey Mineral Inv. Field Studies Map MF-225.
- _____, 1968, Geology and ore deposits of Iron River-Crystal Falls district, Iron County, Michigan: U.S. Geol. Survey Prof. Paper 570, 134 p.
- Jay, E.J., 1916, The Precambrian Drainage of the Baraboo Region: Madison Wisconsin Univ. B. Arts thesis, unpublished, 44 p.
- Johnson Jr., R.W., 1958, Geology of the Little Commonwealth area, Florence County, Wisconsin: Madison, Wisconsin Univ. M.Sc., thesis, 98 p.
- _____, 1958, Geology of the Little Commonwealth area, Florence County, Wisconsin: U.S. Geol. Survey open-file report, 98 p.
- Julien, A.A., 1880, Microscopic examination of eleven rocks from Ashland County, Wisconsin in Geology of Wisconsin, v.3, App. B., Madison, Wisconsin, p. 224-238.
- Karges, B.E., 1930, Faulting in the Paleozoic sediments near Hudson, Wisconsin: Madison, Wisconsin Univ. B. Phil. thesis, 25 p.
- Keyes, C.R., 1915, The Lake Superior Highlands, their origin and age: Jour. Geol. v. 23, p. 569-574.
- King, E.G., Henderson, J.R., and Vargo, J.L. 1966, Aeromagnetic map of Florence-Goodman area, Florence, Forest, and Marinette Counties, Wisconsin: U.S. Geol. Survey Geophys. Inv. Map GP-576.

- King, F.H., 1882, Geology of the Upper Flambeau valley in Geology of Wisconsin, 1873-79, v. 4, p. 583-586, with microscopical examination by R.D. Irving, Appendix p. 616-621.
- Kirby, J.R., and Petty, A.J., 1966, Regional aeromagnetic map of western Lake Superior and adjacent parts of Minnesota, Michigan, and Wisconsin: U.S. Geol. Survey Geophys. Inv. Map GP-556.
- Kirkemo, Harold, Anderson, C.A., and Creasey, S.C., 1965, Investigations of molybdenum deposits in conterminous United States, 1942-60: U.S. Geol. Survey Bull. 1182, p. E1-90.
- Koenen, K.H., 1956, Geophysical studies in south central Wisconsin: Madison, Wisconsin Univ. M. Sc. thesis, 44 p.
- LaBerge, G.L., 1964, Development of magnetite in iron-formations of the Lake Superior region: Econ. Geology, v. 59, no. 7, p. 1313-1342.
- _____ and Weis, L.W., 1968, A greenstone belt in Wisconsin?: 32nd Annual Tri-State Field Conference, 38 p.
- Lapham, I.A., 1851, Geological formations of Wisconsin: Wis. St. Agr. Soc., Tr. 1, p. 122-128.
- _____, 1860, The Penokee Iron Range: Wis. State Ag. Soc., Trans. 1858-59, vol. 5, p. 391-400.
- Leighton, M.W., 1951, Petrogenesis of a gabbro-granophyre complex in northwestern Wisconsin: University of Chicago Ph.D. thesis.
- Leighton, M.W., 1954, Petrogenesis of a gabbro-granophyre complex in northern Wisconsin: Geol. Soc. America Bull., v. 65, p. 401-442; (abs.) Am. Mineralogist 1953, v. 38, p. 348.
- Leith, C.K., 1897, Precambrian volcanics of the Fox River valley: Madison, Wisconsin Univ. B. Sc. thesis, 151 p.
- _____, 1905, A summary of Lake Superior geology with special reference to recent studies of the iron-bearing series: Am. I. M. Eng., B. 3, p. 453-507; Trans. no. 36, p. 101-153; Reprinted in part in Emmons, S.F., Ore deposits, p. 633-656.
- _____, 1914, Precambrian correlation from a Lake Superior standpoint: Int. Geol. Cong. 12 C. R., p. 409-421.
- _____, 1914, Relation of the plane of unconformity at the base of the Cambrian to terrestrial deposition in late Precambrian time: Internat. Geol. Cong., 12th, Ottawa, 1913, Comptes rendus, p. 335-337.
- _____, 1929, Chamberlin's work in Wisconsin: Jour Geology, v. 37, p. 289-292.

- _____, 1934, The Precambrian: Geol. Soc. America Proc. for 1933, p. 151-180.
- _____, and Allen, R.C., 1915, Discussion of correlation of Precambrian formations of Lake Superior region: Jour. Geology, v. 23, p. 703-729.
- _____, Lund, R.J., Leith, A., 1935, Precambrian rocks of the lake Superior region: U.S. Geol. Survey Prof. Paper 184, 34 p.
- Lincoln, A.T., 1894, On the greenstone area in the vicinity of the Lower Quinnesec Falls, Wisconsin side: Madison, Wisconsin Univ. B. Sc. thesis, unpublished, 58 p.
- Lyons, E.J., 1947, Mafic and porphyritic rocks from the Niagara area, Wisconsin: Madison, Wisconsin Univ. Ph. D. thesis, 37 p.
- Mack, J.W., 1957, A regional gravity study of crustal structure in Wisconsin: Madison, Wisconsin Univ. M. Sc. thesis, 79 p.
- MacTavish, J.N., 1963, The Petrology of an iron orebody near Butternut, Wisconsin: Bowling Green, Ohio Univ M. Arts. thesis.
- Mancuso, J.J., 1957, Geology and mineralization of the Mountian area, Wisconsin: Madison, Wisconsin Univ. M. Sc. thesis, 32 p.
- _____, 1961, Stratigraphy and structure of the McCaslin district, Wisconsin: (abs.), Dissert. Abs., v. 21, no. 11, p. 3420-3421.
- _____, 1960, Stratigraphy and structure of the McCaslin district, Wisconsin: East Lansing, Michigan State Univ. Ph.D. thesis.
- Marsden, R.W., 1955, Precambrian correlations in the Lake Superior region in Michigan, Wisconsin, and Minnesota in Derry, D.R., Symposium on Precambrian correlation and dating: Geol. Assoc. Canada Proc., v. 7, part 2, p. 107-116.
- Martin, L., 1932, Physical geography of Wisconsin: 2nd edition, Wisconsin Geol. and Nat. History Survey, v. 36, reprinted by University of Wisconsin Press 1965, 582 p.
- Mayer, E.A., 1934, The strucutral trend lines in the western end of the Baraboo syncline: Madison, Wisconsin Univ. M. Arts thesis.
- Mengel, J.T. Jr., 1963, The cherts of the Lake Superior iron-bearing formations: Madison, Wisconsin Univ. Ph. D. thesis, 140 p.
- Milfred, C.A., Olson, G.W., Hole, F.D., 1966, Soil Resources and Forest Ecology of Menominee County, Wisconsin: Wisconsin Geol. and Nat. History Survey Bull. 85, Soil series no. 60, 203 p.
- Moerlein, George, 1963, Structure and stratigraphy of the Upper Keweenawan rocks in northwestern Wisconsin (abs.), Inst. Lake Superior Geology, 9th Ann., Duluth, Minn., Univ. Minn., p. 11.

- Morris, J. E., 1940, The geology of Wisconsin molybdenite deposits: Madison, Wisconsin Univ. B. Arts thesis, 90 p.
- Muehlberger, W.R., Denison, R.E., Lidiak, E.G., 1967, Basement rocks in continental interior of United States: Am. Assoc. Petroleum Geologists Bull., v. 51, no. 12, p. 2351-2380.
- Murrish, C.H., 1966, An Integrated geologic-geophysics study of the Auburndale area, Wood County, Wisconsin: East Lansing, Michigan State Univ. M.Sc. thesis, 63 p.
- Newport, T.G., 1962, Geology and ground water resources of Fond du Lac County, Wisconsin: U.S. Geol. Survey Water Supply Paper 1604, 52 p.
- Nilsen, T.H., 1964, Geology of the Pine River (Breakwater) quartzite and Keyes Lake quartzite, Florence Co., Wisconsin (abs.), Inst. Lake Superior Geology, 10th Ann., Ishpeming, Michigan, Marquette Comm., p. 23.
- _____, 1965, Geology of the Animikean Pine River (Breakwater) quartzite conglomerate and Keyes Lake quartzite, Florence County, Wisconsin: Madison, Wisconsin Univ. M. Sc. thesis, 100 p.
- _____, 1965, Sedimentology of Middle Precambrian Animikean quartzites Florence County, Wisconsin: Jour, Sed. Petrol., v. 35, no. 4, p. 805-817.
- Norwood, J.G., 1852, Geology of the western and northwestern portion of the valley of Lake Superior in Owen's Geological Survey of Wisconsin, Iowa, and Minnesota, Philadelphia p. 333-418.
- Nussman, D.G., 1964, Trace elements in the sediments of Lake Superior: (abs.) in Great Lakes Research, 7th Conf., Toronto, Canada, Proc., Michigan Univ. Inst. Sci and Technology, Great Lakes Research Div. Pub 11, p. 170.
- _____, 1966, Trace elements in the sediments of Lake Superior: (abs.), Dissert. Abs., Sec B. Sci & Eng., v. 27, no. 2, p. 520B.
- Oetking, P.F., 1947, The hornblendite of north central Wisconsin: Madison, Wisconsin Univ. M. Ph. thesis, 24 p.
- _____, 1943, A part of the Denzer quadrangle: Madison, Wisconsin Univ. B. Ph. thesis, 26 p.
- Olcott, P.G., 1966, Geology and water resources of Winnebago County, Wisconsin: U.S. Geol. Survey, Water Resource Paper, no. 1814, 61 p.
- Olmsted, J.F., 1966, Petrology of a differentiated anorthositic intrusions in northwestern Wisconsin: East Lansing, Michigan State Univ. Ph.D. thesis 17 p.

- _____, 1969, Petrology of the Mineral Lake Intrusion, Northwestern Wisconsin, New York State Museum and Science Service, Memoir. 18.
- Olsen, E.J., 1962, Nickeliferous lazulite from Baraboo, Wisconsin: Am. Mineralogist, v. 47, nos. 5-6, p. 773-774.
- Osgood, Wayland, 1923, Geology of the Gogebic Range in the vicinity of Potato River Gap: Madison, Wisconsin Univ. M.Sc. thesis, 22 p.
- Owen, D.D., 1840, Report of a geological exploration of part of Iowa, Wisconsin, and Illinois in 1839: U.S. 28th Cong., 1st Sess., H. Ex., doc 239, p. 9-115: 1884, 28th Cong., 1st sess., S. Ex. Doc. 407, p. 15-145.
- _____, 1848, Report of a geological reconnaissance of the Chippewa land district of Wisconsin: Senate Docs. 57, 1st sess., 30th Cong., 134 p.
- _____, 1851, Abstract of an Introduction to the Final Report on the Geological Surveys made in Wisconsin, Iowa, and Minnesota, in the years 1847, 48, 49, 50, containing a Synopsis of the Geological Features of the Country: Proc. Amer. Assoc. Adv. Science, vol. 5, p. 119-131.
- _____, 1852, On the age, character and true geological position of the Lake Superior Red Sandstone Formation in The Report of the Geological Survey of Wisconsin, Iowa, Minnesota: Philadelphia, p. 187-193.
- _____, 1852, Report of a geological survey of Wisconsin, Iowa, and Minnesota: Philadelphia, Lippincott, Grambo & Co., 638 p.
- Palmer, H.A., 1939, Geology of the Marengo Falls marble formation: Madison, Wisconsin Univ. B. Arts thesis, 36 p.
- Patenaude, R.W., 1964, A presentation of a regional aeromagnetic map of Wisconsin: (abs.) Inst. Lake Superior Geology, 10th Ann., Ishpeming, Michigan, Marquette Comm., p. 52.
- _____, 1964, Regional aeromagnetic map of Wisconsin: Department of Geology, Geophysical and Polar Research Center, Madison, Wisconsin.
- _____, 1966, A regional aeromagnetic survey of Wisconsin in The earth beneath the continents: Am. Geophys. Union, Mon. Ser. 10, Steinhardt, J.S., and Smith, T.J. eds., p. 11-126.
- Percival, J.G., 1956, General reconnaissance of Wisconsin and the quartz rock of the Baraboo and of Portland areas: Wisconsin Geol. Survey, Annual Report for 1856, p. 64-103.
- _____, 1856, The primary rocks: Wisconsin Geol. Survey, Annual Report for 1856, p. 103-111.
- Peterson, Eunice, 1927, Block faulting in St. Croix Valley, (Minn): Jour. Geology, v. 35, p. 368-374.

Peterson, F.A., 1947, Geology of a portion of the Elk Mound and Chippewa quadrangles: Madison, Wisconsin Univ. B. Arts thesis, 33 p.

Pettijohn, F.J., 1957, Paleocurrents of the Lake Superior Precambrian quartzites: Geol. Soc. America Bull. 68, no. 4, p. 469-480.

Philbin, P.W., and McCaslin, W.E., 1966, Aeromagnetic map of parts of the Rockland, Watersmeet, Greenland, Beechwood, and Phelps quadrangles, Gogebic, Ontonagon, and Iron Counties, Michigan; and Vilas and Forest Counties, Wisconsin: U.S. Geol. Survey open-file map.

_____, 1967, Aeromagnetic map of part of the Beechwood quadrangle, Michigan and Wisconsin: U.S. Geological Survey Geophys. Inv. Map GP-603.

Philbin, P.W., and Vargo, J.L., 1963, Aeromagnetic map of central Gogebic County, Michigan and vicinity: U.S. Geol. Survey open-file map.

_____, 1966, Aeromagnetic map of parts of the Ironwood and Wakefield quadrangles, Gogebic County, Michigan; and Iron and Vilas Counties, Wisconsin: U.S. Geol. Survey Geophys. Inv. Map GP-578.

_____, 1966, Aeromagnetic map of parts of Thomaston, Carp River, North Ironwood and Little Girl Point quadrangles, Gogebic and Ontonagon Counties, Michigan and Iron County, Wisconsin: U.S. Geol. Survey Geophys. Inv. Map GP-579.

Pretts, W.W., 1895, On the area of eruptive rocks near Marquette, Wisconsin: Madison, Wisconsin Univ. B. Sc. thesis, 31 p.

Prinz, W.C., 1952, The geology of a portion of the Quinnesec igneous complex south of Iron Mountain, Michigan: Ohio State Univ. M. Sc. thesis.

_____, 1959, Geology of the igneous complex, northeastern Wisconsin and adjacent, Michigan: New Haven, Yale Univ. Ph. D. thesis.

_____, 1959, Geology of the southern part of the Menominee District, Michigan and Wisconsin: U.S. Geol. Survey open-file report, 221 p; Results of investigation are included in U.S. Geol. Survey Prof. Paper 513, Bayley and others, 1966.

_____, 1965, Marinette Quartz Diorite and Hoskin Lake Granite of northeastern Wisconsin in Changes in stratigraphic nomenclature by the U.S. Geological Survey 1964: U.S. Geol. Survey Bull. 1224-A, p. A53-A55.

Prucha, J.J., 1946, The rapakivi granite of Waupaca, Wisconsin: Madison, Wisconsin Univ. M. Ph. thesis, 17 p.

Pumpelly, Raphael, 1880, Lithology of the Keweenaw or Copper-Bearing System, in Geology of Wisconsin, v. 3, p. 27-49.

- Raasch, G. O., 1950, Current evaluation of the Cambrian-Keweenawan boundary: Illinois State Acad. Sci. Trans., v. 43, p. 137-150.
- _____, 1958, The Baraboo (Wis.) monadnock and palaeo-wind direction in Raasch, G. O., ed., Polar wandering and continental drift--a symposium: Alberta Soc. Petrol. Geologist Jour., v. 5 (6), no. 7, p. 183-187.
- Read, W. F., and Weis, L. W., 1962, McCaslin syncline-Tigerton anorthosite: Guidebook, 26th Annual Tri-State Geological Field Conference, North-eastern Wisconsin, 22 p.
- Rebello, D. P. 1965, Petrology of the Amberg Precambrian crystalline complex, northeastern Wisconsin: (abs.) in Inst. Lake Superior Geology, 11th Ann., 1965, St. Paul, Minn., Univ. Minn., p. 28.
- Rettger, R. E., 1920, The relations between fracture and flow cleavage as shown by the Baraboo Quartzite: Madison, Wisconsin Univ. B. Arts thesis, unpublished, 31 p.
- Richards, J. W., 1923, A determination of the stratigraphic subdivisions of the Ironwood Formation by means of specific gravity: Madison, Wisconsin Univ., B.Arts thesis, unpublished, 18 p.
- Richgels, H. J., 1960, Geophysical reconnaissance in the Wisconsin part of the Lake Superior geosyncline: Madison, Wisconsin Univ. B. Arts thesis, unpublished, 44 p.
- Riley, N. A., 1947, Structural petrology of the Baraboo quartzite, Wisconsin: Jour. Geology, v. 55, no. 6, p. 453-475.
- _____, 1947, Structural petrology of the Precambrian Baraboo quartzite, Wisconsin: thesis, Ph.D., University of Chicago, Chicago.
- Rohn, Oscar, 1903, The Baraboo Iron Range, Wisconsin: Eng. and Min. Jour., v. 76, p. 615-617.
- Rominger, C. L., 1881, Menominee iron region: Geol. Survey of Michigan, v. 4, p. 209-222.
- Royce, Stephen, 1925, Certain advances in geological information relative to the Lake Superior iron deposits: Lake Superior Min. Inst., Proc., 24th Ann. Meeting, v. 24, p. 149-181.
- Runne, M. E., 1938, The nepheline syenites of Wausau, Wisconsin: thesis, M.Sc., Northwestern University, Evanston.
- Schmidt, R. G., 1951, The subsurface geology of Freedom township in the Baraboo iron-bearing district of Wisconsin: Madison, Wisconsin Univ., M.Sc. thesis, unpublished, 40 p.
- Schoolcraft, H. R., 1821, Account of native copper on the southern shore of Lake Superior, Am. Jour. Sci., v. 3, p. 201-216.
- Sellery, G. B., 1924, Some Aspects of the structure of the Keweenawan Series in the vicinity northwest of Mellen, Wisconsin: Madison, Wisconsin Univ., thesis, B.Arts, 31 p.

- Shoemaker, R. S., and Harris, D. L., 1955, Quantitative use of X-ray diffraction for analysis of iron oxides in Gogebic taconite of Wisconsin: Min. Eng., v. 7, no. 5, p. 476-480; A.I.M.E. Trans. 1956, v. 202.
- Sims, P. K., and Zietz, Isidore, 1967: Aeromagnetic and inferred Precambrian paleogeologic map of east-central Minnesota and part of Wisconsin. U. S. Geol. Survey Geophys. Inv. Map GP-563.
- Smith, M. C., 1947, Copper deposits of Douglas County, Wisconsin: U. S. Bur. of Mines, Rept. Inv. 4088, 7 p.
- Smith, T. J., Steinhart, J. S., and Aldrich, L. T., 1966, Lake Superior crustal structure: Jour. Geophys. Research, v. 71, no. 4, p. 1141-1172.
- Snyder, F. G., 1947, Petrofabric studies in the Wausau section of the Wisconsin batholith: Madison, Wisconsin Univ., Ph.D. thesis, 69 p.
- Spicer, H. C., 1952, Electrical resistivity studies of subsurface conditions near Antigo Wisconsin: U. S. Geol. Survey Circ. 181, 19 p.
- Stark, J. T., 1932, Igneous Rocks in the Baraboo District, Wisconsin: Jour. Geology, v. 40, no. 2, p. 119-139.
- _____, 1930, Precambrian water-laid tuff in the Baraboo Wisconsin district: Jour. Geology, v. 38, no. 5, p. 466-471.
- Steidtmann, Edward, 1906, Secondary structures of the eastern part of the Baraboo quartzite range: Madison, Wisconsin Univ., B.Arts thesis, 39 p.
- _____, 1910, The secondary structures of the eastern part of the Baraboo quartzite range, Wisconsin: Jour. Geology, v. 18, no. 3, p. 259-270.
- Steinhart, J. S., 1964, Lake Superior seismic experiment --shots and travel times: Jour. Geophys. Research, v. 69, no. 24, p. 5335-5352.
- Steinhart, J. S., Meyer, R. P., and Woollard, G. P., 1961, Wisconsin-upper Michigan, 1958-59; Chap. 8 in Explosion studies of continental structure, Carnegie Inst. Washington, Pub. 622, p. 248-304.
- Stobbe, H. R., and Murray E. G., 1956, A new occurrence of eucolite near Wausau, Marathon County, Wisconsin: Am. Mineralogist, v. 41, nos. 11-12, p. 932-935.
- Strong, Moses, Sweet, E. T., Brotherton, E.P., Chamberlin, T.C., 1882, Quartzites of Barron and Chippewa Counties, in Geology of Wisconsin 1873-79: Wisconsin Geol. Survey, v. 4, p. 573-581.
- Sumner, J. S., 1956, Geophysical studies of the Waterloo Range, Wisconsin: Madison, Wisconsin Univ. Ph.D. thesis, unpublished, 71 p.
- _____, 1956, Geophysical studies of the Waterloo Range, Wisconsin: (abs.) Dissert. Abs., v. 16, no. 4, p. 732.

- Sweet, E. T., 1876, Notes on the geology of Northern Wisconsin: Wisconsin Trans. Acad. Sci. Arts and Letters, v. 3, 1875-76, p. 40-55.
- _____, 1880, Geology of the Western Lake Superior District in Geology of Wisconsin 1873-79: Wisconsin Geol. Survey, v. 3, p. 303-362.
- Thiel, E. C., 1955, The structural geology of the Lake Superior syncline as revealed by gravity measurements: Madison, Wisconsin Univ., Ph.D. thesis, 63 p.
- _____, 1956, Correlation of gravity anomalies with the Keweenaw geology of Wisconsin and Minnesota: Geol. Soc. America Bull., v. 67, no. 8, p. 1079-1100.
- Thompson, G. L., 1955, A study of part of the Precambrian granite-greenstone complex in southeastern Florence County and northwestern Marinette County, Wisconsin: Ohio State University M.Sc. thesis.
- Thwaites, F. T., 1912, Sandstones of the Wisconsin coast of Lake Superior: Wisconsin Geol. and Nat. Hist. Survey Bull. 25, 117 p.
- _____, 1931, Buried Precambrian of Wisconsin: Geol. Soc. America Bull. v. 42, p. 719-750.
- _____, 1940, Buried Precambrian of Wisconsin: Wis. Acad. Sci. Arts, and Letters Trans., v. 32, p. 233-242.
- _____, 1957, Buried Precambrian of Wisconsin: Wis. Geol. and Nat. Hist. Survey Map.
- Trowbridge, A. C., and Atwater, G. I., 1934, Stratigraphic problems in the Upper Mississippi Valley: Geol. Soc. America Bull., v. 45, p. 21-80.
- Turner, D. S., 1940, The syenite northwest of Wausau, Wisconsin: Madison, Wisconsin Univ., B.Ph. thesis, 30 p.
- _____, 1948, Heavy accessory mineral and radioactivity studies of the igneous rocks in the Wausau area, Wisconsin: Madison, Wisconsin Univ., Ph.D. thesis, 133 p.
- Tyler, S. A., Marsden, R. W., Grout, F. F., and Thiel, G. A., 1940, Studies of the Lake Superior Precambrian by accessory mineral methods: Geol. Soc. America Bull., v. 51, p. 1429-1538.
- Upham, Warren, 1905, Age of the St. Croix Dalles: Am. Geologist, v. 35, p. 347-355.
- Van Hise, C. R., 1886, Upon the origin of the mica schist and black mica slates of the Penokee-Gogebic iron-bearing series: Am. Jour. Sci. 3d series, v. 31, p. 453-459.
- _____, 1889, The iron ores of the Penokee-Gogebic series of Michigan and Wisconsin: Am. Jour. Sci. 3d series, v. 37, p. 32-48.

- _____, 1891, An attempt to harmonize some apparently conflicting views of Lake Superior stratigraphy: *Am. Jour. Sci.*, 3d series, v. 41, p. 117-137.
- _____, 1891, The crystalline schists of the Lake Superior district: *Int. Geol. Cong.* 4, London, 1888, C.R. p. 156-170.
- _____, 1892, The Penoque iron-bearing series of northern Wisconsin and Michigan: *U. S. Geol. Survey Mon.* 19, 634 p.
- _____, 1893, A historical sketch of the Lake Superior Region to Cambrian Time: *Jour. Geology*, v. 1, p. 113-128.
- _____, 1893, Sketch of the Precambrian geology south of Lake Superior: *Int. Geol. Cong.* 5, Washington, 1891, C.R. p. 489-512.
- _____, 1893, Some dynamic phenomena shown by the Baraboo Quartzite ranges of Wisconsin: *Jour. Geology*, v. 1, p. 347-355.
- _____, 1896, A central Wisconsin baselevel: *Science*, v. 4, p. 57-59.
- _____, 1896, Summary of Precambrian North American literature: *Jour. Geology*, v. 4, p. 748-754.
- _____, 1901, Iron ore deposits of the Lake Superior Region: *U.S. Geological Survey 21st Ann. Rept.*, p. 305-434.
- Van Hise, C. R. and Leith, C.K., 1909, Precambrian geology of North America: *U.S. Geol. Survey Bull.* 360, p. 178-196, 717-724.
- Van Hise, C.R., and Leith C.K., 1911, The geology of the Lake Superior region: *U. S. Geol. Survey Mon.* 52, 641 p.
- Vickers, R. C., 1956, Airborne and ground reconnaissance of part of the syenite complex near Wausau, Wisconsin: *U. S. Geol. Survey Bull.* 1042-B, p. 25-44.
- Vierthaler, Arthur A., 1958, Wisconsin Diamonds: *Wisconsin Academy Review*, Spring 1958, p. 53-55.
- Wadsworth, M. E., 1880, Notes on the Geology of the iron and copper districts of Lake Superior: *Harvard Coll., Mus. Comp. Zool. Bull.* 7, *Geol. Series* v. 1, p. 1-157.
- Wadsworth, W. B., 1962, Petrogenesis of a quartz diorite pluton near Pembine Wisconsin: *Northwestern University M.Sc. thesis.*
- _____, 1963, Textural variation within a quartz-siorite pluton (Twelvefoot Falls Pluton) Northeastern Wisconsin: *Geol. Soc. America*, v. 74, p. 243-250.
- Wang, C. C., 1930, A petrographic study of heavy minerals of Wisconsin igneous rocks: *Madison, Wisconsin Univ.*, B. Arts thesis, unpublished, 24 p.
- Warner, J. H., 1905, The Waterloo Quartzite: *Min. World*, v. 22, no. 16, p. 420-422.

- Weeks, H. J., 1921, The origin of some metamorphic rocks from Jackson County, Wisconsin: Madison, Wisconsin Univ., M.Arts thesis, 21 p.
- Weidman, Samuel, 1895, On the quartz keratophyre and associate rocks of the North Range of Baraboo bluffs: Wisconsin Univ. Bull., science series, v. 1, p. 35-56; (1895) abs., Science NS 1, p. 67.
- _____, 1898, A contribution to the geology of the Precambrian igneous rocks of the Fox River valley, Wisconsin: Madison, Wisconsin Univ., Ph.D. thesis.
- _____, 1898, Precambrian igneous rocks of the Fox River valley, Wisconsin: Wisconsin Geol. and Nat. History Survey Bull. 3, 63 p.
- _____, 1903, The pre-Potsdam peneplain of the Precambrian of north-central Wisconsin: Jour. Geology, v. 11, p. 289-313.
- _____, 1904, Iron ores of Wisconsin with special reference to Baraboo district, Wisconsin: Wisconsin Engineer, v. 9, p. 31-45; (1905) abs. Eng. Min. Jour., v. 79, p. 610-612.
- _____, 1904, The Baraboo iron-bearing district of Wisconsin: Wisconsin Geol. and Nat. Hist. Survey Bull. 13, 190 p.
- _____, 1904, Widespread occurrence of fayalite in certain igneous rocks of central Wisconsin: Jour. Geology, v. 12, p. 551-561.
- _____, 1907, Geology of North Central Wisconsin: Wisconsin Geol. and Nat. History Survey Bull. 16, 697 p.
- _____, 1907, Irvingite, a new variety of lithia-mica: Am. Jour. Sci., 4th series, v. 23, p. 451-454.
- Weidman, Samuel, and Lenher V., 1907, Marignacite, a new variety of pyrochlore from Wausau Wisconsin: Am. Jour. Sci., series 4, v. 23, p. 287-292.
- Weidman, Samuel, Hall, E., and Musback, F. L., 1911, Reconnaissance Soil Survey of Northwestern Wisconsin: Wis. Geol. and Nat. Hist. Survey Bull. 23, Economic series, no. 14, 102 p.
- Weidman, Samuel, and Wood, Percy O., 1911, Reconnaissance Soil Survey of Marinette County, Wisconsin: Wis. Geol. and Nat. Hist. Survey Bull. 24, Soil Series no. 1, Economic series no. 15, 44 p.
- Weis, Leonard W., 1965, Origin of the Tigerton Anorthosite: Madison, Wisconsin Univ., Ph.D. thesis, unpublished, 65 p.
- Wetherill, G. W., Bickford, M. E., Silver, L. T., and Tilton, G. R., 1965, Geochronology of North America: Natl. Acad. Sci., Natl. Research Council, Nuclear Sci. Ser., Rept. 41, (NAS-NRC, Pub. 1276) 315 p.
- White, W. S., 1960, The Keweenaw lavas of Lake Superior, an example of flood basalts: Am. Jour. Sci., v. 258-A, Bradley volume, p. 367-374.

_____, 1965, Tectonics of the Keweenaw basin, western Lake Superior region (abs.), in Inst. Lake Superior Geology, 11th Ann., St. Paul, Minn., Univ. Minnesota, p. 34.

_____, 1966, Geologic evidence for crustal structure in the western Lake Superior basin, in Steinhart, J. S., and Smith, T. J. eds., The earth beneath the continents: Am. Geophys. Union Mon. Ser. 10, p. 28-41.

_____, 1966, Tectonics of Keweenaw basin, western Lake Superior region: U. S. Geol. Survey Prof. Paper 524-E, 23 p.

Whitney, J. D., 1862, Mineralogy (of Wisconsin) in Hall and Whitney's Report on the Geological Survey of the State of Wisconsin: v. 1, p. 193-220.

Whitney, J. D., Wadsworth, M. E., 1884, the Azoic System and its proposed subdivision: Harvard Coll., Mus. Comp. Zool. Bull. 7, Geol. Series, v. 1, p. 331-565.

Whitson, A. R., Geib, W. J., Conrey, Guy, Kuhlman, A. R., and Nelson, J. W., 1913, Soil Survey of Waushara County: Wis. Geol. and Nat. Hist. Survey, Bull. 28, Soil Series no. 2, 63 p.

Whitson, A. R., Geib, W. J., Schoenmann, L. R., LeClair, C. A., and Watson, E. B., 1914, Soil Survey of Juneau County: Wis. Geol. and Nat. Hist. Survey, Bull. 38, Soil series, no. 8, 93 p.

Whitson, A. R., Geib, W. J., Thompson, Carl, Post, Clinton B., and Buser, A. L., 1915, Reconnaissance Soil Survey of Northeastern Wisconsin: Wis. Geol. and Nat. Hist. Survey, Bull. no. 47, Soil series, no. 12, 87 p.

Whitson, A. R., Geib, W. J., Dunnewald, T. J., Post, C. B., Boardman, W. C., Albert, A. R., Taylor, A. E., Schoenmann, L. R., and Thompson, Carl, 1916, Soil Survey of North part of North Central Wisconsin: Wis. Geol. and Nat. Hist. Survey, Bull. 50, Soil Series, no. 15, 80 p.

Whitson, A. R., Geib, W. J., Conrey, G. W., Post, C. B., and Boardman, W. C., 1918, Soil Survey of Wood County: Wis. Geol. and Nat. Hist. Survey, Bull. 52-B, Soil Series, no. 17, 86 p.

Whitson, A. R., Geib, W. J., Dunnewald, T. J., Hanson, L. P., Lounsbury, Clarence, Cantrel, L., 1918, Soil Survey of Portage County: Wis. Geol. and Nat. Hist. Survey, Bull. 52-C, Soil Series, no. 18, 79 p.

Whitson, A. R., Geib, W. J., Dunnewald, T. J., Post, C. B., Taylor, A. E., Dickey, J. B. R., and Thompson, Carl, 1918, Reconnaissance Soil Survey of south part of North Central Wisconsin: Wis. Geol. and Nat. Hist. Survey, Bull. no. 52-A, Soil series, no. 16, 108 p.

Whitson, A. R., Geib, W. J., Ford, M. C., Tosterud, M. O., and Lounsbury, Clarence, 1921, Soil Survey of Waupaca County: Wis. Geol. and Nat. Hist. Survey Bull., no. 54-C, Soil Series No. 25, 84 p.

- Whitson, A. F., Geib, W. J., Dunnewald, T. J., and Goodman, A. L., 1923, Soil Survey of Jackson County, Wisconsin: Wis. Geol. and Nat. Hist. Survey, Bull. 54B, Soil series, no. 24, 85 p.
- Whitson, A. R., Geib, W. J., Dunnewald, T. J., Stewart, H. W., Magistad, Oscar, Kubier, Julius, and O'Connell, F. J., 1924, Soil Survey of Adams County: Wis. Geol. and Nat. Hist. Survey Bull. no. 61D, Soil series, no. 42, 83 p.
- Whitson, A. R., Geib, W. J., Dunnewald, T. J., Chapman, H. D., Whitson, Kenneth, O'Connell, F. J., Anderson, A. C., Bailey, E. H., and Edwards, M. J., 1929, Soil Survey of Green Lake County: Bull. no. 61C, Soil series, no. 41, 79 p.
- Whittlesey, Charles, 1860, On the origin of the Azoic Rocks of Michigan and Wisconsin: Proc. Am. Assoc. Adv. Sci., 13th meeting, p. 301-308.
- _____, 1880, List of publications on the geology of the regions drained by the Bad and Montreal Rivers in Geology of Wisconsin 1873-79: Wis. Geol. and Nat. Hist. Survey, v. 3, Appendix A, p. 215-223.
- Wichmann, Arthur, 1880, Microscopical observations of the iron bearing (Huronian) rocks from the region south of Lake Superior: Geology of Wisconsin 1873-79: Wis. Geol. and Nat. Hist. Survey, v. 3, p. 600-656.
- Winchell, N. H., 1895, Keweenawan according to Wisconsin Geologists: Am. Geologist, v. 16, p. 75-86.
- _____, 1895, A Rational View of the Keweenawan: Am. Geologist, v. 16, p. 150-162.
- _____, 1904, The Baraboo iron ore: Am. Geologist, v. 34, p. 242-253.
- _____, 1895, The latest eruptives of the Lake Superior region: Am. Geologist, v. 16, p. 269-274.
- Wold, R. J., and Ostenso, N. A., 1966, Aeromagnetic, gravity, and sub-bottom profiling studies in western Lake Superior in Steinhart, J. S., and Smith, T. J. eds., The Earth beneath the Continents: Am. Geophys. Union, Mon. 10, p. 66-94.
- Woodbury, J. L., 1962, Petrographic study of the Aurora area, Wisconsin: Madison, Wisconsin University M.Sc. thesis, 46 p.
- Wooster, L. C., 1882, Geology of the Lower St. Croix district in Geology of Wisconsin 1873-79: Wis. Geol. and Nat. Hist. Survey, v. 4, p. 99-157.
- _____, 1884, Transition from the copper-bearing series to the Potsdam: Am. Jour. Sci., 3d. series, v. 27, p. 463-465.
- Works, L. P., 1941, Rhenium-bearing molybdenite in northern Wisconsin: Rocks and Minerals, v. 16, p. 92-93.
- Wright, C. E., 1877, Microscopic lithology in Geology of Wisconsin 1873-79: Wis. Geol. and Nat. Hist. Survey, v. 2, p. 637-639.

Wright, C. E., 1880, Geology of the Menominee Iron Region in Geology of Wisconsin 1873-79: Wisconsin Geol. Survey, v. 3, p. 655-734.

_____, 1880, Huronian Series west of Penokee Gap in Geology of Wisconsin 1873-79: Wisconsin Geol. Survey, v. 3, p. 239-301.

Wright, T. L., 1956, The occurrence and genesis of graphite in the Mellen gabbro, Ashland County, Wisconsin: Univ. of Illinois M.Sc. thesis.

Zablocki, C. J., 1966, Electrical properties of some iron-formations and adjacent rocks in the Lake Superior region in Mining geophysics: v. 1, Case histories, Tulsa, Okla., Soc. Explor. Geophysicists, p. 465-492.

Zinner, Paul, and Holmberg, Clyde L., 1947, Investigation of the iron-bearing formation of the western Gogebic Range, Iron County, Wisconsin: U.S. Bureau of Mines Rpt., Inv. 4155, 48 p.

PAMPHLET BINDERS

This is No. 1934

also carried in stock in the following sizes

	HIGH	WIDE	THICKNESS		HIGH	WIDE	THICKNESS
1523	9 inches	7 inches	$\frac{1}{2}$ inch	1529	12 inches	10 inches	$\frac{1}{2}$ inch
1524	10 "	7 "	"	1530	12 "	$9\frac{1}{2}$ "	"
1525	9 "	6 "	"	1932	13 "	10 "	"
1526	$9\frac{1}{4}$ "	$7\frac{1}{4}$ "	"	1933	14 "	11 "	"
1527	$10\frac{1}{2}$ "	$7\frac{1}{2}$ "	"	1934	16 "	12 "	"
1528	11 "	8 "	"				

Other sizes made to order.

MANUFACTURED BY
LIBRARY BUREAU
 DIVISION OF SPERRY RAND CORPORATION
 Library Supplies of all Kinds

USGS LIBRARY - RESTON



3 1818 00081825 0