

## **EXPLANATION**

Clay inferred to be absent

Contour showing thickness of clay (in feet)

This map shows the distribution and thickness of the principal clay deposit. The clay deposit may occur as thick, massive beds of relatively pure clay, or it may occur as discrete layers of silt, clay, and very-fine sand (varved clay). The upper layers of the deposit commonly grade into a layer of silt and very-fine sand. Small, isolated clay deposits not associated with the principal clay deposit are not mapped

The clay deposit commonly overlies a thin layer of till (hardpan), and is commonly covered with sand or gravel of variable thickness. Locally the clay may overlie or contain lenses of sand or gravel

The surface on which the clay was deposited may contain small, irregular depressions or high spots that produce local thickening or thinning of clay that is not indicated on the map

Colton, Roger B., 1965, Geologic map of the Manchester quadrangle, Connecticut: U.S. Geol. Survey Geol. Quad. Map GQ-433.

Ryder, Robert B. and Weiss, L.A., 1971, Hydrogeologic data for the upper Connecticut River basin, Connecticut: Conn. Water Resources Bull. No. 25,

## THICKNESS OF THE PRINCIPAL CLAY DEPOSIT

SCALE 1:24,000

MANCHESTER QUADRANGLE CONNECTICUT

By William H. Langer 1972

U.S. Geological Survey OPEN FILE MAP This map is preliminary and has not been edited or reviewed for conformity with Geological Survey standards or nomenclature.

5000 FEET