


Flight direction N-S
FLIGHT ALTITUDE 1000 FEET TERRAIN CLEARANCE
FLIGHT INTERVAL TRAVERSE 2 KM TIE LINE VARIABLE
CONTOUR INTERVAL 10 AND 50 GAMMA
H 50888 MAXIMUM MAGNETIC VALUE
L 50648 MINIMUM MAGNETIC VALUE
PROJECTION U.T.M., CLARKE 1866, 5000 METER GRID, ZONE 6
BASE MAP USED U.S.G.S. 63,360 SERIES
SURVEYED AND COMPILED 1972
A.S.C. PROJECT NO. 2631-4


AERO SERVICE
LITTON

This map is preliminary
and has not been edited
or reviewed for conformity
to Geological Survey
standards.

Copies of 12 aeromagnetic maps for the
Livengood sheet, locations shown at
right, at 1:63,360 scale, may be
obtained at requester's expense from:
State of Alaska, Department of Natural
Resources, Box 80007, College, Alaska
99701 or Alaska Mineral Resources
Branch, USGS, 345 Middlefield Rd.,
Menlo Park, Calif. 94025



NORTHEAST ALASKA
DEPARTMENT OF THE INTERIOR
UNITED STATES GEOLOGICAL SURVEY
SCALE 1:250,000



WESTERN HALF OF LIVENGOOD QUADRANGLE

Note: This is a residual map.
Gravimetric obtained from International
Geomagnetic Reference Field - 1972
has been removed.