75-281 (SHEET 3 OF 12)

CARL M. WENTWORTH AND VIRGIL A. FRIZZELL

1975

CONSISTING OF BOLINAS, DOUBLE POINT, DRAKES BAY, INVERNESS, NOVATO, PETALUMA, PETALUMA RIVER, POINT REYES NE, SAN GERONIMO, SAN RAFAEL, SAN QUENTIN, AND TOMALES 71 MINUTE QUADRANGLES

Blake, M. C., Jr., Bartow, J. A., Frizzell, V. A., Jr., Schlocker, J., Sorg, D., Wentworth, C. M., and Wright, R. H., 1974, Preliminary geologic map of Marin, and San Francisco Counties and parts of Alameda, Contra Costa and Sonoma Counties, California: U.S. Geol. Survey Misc. Field Studies Map MF-574, scale 1:62,500.

Brabb, E. E., and Pampeyan, E. H., 1972, Preliminary map of landslide deposits in San Mateo County, California: U.S. Geol. Survey Misc. Field Studies Map MF-344, scale 1:62,500.

Nilsen, T. H., 1972, Preliminary photointerpretation map of landslide and other surfictal deposits of the Mt. Hamilton quadrangle and parts of the Mt. Boardman and San Jose quadrangles, Alameda and Santa Clara Counties, California: U.S. Geol. Survey Misc. Field Studies Map MF-339, scale 1:62,500.

References Cited

ongoing USGS study in the San Francisco Bay Region to supply information about slope stability, an aspect of the physical environment that may be potentially hazardous to man or his works. When combined with other data, such as bedrock geology, slope steepness, and hydrology, the landslide information presented herein may facilitate land-use decisions where slope stability may be of concern.

This photo-reconnaissance map of landslide deposits in parts of Marin and Sonoma Counties was prepared as part of an ongoing USGS study in the San Francisco Bay Region to supply

presented herein may facilitate land-use decisions where stope stability may be of concern.

The map was prepared exclusively through photointerpretive methods (in a fashion similar to Nilsen (1972) and Brabb and Pampeyan (1972)) and has not been systematically checked by examining the distribution of landslides observable in the field. Overlapping vertical aerial photographs with a scale of 1:80,000, 1:30,000 and 1:20,000 were used. Landslides were identified by the presence of specific topographic features including scarps, closed depressions, and downslope bulges that contrast with adjacent terrain lacking these features. adjacent terrain lacking these features.

Blake and others (1974) includes numerous references to publications concerning the geology of the map area.

PETALUMA

INDEX MAP

U. S. Geological Survey OPEN FILE REPORT This report is preliminary and has not been edited or reviewed for conformity with Geological Survey standards and nomenclature.

MAP SYMBOLS

Landslide identification confident to probable, except uncertain where queried; inferred movement style variable, including uncertain or indeterminate

LANDSLIDES

Small Landslide Deposits arrows indicate direction of inferred downslope movement and are generally centered over

location of deposits; deposits generally larger than 100 feet but smaller than 500 feet in maximum dimension; confident to probable; queried where uncertain

identification confident to probable, except uncertain where queried; consists of those landslides inferred to have moved downslope as relatively intact blocks.

identification confident to probable, with "wrinkled" or similarly distorted soil surface; identifiable only on grassy or bare ground

possible landslide or block slide, arrow types

landslide inferred to have moved as a flow well beyond the toe of the failure slope

landslide involving relatively intact blocks

that is inferred to have formed by nearly horizontal movement Active Landslide\* containing evidence of recent movement

ANOMALOUS TOPOGRAPHIC FEATURES Scarp of uncertain origin\* possibly landslide related (line at base of

Sea Cliffs cliffs backing beaches or facing open water, may produce falling rock and debris (line at top

Anomalous Swale, Trench, or Small Valley\*

possibly landslide related Closed Depression "x" located at bottom, line along rim

Young Sedimentary Deposits with Constructional Topography queried where identification uncertain; consists of alluvium, alluvial fans and some terrace deposits; east of and within the San Adreas Rift Zone includes colluvium and dune and beach sands that are distinguished west of that zone

Colluvial Deposits queried where identification uncertain

Dune and Beach Sand queried where identification uncertain Terrace Deposits


queried where identification uncertain;

distinguished only locally

Bedrock with Erosional Topography queried where identification uncertain; ranges from semi-indurated sediment to hard rock, variably covered with soil, labeled only where iden-

tity not otherwise evident. \*symbol used exclusively east of the San Andreas Rift Zone

Limit of Landslide Mapping landslides are not mapped outside scratch



EXPLANATION OF MAP SHOWING RELATIVE VISIBILITY OF GROUND SURFACE


Ground surface least visible, with the ground surface and out-line of the ground surface commonly obscured by trees or combin-ations of trees and brush. Landslides most easily overlooked.

Ground surface usually obscured by brush, but outline of ground surface is observable. Also locally contains areas of trees or grass too small to be shown.

Surface of the ground covered by grass and easily visible. Includes some areas of trees or brush too small to be shown. Landslides most obvious.

The following aerial photographs were used in the preparation of the Petaluma Quadrangle: U.S. Department of Agriculture (ASCS) Series DRH taken in 1952 including photographs numbered 2K-121 to 123, 151 to 155, and 165 to 167 (1:20,000 scale) and Series CSH taken in 1961 including photographs 2BB-29 to 41 and 117 to 126 (1:20,000 scale). In addition, photographs taken for the U.S. Geological Survey in 1970 were used supplementally. These included Series GS-VCMI 1-67 to 69 (1:80,000 scale).

. .



Mapped by Carl Wentworth