

Table 1.--Records of wells in Cullman County

Well numbers correspond to those on figure 3 and in tables 2 and 4.

Depth of well: Reported depths below land surface are given in feet; measured depths are given in feet and tenths.

Altitude: Determined by aneroid barometer.

Water-bearing unit: ^b ~~My, Pennington Formation,~~ *Bangor Limestone;* Ppv, Pottsville Formation.

Water level: Reported water levels are given in feet; measured water levels are given in feet and tenths.

Method of lift: C, cylinder; J, jet; M, manual; N, none; S, submersible; T, turbine.

Use of water: D, domestic; N, not used; P, public; S, stock.

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
A-1	George Kilgore.....	--Campbell.....		106	6	Epv	998	35.1	10-15-63	J	D,S	On hillside. Casing: 6-in from surface to 33 ft; none below. Supplies 3 people, 20,000 chickens, and 5 head of stock.
A-2	Arab Nursery Co.....	Glen Campbell.....	1955	100	6	Epv	1,020	49	1955	T	N	In draw. Casing: 6-in from surface to 15 ft; none below.
A-3	Mrs. Ellen Benson...	--Campbell.....	1945	49.5	..	Ppv	1,000	17.9	8-7-63	M	D	On upland.
B-1	J. A. Creel.....	Apel Machine Co.....	1958	95	6	Ppv	1,040	20	1963	J	D,S	On upland. Casing: 6-in from surface to 19 ft; none below. Bailed at 30 gpm. Supplies home, 14,000 chickens, 7 cows and 6 hogs.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
K-6	Frank Guthrie.....		1963	125	9	Ppv	942	70.0	10-15-63	J	D, S	On hillside. Reportedly pumped at 15 to 20 gpm.
K-7	John Shaw.....	Ray Campbell.....		75	6	Ppv	897	35	1963	J	D, S	On upland. Supplies home and 4,200 turkeys.
K-8	Fairview School...	Jesse Hulsey.....	1947	139	6	Ppv				J	P	On upland. Casing: 6-in from surface to 36 ft; none below. Supplies showers in gymnasium.
K-9	do.....			139	6	Ppv				C	P	On upland. Casing: 6-in from surface to 60 ft; none below. Supplies 1,142 students and 38 teachers. Reported well yield 5 gpm in 1963.
K-10	Charles Albright..	--Miller.....	1963	65.4	6	Ppv	925	46.2	10- 3-63	M	D	On upland. Casing: 6-in from surface to 34 ft; none below.
K-11	D. H. Freeman.....			98.5	6	Ppv	807	50.2	10-16-63	J	D	In valley.
K-12	Buford Gross.....			100.0	6	Ppv	953	59.9	10- 9-63	J	S	On upland. Casing: 6-in from surface to 23 ft; none below. Supplies 19,000 chickens and 85 hogs.
K-13	Onan Reid.....				6	Ppv	957	46.0	10-14-63	J	D	On upland. Reported to contain objectionable quantities of iron.
K-14	W. C. Martin.....	H. T. Sparks.....	1963	100	6	Ppv	944	41.8	10- 3-63	J	D	On hillside. Casing: 6-in from surface to 38 ft; none below.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
K-15	R. V. Howse.....	H. T. Sparks.....	1951	103	6	Ppv	800	21.7	10- 3-63	J	D	On hillside.
K-16	David Hayes.....	do.....	1963	58	6	Ppv	959	33.6	10- 3-63	J	D	On hillside. Casing: 6-in from surface to 47 ft; none below. Bailed at 6 gpm in 1963.
K-17	Alvin Travis.....	--Miller.....		65	6	Ppv	891	41.4	10- 9-63	J	D	On hillside. Quantity of water inadequate at times.
L-1	M. R. Widner.....	Arthur Ellenberg....		47	6	Ppv		20.0	8- 5-63	J	D	On upland.
L-2	--McDaniel.....			27.4		Ppv	961	17.0	8- 7-63	M	D	Do.
L-3	James Helton.....	Ray Campbell.....	1962	100	6	Ppv				J	D	On upland. Casing: 6-in from surface to 20 ft; none below.
L-4	Walter Willis.....	--Campbell.....	1945	27.3		Ppv	983	13.4	8- 7-63	M	D	On upland.
L-5	J. T. Hayes.....	do.....	1950	105.5	6	Ppv	876	70	1963	J	D,S	In valley. Casing: 6-in from surface to 30 ft; none below.
L-6	G. W. Benefield....	--Higgins.....	1940	34.5	6	Ppv	933	19.6	8- 8-63	M	D	On upland.
L-7	Dave Benefield.....	Apel Machine Co.....	1958	67.9		Ppv	958	33.8	8- 8-63	M	D	On hillside.
L-8	Ross Causey.....	Grady Higgins.....	1945	77	6	Ppv	915	43.7	10-15-63	J	D,S	On upland. Casing: 6-in from surface to 20 ft; none below. Bailed at 18 gpm in 1945. Supplies home, 17,000 chickens, and 150 hogs.
L-9	Calvin Roberts.....	H. T. Sparks.....	1960	78	6	Ppv	862	12.9	10-14-63	J	D	On hillside. Casing: 6-in from surface to 18 ft; none below.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
M-1	Mrs. Meady Dyear..			41	...	Epv	970	16.5	8- 5-63	M	D	On hillside.
N-1	H. J. Nail.....	H. T. Sparks.....	1957	106	...	Epv	795	23.8	10- 9-63	J	D	On ridge.
N-2	Tommy R. Duvall...	Ray Campbell.....		83	7	Epv	702	64.0	10- 8-63	J	D	In valley.
N-3	Gearld Britt.....	H. T. Sparks.....	1957	76	6	Epv	789	61.0	10- 9-63	J	D	On hillside.
O-1	Hollis Tucker.....	do.....	1962	75	6	Epv	...	...		J	D	On hillside. Water has hydrogen sulfide odor.
O-2	Holly Pond School.			...	...	Epv	...	...		C	P	On hillside. Supplies 850 students and 28 teachers.
O-3	Holly Pond.....	Interstate Drillers	1963	400	8	Epv	873	117.0	7-30-63	J	D	On hillside. Casing: 8-in from surface to 80 ft; none below. Reported drawdown 73 ft after 2 hours pumping 11 gpm.
O-4	do.....	do.....	1963	205	9	Epv	761	1.8	8-15-63	N	N	In valley. Casing: 9-in from surface to 40 ft; none below. Drilled for public supply. Reported drawdown 95 ft after 24 hours pumping 200 gpm on 8-15-63.
O-5	Julious Childress.	H. T. Sparks.....		41.8	6	Epv	730	17.3	10- 7-68	M	D	On ridge.
O-6	Ollie Mae Farr....			47.8	6	Epv	829	31.2	10- 7-68	M	D	On hilltop. Reported to contain objectionable quantity of iron.
O-7	Luther Wise.....	H. T. Sparks.....	1962	100	6	Epv	834	49.5	8- 4-64	J	D,S	On hillside. Bailed at 25 gpm. Supplies home, 14,800 chickens, 50 cows and 85 hogs.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
O-8	J. B. Neal.....			99	7	Epv	758	57.1	8- 4-64	J	D	On hillside.
O-9	C. N. Dodson.....		1960	108	6	Epv	798	19.3	10- 9-63	M	D	On upland. Reported to contain objectionable quantity of iron.
O-10	Henry Baker.....	--Campbell.....	1956	72	6	Epv	682	19.8	10- 9-63	M	D	On hillside.
O-11	Elmer Furl.....			125	6	Epv	775	57.5	10- 7-63	M	D	Do.
O-12	Mrs. Daisy Burnham		1956	91.4	7	Epv	771	28.4	10- 8-63	M	D	Do.
O-13	James R. Foust....		1930	45	6	Epv	731	19	1964	J	D	Do.
O-14	Ruby Stores.....			54.7	6	Epv	764	40.4	10- 7-63	M	D	On upland.
O-15	V. W. Tidwell.....	--Miller.....		145	6	Epv	726	53.3	10- 9-63	J	S	On hillside. Supplies 11,500 chickens.
P-1	Mrs. Early Leathers			51.0	6	Epv	889	19.5	10- 4-63	M	D	On hillside.
P-2	W. C. Davis.....		1962	65.0	6	Epv	875	46.7	10- 3-63	M	D	On hilltop.
P-3	East Point School.				...	...	...	...		J	P	On hilltop. Supplies 105 students and 5 teachers.
P-4	A. P. Keese.....	H. T. Sparks.....	1964	116	6	Epv	780	36.7	9-14-64	J	S	On hillside. Bailed at 25 gpm in 1964.
P-5	Estella Rakestraw.			55.1	6	Epv	816	27.3	10- 8-63	M	D	On hilltop.
P-6	Horace Wadell.....	--Miller.....	1959	48	6	Epv	743	21.1	7-30-64	M	D	On hillside. Quantity of water inadequate at times.
P-7	L. A. Leathers....	Apel Machine Co....	1956	81.3	6	Epv	757	45.5	9-23-63	M	D	On hillside. Bailed at 30 gpm in 1956.
P-8	Asple Leipert.....		1960	92	7	Epv	737	41.6	9-23-63	M	D	On ridge.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
P-9	W. H. Hightower...				7	Ppv	758	46.0	10- 8-63	J	D,S	On hilltop. Supplies home, 12,000 chickens 82 hogs, and 39 cows.
P-10	Harvey Hightower..			45.7	6	Ppv	714	27.4	10- 7-63	M	D	On hillside.
P-11	Walti School.....	Ray Campbell.....		120	6	Ppv	...	...		C	P	On upland. Supplies 200 students and 6 teachers.
P-12	J. L. Swofford....	--Campbell.....	1963	110	6	Ppv	765	26.8	9-25-63	J	D	On hilltop.
P-13	O'Neal Folds.....	Ray Campbell.....	1962	106	6	Ppv	758	36	1962	J	D,S	On hilltop. Casing: 6-in from surface to 47 ft; none below. Bailed at 6 gpm in 1962.
Q-1	Martin Burke.....			12.7	7	Ppv	827	8.0	9-23-63	M	D	On hillside. Quantity of water inadequate at times.
Q-2	Dewey Loyd.....	Apel Machine Co....	1963	146	6	Ppv	955	62.4	9-19-63	M	D	On hillside.
Q-3	H. G. Pinkston....	--Miller.....	1950	323	6	Ppv	...	60	1950	J	D	Casing: 6-in from surface to 11 ft; none below.
Q-4	J. C. Stephens....			38.4	6	Ppv	946	18.1	9-18-63	M	D	Quantity of water inadequate at times.
Q-5	Henry McPherson...			53.1	6	Ppv	898	29.0	9-18-63	M	D	On ridge.
Q-6	King Pharr Canning Co.	H. W. Peerson Drilling and Supply Co.	1946	426	8	Ppv (?)	792	117	1946	N	N	Casing: 8-in from surface to 43 ft; none below. Abandoned. Reported drawdown 80 ft after 21 hours pumping 110 gpm on 3-22-46.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
Q-7	Frank Benninger...			34.0	6	Epv	731	14.5	9-30-63	M	D	On hilltop.
Q-8	St. Bernard College	--Stewart.....	1929	370	8	Epv	778	100	1929	T	P	On hilltop. Cited as St. Bernard College well (Johnston, 1933, p .2, Table 11, No. 23).
								140	1954			
Q-9	do.....	do.....		416	...	Epv, ⁶ M ₂ (?)	778	145	1960	T	P	On hilltop. This well and Well Q-8 supply 60,000 to 70,000 gallons per day.
Q-10	Lee Gardner.....	H. B. Gandy.....	1927	39.1	6	Epv	738	16.0	9-25-63	M	D	On hillside.
Q-11	City of Cullman...			81	8	Epv	769	30	1929	N	N	On upland. Casing: 8-in from surface to 13 ft; none below. Published in Geol. Survey Spec. Rept. 16 as City of Cullman. Formerly used as a source for public supply.
								20	1952			
								11.5	8-24-64			Reported to yield 35 gpm.
Q-12	Southern Cotton Oil	H. W. Peerson	1946	380	8	IPpv	774	137	1946	N	N	Casing: 8-in from surface to 35 ft; none below. Abandoned. Reported drawdown 114 ft after 24 hours pumping 55 gpm in 1946.
		Drilling and Supply Co.						22.6	9-2-64			
Q-13	T. P. Culpepper...	--Miller.....	1962	85	6	Epv	750	57.2	9-30-63	M	D	On hillside. Reported to contain objectionable quantity of iron.
Q-14	J. D. Jordan.....	--Campbell.....	1953	50	6	Epv	754	18.0	9-25-63	M	D	On upland. Reported to contain objectionable quantity of iron.
Q-15	Ervin Messersmith.		1960	220	8	Epv	754	51.2	9-25-63	J	D	On upland. Quantity of water inadequate at times.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
Q-16	John Edge.....		...	...	6	Ppv	736	28.5	8- 4-64	J	D	On hilltop. Reported to contain objectionable quantity of iron.
Q-17	O. S. Hunt.....	H. B. Gandy.....	1960	85	7	Ppv	701	29.7	9-25-63	J	D	On upland. Reported to contain objectionable quantity of iron.
Q-18	Hasten Poore.....	Apel Machine Co...	1958	80	7	Ppv	713	30	1964	J	D	Casing: 7-in from surface to 38 ft; none below. Bailed at 30 gpm in 1958.
R-1	Ernest Chandler...		...	63	6	Ppv	969	52.1	9-30-63	M	D	On ridge. Quantity of water inadequate at times.
R-2	Othel Kugler.....		...	27.9	6	Ppv	924	8.3	9- 9-63	M	D	In valley.
R-3	Ernest F. Jones...	Andrew Ponder.....	1958	101	7	Ppv	999	41.7	9-30-63	J	D	On upland. Bailed at 25 gpm in 1958. Reported to contain objectionable quantity of iron.
R-4	Howard Brown.....	Doyle Ponder.....	1964	60	6	Ppv	888	8.8	9-14-64	J	D	On hillside. Bailed at 10 gpm in 1964.
R-5	E. O. Higgins.....	Lonnie Somerford..	1949	159.5	6	Ppv	980	39.9	9-17-63	M	S	On hilltop. Casing: 6-in from surface to 12 ft; none below. Quantity of water inadequate at times.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
R-6	J. T. Campbell....		...	58.5	6	Ppv	962	22.7	9-13-63	M	N	Quantity of water inadequate at times.
R-7	A. J. Devine.....	H. T. Sparks.....	1964	50	6	Ppv	885	14.1	9-10-64	J	S	In valley. Casing: 6-in from surface to 8 ft; none below. Bailed at 25 gpm in 1964.
R-8	J. F. Rutherford..	--Higgins.....	...	54	6	Ppv	944	32.5	9-17-63	J	D,S	On ridge. Supplies home and 17,500 chickens.
R-9	M. R. Wicks.....		...	25.7	6	Ppv	903	14.6	9-13-63	M	D	On upland. Reported to contain objectionable quantity of iron.
R-10	J. D. Lay.....	--Erwood.....	1920	33	6	Ppv	754	19.8	9-17-63	M	D	On hillside. Casing: 6-in from surface to 12 ft; none below. Reported to contain objectionable quantity of iron.
R-11	Calvin Kilgo.....	Doyle Ponder.....	1955	65	7	Ppv	810	26.6	5- 6-64	J	D,S	In valley. Bailed at 25 gpm in 1955. Supplies home and 14,500 chickens.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
R-12	Belton Whitlock...	--Gandy.....	1962	70	7	Ppv	601	5.6	5- 6-64	J	D,S	On upland. Quantity of water inadequate at times for 4 people and 20,000 chickens.
R-13	H. M. Mobley.....	Apel Machine Co...	1949	97.5	6	Ppv	624	35.7	5- 6-64	J	D,S	In lowland. Reported to contain objectionable quantity of iron.
S-1	D. A. Rogers.....			37.3	6	Ppv	943	21.4	9-17-63	M	D	On upland.
S-2	Jones Chapel School	Doyle Ponder.....	1954	125	7	Ppv	962	42.4	9-13-63	J	P	On hilltop. Quantity of water inadequate in 1964.
S-3	do.....	do.....	1964	158	6	Ppv				C	P	On hillside. Reportedly test pumped 24 hours at 18 gpm in 1964.
S-4	Charles O'Rear....	do.....	1960	86	7	Ppv				J	D	On upland. Bailed at 25 gpm in 1960.
S-5	H. L. Peak.....			22.4	6	Ppv	817	14.2	9- 9-63	M	D	In valley. Quantity of water inadequate at times.
S-6	Lonnle Paskel.....	Doyle Ponder.....	1955		6	Ppv	902	22.1	9-13-63	J	D	On hilltop.
S-7	Marion Bartlett...			40.6	6	Ppv	858	18.3	9- 9-63	M	D	Do.
S-8	Fletcher Mackenaw.			169	6	Ppv	869	136.5	9-13-63	M	D	Do.
S-9	Logan School.....	Doyle Ponder.....	1962	75	6	Ppv	764	15.0	5- 4-64	J	P	Casing: 6-in from surface to 15 ft; none below. Bailed at 25 gpm in 1962. Supplies 200 students and 7 teachers.
S-10	C. W. Hudson.....	^{do} Beyle Ponder.....	1956	90	6	Ppv	888	23.0	5- 5-64	J	D,S	On ridge. Bailed at 25 gpm in 1956.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
S-11	S. T. Stallins.....		1960	120	6	Ppv	855	48.3	9- 9-63	J	D	On hilltop.
S-12	E. L. Entrekin.....				6	Ppv	665	17.4	5- 5-64	J	D,S	In valley.
S-13	E. W. Kilgo.....	Texas Eastern Transmission Co.	1956	3,665	11		869	190	1956	N	N	Casing: 11-in from surface to 560 ft; none below. Drilled as oil test well. Water which is near the base of Ordovician at 2,690 ft ¹ contained 1840 mg/l chloride.
T-1	L. M. Freeman.....		1940	54	6	Fpv	858	15.9	5- 5-64	M	D	On ridge.
T-2	W. C. Wood.....	Andrew Ponder.....	1960	80	7	Ppv	612	22.0	5- 5-64	J	D	In valley. Bailed at 8 gpm in 1960. Reported to contain objectionable quantity of iron.
T-3	V. A. Williams.....	--Gandy.....	1959	65	6	Fpv	713	9.0	5- 5-64	J	S	In valley. Supplies 8,000 chickens. Reported to contain objectionable quantity of iron.
T-4	Ogene Eddy.....	Andrew Ponder.....	1962	100	7	Ppv	823	26.3	5- 5-64	M	D	On ridge. Bailed at 1 gpm in 1962. Reported to contain objectionable quantity of iron.
T-5	Billy Sharpton.....	do.....	1963	...	7	Ppv	798	12.6	5- 4-64	J	D	On ridge. Quantity of water inadequate at times.
T-6	Major Miller.....			101.4	6	Fpv	786	28.4	5- 6-64	M	D	On upland.
T-7	W. E. Phillips.....	Andrew Ponder.....	1963	154	7	Fpv	734	53.5	5- 5-64	J	D	On ridge. Quantity of water inadequate at times. Supplies home and 23,000 chickens.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
B-2	Hugh M. Hipp.....	Leon Miller.....	1939	64	8	Epv	...	...	...	J	D	On upland. Reported to contain objectionable quantity of iron.
C-1	Arthur Thomason....	Davis & Thompson...	1925	26.4	6	Epv	975	13.2	8-14-63	M	D	On upland.
C-2	Belton Yancy.....	Apel Machine Co....	1954	81	6	Epv	1,040	31	1963	J	D,S	On upland. Casing: 6-in from surface to 22 ft; none below. Supplies home, 12,000 chickens, and 27 head of stock.
C-3	J. H. Creel.....	Walter Miller.....	1947	100	6	Epv	1,050	13.6	8-12-63	J	S	On upland. Casing: 6-in from surface to 40 ft; none below. Supplies 9,000 chickens and 4 cows. Reported to contain objectional quantity of iron.
D-1	Joan Green.....	Apel Machine Co....	1963	126	8	Epv	985	47.0	8-27-63	J	D	On upland. Casing: 8-in from surface to 29 ft; none below. Bailed at 1 gpm in 1963.
D-2	M. C. Kinney.....	Leon Miller.....	1957	55	..	Epv	996	16.1	8-14-63	J	D,S	On upland.
E-1	O. E. Cook.....	--Perry.....	1947	66.5	6	Epv	1,100	31.1	8-29-63	M	D	On upland. Quantity of water inadequate at times.
E-2	J. F. Hardin.....	H. T. Sparks.....	1964	60	7	Epv	852	20.0	9-14-64	J	D	In valley. Bailed at 30 gpm in 1964.
E-3	H. N. Hammett.....			32	6	Epv	869	16.3	8-27-63	M	D	On upland. Quantity of water inadequate at times.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
T-8	Dowling School.....	--Hendon.....		200	...	Ppv	837	50	1964	C	P	On ridge. Quantity of water inadequate at times for 180 students and 7 teachers.
T-9	James Austin.....	do.....	1962	110	6	Ppv	819	36.2	5- 4-64	J	D,S	On ridge. Supplies home and 20,000 chickens. Reported to contain objectionable quantity of iron.
T-10	C. H. Dye.....	Andrew Ponder.....	1962	125	7	Ppv	795	34.8	5- 4-64	J	S	On ridge. Bailed at 2 gpm in 1962. Supplies 13,000 chickens.
T-11	Mrs. W. S. Thomas..	--Hendon.....	1951	100	6	Ppv	762	33.0	5- 4-64	J	D	On ridge. Reported to contain objectionable quantity of iron.
T-12	Charles Willoughby.	--Campbell.....	1946	47	6	Ppv	716	20.6	5- 4-64	J	D,S	On hillside. Quantity of water inadequate at times for 5 people and 10,000 chickens.
U-1	G. H. Quattlebaum..	R. G. Gandy.....	1954	65	7	Ppv	617	40.3	5- 8-64	J	D,S	In lowland. Reported to contain objectionable quantity of iron. Supplies home and 35 hogs
U-2	Billy Clay.....			33.6	6	Ppv	810	19.2	5- 6-64	M	D	On upland. Quantity of water inadequate at times. Reported to contain objectionable quantity of iron.
U-3	J. G. Speegle.....			28.0	6	Ppv	618	8.2	5- 6-64	J	D	In lowland. Reported to contain objectionable quantity of iron.
U-4	N. L. Needham.....	Andrew Ponder.....	1961	65	7	Ppv	552	18.0	5- 8-64	J	D	Do.

Table 1.--Records of wells in Gullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
U-5	K. V. Davis.....	--Gandy.....		101	7	Ppv	568	19.8	5- 6-64	J	D,S	In valley. Supplies home and 10,000 chickens. Reported to contain objectionable quantity of iron.
U-6	J. D. Glenn.....	Doyle Ponder.....	1954	144	7	Ppv	662	13.2	5- 8-64	J	D	In lowland. Bailed at 40 gpm in 1954.
V-1	Otto Evers.....	Otto Evers.....	1912	39.7	6	Ppv	733	13.8	7-23-64	M	D	On upland. Quantity of water inadequate at times.
V-2	Dewey Hutson.....	Leon Miller.....	1962	97	6	Ppv	619	23.0	5- 6-64	J	D,S	On hillside. Supplies home and 21,000 chickens.
V-3	Good Hope School...			140	...	Ppv	...	...	...	C	P	On hilltop. Supplies 660 students and 18 teachers.
V-4	Elwin Robinson.....	--Gandy.....	1963	47	7	Ppv	607	16.0	5-13-64	J	D	In valley. Gaping: 7-in from surface to 16 ft; none below.
V-5	Ella Doss.....			60	6	Ppv	618	10.9	7-23-64	J	D	In lowland. Reported to contain objectionable quantity of iron.
V-6	I. J. Hood.....	--Ponder.....	1946	90	6	Ppv	782	53.8	7-22-64	J	D	On hilltop. Quantity of water inadequate at times.
V-7	W. H. Ziegenbein...	Apel Machine Co....	1954	79	6	Ppv	686	54	1963	S	D,S	In lowland. Bailed at 30 gpm in 1954.
V-8	James E. Carden....			...	6	Ppv	887	37.9	7-23-64	J	D	On ridge. Quantity of water inadequate at times.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
V-9	Howard Scott.....	Doyle Ponder.....	1964	131.7	7	Ppv	639	10.4	5-14-64	M	D	On hillside.
V-10	W. E. Harris.....	--Myhand.....	1963	68	6	Ppv	586	15.5	5-18-64	J	D	In valley. Casing: 6-in from surface to 20 ft; none below.
V-11	Agnes Kinny.....	Apel Machine Co...	1963	100	6	Ppv	...	24.1	7-23-64	J	D	On hilltop. Casing: 6-in from surface to 14 ft; none below. Bailed at 30 gpm in 1963. Reported to contain objectionable quantity of iron.
V-12	James Turner.....	do.....	1961	60	6	Ppv	522	13.1	7-23-64	J	D	In valley. Bailed at 40 gpm in 1961.
V-13	Cortez Hayes.....	do.....	1964	225	6	Ppv	601	15.6	7-23-64	N	D	On hillside.
V-14	Charles Hestla....	do.....	1964	78	6	Ppv	599	27.1	7-23-64	M	D	On hillside. Casing: 6-in from surface to 22 ft; none below. Bailed at 30 gpm in 1964.
W-1	Paul Fox.....	do.....	1963	64	6	Ppv	674	27.9	7-31-64	J	D,S	On hillside. Casing: 6-in from surface to 24 ft; none below. Bailed at 12 gpm in 1963.
W-2	C. L. Patrick.....	do.....	1964	83	6	Ppv	675	25	1964	J	S	On hillside. Casing: 6-in from surface to 20 ft; none below. Bailed at 30 gpm in 1964.
W-3	Jack Sandlin.....	Carl Baird.....	1955	89	6	Ppv	618	30	1964	J	D,S	On hilltop. Bailed at 45 gpm in 1955.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
W-4	J. H. Howard.....	--Miller.....	1959	211	6	Ppv	614	112.0	8-4-64	S	D	On ridge. Bailed at 10 gpm in 1959.
W-5	E. W. Smith.....	Leon Miller.....	1964	100	6	Ppv	608	32.9	7-29-64	J	S	In lowland. Bailed at 7 gpm in 1964.
W-6	John C. Smith.....	do.....	1964	93	6	Ppv	683	33.9	7-29-64	J	D	On hillside.
W-7	Roy Moore.....		1949	40	6	Ppv	608	22.1	7-31-64	J	D	On hillside. Quantity of water inadequate at times.
W-8	D. L. Turney.....	--Miller.....	1964	50	7	Ppv	621	14.0	7-31-64	J	D	On hillside.
W-9	Town of Hanceville	H. W. Pearson Drilling and Supply Co.	1946	363	8	Ppv	538	10	1946	T	P	In lowland. Casing: 8-in from surface to 21 ft; none below. Reported drawdown 80 ft while pumping 180 gpm in 1946.
W-10	Paul Cole.....			57	6	Ppv	630	29.8	7-29-64	J	D	In lowland. Bailed at 35 gpm when finished.
W-11	O. L. Rider.....			39	6	Ppv	608	27.1	7-29-64	M	D	In lowland.
W-12	Annie C. Lee.....	Apel Machine Co...	1959	48	6	Ppv	527	15.5	7-29-64	J	D	In lowland. Reported to contain objectionable quantity of iron.
W-13	J. G. McHenry.....	Ray Campbell.....		87	6	Ppv	531	43.0	7-29-64	J	D	In lowland.
W-14	S. E. Mardis.....	--Miller.....	1956	195	6	Ppv	556	48.7	7-22-64	J	D,S	Do,
W-15	Curtis Burden.....	Apel Machine Co...	1964	108	6	Ppv	576	50.5	7-23-64	J	D	In valley.
W-16	G. E. Barnett.....	do.....	1962	80	7	Ppv	556	33.8	7-22-64	J	D	In lowland. Bailed at 30 gpm in 1962.
W-17	Julius B. Headrick	--Myhand.....	1959	50	6	Ppv	555	17.3	7-29-64	J	D	On hillside.
W-18	--Whaley.....	Mainstree Oil and Gas Co,	1922	2,850	10		550			N	N	Casing: 10-in from surface to 585 ft; none below. Drilled as oil test well.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
X-1	William R. Harper..	H. T. Sparks.....	1962	91	6	Ppv	654	48.6	8- 4-64	J	D	On hillside. Quantity of water inadequate at times. Reported to contain objectionable quantity of iron.
X-2	V. A. Doty.....	do.....	1961	108	6	Ppv	677	55.7	8- 4-64	J	S	On hillside. Bailed at 25 gpm in 1962. Reported to contain objectionable quantity of iron.
X-3	J. H. McAlpin.....	Ray Campbell.....	1963	72	6	Ppv	709	32.7	8- 4-64	J	D,S	On hillside. Casing: 6-in from surface to 30 ft; none below. Supplies home and 20,000 chickens.
Y-1	Town of Garden City	H. W. Peerson Drilling and Supply Co.	1951	120	8	Ppv	476	4.5	1951	T	P	In lowland. Reported drawdown 32.5 ft. after 24 hours pumping 195 gpm in 1951.
Y-2	H. A. Simpson.....	Apel Machine Co....		75	6	Ppv	659	35	1964	J	D	On hillside. Bailed at 8 gpm when finished.
Y-3	J. G. Baker.....	do.....	1945	82	6	Ppv	478	32.4	7-22-64	J	D	On hillside. Reported to contain objectionable quantity of iron.
Y-4	E. C. Sapp.....		1950	54	6	Ppv	450	15.0	5-20-64	J	D	In lowland.
Y-5	E. R. Cupp.....	Apel Machine Co....	1958	90	...	Ppv	392	22.4	5-20-64	J	D	In lowland. Reported to contain objectionable quantity of iron.
Z-1	Ray Hogland.....	R. G. Gandy.....	1963	103.4	6	Ppv	861	32.3	5-18-64	M	D	On upland.

Table 1.--Records of wells in Gullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
Z-2	William Casey.....	R. G. Gandy.....	1959	172	6	Ppv	517	22.0	5-20-64	J	D	On hilltop.
Z-3	Bill Fuller.....				6	Ppv	378	43.3	5-20-64	J	D	In lowland. Reported to contain objectionable quantity of iron.
Z-4	R. F. Nicholes.....	--Hudson.....	1948	28	6	Ppv	348	9.7	5-20-64	C	D	In valley. Reported to contain objectionable quantity of iron.
Z-5	Poultry By-Products			115	7	Ppv	387	59.0	5-20-64	J	D	In lowland.
Z-6	A. B. Shelton.....	--Allams.....	1954	59	6	Ppv	765	33.5	5-18-64	J	D	On upland.
Z-7	Colony School.....			40	72	Ppv				J	P	On hilltop. Quantity of water inadequate at times for 105 students and 6 teachers.
Z-8	Ezra Dean.....		1955	44	6	Ppv	328	17.6	5-20-64	N	N	In valley. Reported to contain objectionable quantity of iron.
Z-9	Archie Parsons.....	Carl Baird.....	1959	120	6	Ppv	413	48.4	5-20-64	J	D	On hillside.
AA-1	Carl Calvert.....	R. G. Gandy.....		85	6	Ppv	774	27.0	5- 8-64	J	S	On upland. Supplies 46,000 chickens.
AA-2	L. K. Manning.....	--Baird.....	1944	90	6	Ppv	775	24.1	5-13-64	J	D	On hilltop. Reported to contain objectionable quantity of iron.
AA-3	E. H. Grimmett.....	Garland Graves....	1960	250	6	Ppv	785	29.5	5-14-64	M	S	On hilltop.
AA-4	Lester Corbin.....	Leon Miller.....	1962	85	7	Ppv	608	21.8	5-13-64	J	D	In valley. Reported to contain objectionable quantity of iron.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
AA-5	Billy Joe Wise....	--Myhand.....	1964	79	6	Ppv	814	22.6	5-18-64	J	D	On upland. Casing: 6-in from surface to 15 ft; none below. Reported to contain objectionable quantity of iron.
AA-6	Charles Easterwood	--Gandy.....	1961		6	Ppv	582	16.1	5-13-64	J	D	In valley.
AA-7	Eulas Graves.....	R. G. Gandy.....	1960	101	7	Ppv	755	41.8	5-13-64	J	D	On upland. Quantity of water inadequate at times. Reported to contain objectionable quantity of iron.
AA-8	Charles Edwards...	--Gandy.....	1960	147	6	Ppv	763	30.3	5-18-64	J	D	Reported to contain objectionable quantity of iron.
AA-9	C. D. Daniels.....			62.2	6	Ppv	811	20.8	5-18-64	J	D	On upland.
AA-10	G. L. Crawford....	--Baird.....	1961	116	6	Ppv	775	25.6	5-13-64	J	D	Do.
AA-11	Carl Strickland...	Carl Baird.....	1963	105	6	Ppv	489	17	1963	J	D	In valley. Reported to contain objectionable quantity of iron.
AA-12	M. C. Rice.....	R. G. Gandy.....	1960	196	7	Ppv	743	29.3	5-13-64	J	S	On upland. Quantity of water inadequate at times for 12,000 chickens.
AA-13	George E. Aaron...	do.....	1959	100	7	Ppv	754	8.6	5-18-64	J	D	On upland. Casing: 7-in from surface to 19 ft; none below. Reported to contain objectionable quantity of iron.
BB-1	Verlin McSwain....	Andrew Ponder.....	1963	101	7	Ppv	761	30.7	5- 8-64	J	D,S	On ridge. Bailed at 25 gpm in 1963. Supplies home and 11,500 chickens. Reported to contain objectionable quantity of iron.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
BB-2	Harold Williams...	--Gandy.....	1963	54	6	Ppv	559	5.9	5- 8-64	M	D	In valley.
BB-3	E. E. Kilgo.....	Gene Hendon.....	1963	185	6	Ppv	713	66.4	5- 4-64	J	D,S	On ridge. Bailed at 20 gpm in 1963. Supplies home and 11,500 chickens.
BB-4	R. E. Calvert.....	--Hendon.....		210	6	Ppv	586	19.2	5- 4-64	S	D,S	On hillside. Supplies home and 13,000 chickens.
BB-5	Mancle Calvert....	Carl Baird.....		210	6	Ppv	737	67.0	5- 8-64	J	D,S	On ridge. Bailed at 10 gpm when finished. Supplies home and 23,000 chickens.
BB-6	Ernest Burrow.....	Gene Hendon.....	1963	133	6	Ppv	675			J	D,S	On hilltop. Bailed at 8 gpm. Supplies home and 10,600 chickens.
BB-7	W. D. Vandiver....	--Baird.....		73	6	Ppv	687	19.9	5-11-64	M	D	On hillside. Reported to contain objectionable quantity of iron.
BB-8	Cold Springs School	Carl Baird.....		...	6	Ppv	706	45.2	5-11-64	J	P	On hilltop. Quantity of water from wells BB-8 and BB-9 is inadequate at times for 600 students and 21 teachers.
BB-9	do.....	do.....	1962	280	6	Ppv	...	...	...	C	P	On hilltop.
BB-10	Odis Garmon.....	--Baird.....	1960	130	6	Ppv	685	33.7	5-11-64	J	D	On ridge.
BB-11	Jerry Williams....	Carl Baird.....		...	6	Ppv	666	17.3	5-11-64	J	D,S	On hilltop. Supplies 10 people, 6,000 chickens and 30 cows.
BB-12	S. E. Young.....	A. Cordell.....		91	6	Ppv	681	42.6	5-11-64	J	D	On hilltop. Reported to contain objectionable quantity of iron.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
BB-13	Oliver Williams.....			94	7	Ppv	533	21.3	5-13-64	J	D	In valley.
DD-1	Roy Freeman.....	A. Cordell.....	1960	73	6	Ppv	377	33.0	5-11-64	J	D	On hillside. Casing: 6-in from surface to 10 ft; none below. Bailed at 12 gpm in 1960.
DD-2	Grady Light.....	--Myhand.....	1963	65	6	Ppv	636	20.0	5-11-64	J	D,S	On upland. Reported to contain objectionable quantity of iron.
DD-3	Rayburn Early.....	R. G. Gandy.....	1960	75	7	Ppv	604	22.5	5-14-64	J	D	On upland. Casing: 7-in from surface to 23 ft; none below.
DD-4	Nora Freeman.....	--Gandy.....	1954	77.0	6	Ppv	605	30.8	5-14-64	M	D	On upland. Reported to contain objectionable quantity of iron.
DD-5	Emmet Fields.....	R. G. Gandy.....	1959	92	7	Ppv	555	14.0	5-14-64	J	D	On upland. Quantity of water inadequate at times.
EE-1	Hollis Timmons.....			...	6	Ppv	319	8.5	5-18-64	N	N	In valley.
EE-2	W. J. Crauswell....			35	6	Ppv	356	15.2	5-18-64	N	N	Reported to contain objectionable quantity of iron.
EE-3	E. B. Harbison.....	Carl Baird.....	1962	100	6	Ppv	609	25.1	5-13-64	J	D	On upland.
EE-4	Robert Washington..	do.....	1961	80	6	Ppv	307	1.6	5-14-64	J	D	In valley. Reported to contain objectionable quantity of iron.
EE-5	Tom Sanders.....	--Bland.....		62	6	Ppv	399	12.4	5-14-64	J	D	Do.
EE-6	Eliga Pugh.....		1963	68	7	Ppv	333	14.7	5-14-64	J	D	Do.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
F-1	Alvin Holland.....	Doyle Ponder.....	1964	50	7	Ppv	958	19.8	9-10-64	J	D	On hillside. Bailed at 10 gpm in 1964. Reported to contain objectionable quantity of iron.
F-2	C. B. Willingham....	do.....	1963	151	8	Ppv	1,010	32.2	8-29-63	J	D,S	On upland. Bailed at 25 gpm in 1963. Supplies home and 20,000 chickens.
F-3	G. T. Miller.....			..	6	Ppv	1,050	35.3	10-25-63	J	D	On upland. Quantity of water inadequate at times.
F-4	Gerald B. Blair.....	Doyle Ponder.....	1963	109	7	Ppv	1,040	45.5	10-25-63	J	D	Do.
G-1	Roy Humphries.....	do.....	1964	76	7	Ppv	1,000	24.2	9-10-64	J	S	On hillside. Bailed at 25 gpm in 1964.
G-2	James Burden.....	do.....	1963	65	7	Ppv	935	25.5	9-10-64	J	D,S	On hilltop. Bailed at 25 gpm in 1963.
G-3	do.....	do.....	1963	156	7	Ppv	982	94.4	10-24-63	J	D,S	On hilltop. Casing: 7-in from surface to 20 ft; none below. Quantity of water inadequate at times.
G-4	R. B. Woods.....	do.....	1964	62	7	Ppv	921	28.2	9-14-64	J	S	In valley. Bailed at 25 gpm in 1964.
G-5	A. D. Morris.....	do.....	1963	56	7	Ppv	915	19.0	12- 4-63	J	S	In valley. Bailed at 22 gpm in 1963.
G-6	H. G. Laney.....	--Denny.....	1945	49	6	Ppv	1,005	22.4	9- 4-63	M	N	On hilltop. Quantity of water inadequate at times as a source of domestic supply.
G-7	O. W. Braswell.....	Doyle Ponder.....	1963	127	7	Ppv	963	35.6	11-19-63	J	D,S	On hilltop. Bailed at 5 gpm in 1963. Supplies home and 10,000 chickens.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
G-8	George Kilgo.....	Doyle Ponder.....	1956	...	6	Ppv	890	49.8	9- 3-63	J	D,S	On hilltop. Quantity of water inadequate at times.
G-9	Mrs. Gladys McBrayer	--Miller.....	1960	84	6	Ppv	950	31.0	10-28-63	J	D	On hillside. Reported to contain objectionable quantity of iron.
G-10	J. O. Hogan.....	Leon Miller.....	1961	110	6	Ppv	941	39.0	11-19-63	S	D,S	On hillside. Bailed at 40 gpm in 1961. Source of supply for home, 24,000 chickens, and 31 cows.
G-11	Verlie Parker.....	--Ponder.....	1947	24.4	6	Ppv	902	10.3	9-13-63	M	D	Reported to contain objectionable quantity of iron.
G-12	E. L. Lee.....	Doyle Ponder.....	1959	146.5	7	Ppv	902	80.0	11-19-63	J	D,S	On hilltop. Quantity of water inadequate at times.
G-13	Ted White.....	Andrew Ponder.....	1960	219	7	Ppv	848	80.0	9- 9-63	C	D,S	On hilltop. Bailed at 6 gpm in 1960. Quantity of water inadequate at times.
G-14	Robert McCain.....	--Ponder.....		45	6	Ppv	863	23.1	9- 3-63	M	D	On upland.
G-15	Therman Laney.....	Doyle Ponder.....	1962	100	7	Ppv	967	88.0	11-20-63	J	S	On hilltop. Casing: 7-in from surface to 20 ft; none below. Quantity of water inadequate at times.
H-1	James Biggs.....			37.2	6	Ppv	984	21.5	8-27-63	M	D	Quantity of water inadequate at times.
H-2	Floyd Bibb.....	Doyle Ponder.....	1963	50	7	Ppv	1,035	20.9	10-25-63	J	D	On upland. Bailed at 25 gpm in 1963.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
H-3	Herbert Wilhite....	Leon Miller.....	1962	94	6	Ppv	1,000	39.9	11-19-63	J	S	On hillside. Casing: 6-in from surface to 6 ft; none below. Bailed at 25 gpm in 1962. Supplies 18,000 chickens.
H-4	J. E. Barnett.....	H. T. Sparks.....	1958	101	8	Ppv	1,000	21.5	8-27-68	J	S	On upland. Supplies 21,000 chickens. Reported to contain objectionable quantity of iron.
H-5	U. V. Hardin.....	Leon Miller.....	1961	35.5	6	Ppv	928	6.1	9- 3-63	J	S	In valley. Casing: 6-in from surface to 10 ft; none below. Supplies 9,600 chickens.
H-6	Rufus Spradlin.....	Doyle Ponder.....	1960	60	7	Ppv	956	22.1	10-25-63	J	S	On upland. Bailed at 25 gpm in 1960. Supplies 20,000 chickens.
H-7	W. H. Morgan.....	Charles Higgins....	1910	32.6	6	Ppv	967	17.9	9- 4-63	M	D	On hillside.
H-8	C. L. Aris.....	Doyle Ponder.....	1962	87	7	Ppv	967	39.5	9-13-63	N	N	On upland. Quantity of water inadequate at times for domestic supply. Reported to contain objectionable quantity of iron.
H-9	do.....	do.....	1963	38	7	Ppv	867	14.6	9-14-64	J	S	In valley. Bailed at 26 gpm in 1963.
H-10	I. G. Heaven.....	H. T. Sparks.....	1960	110	6	Ppv	1,010	72.0	11-22-63	J	D	On hilltop. Quantity of water inadequate at times. Reported to contain objectionable quantity of iron.
H-11	W. H. Chaney.....	Doyle Ponder.....	1963	114	7	Ppv	886	62.9	9-18-63	J	D	In valley. Bailed at 25 gpm in 1963.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
H-12	G. R. Woodard.....			52	6	Ppv	1,035	24.2	9- 9-63	M	D,S	On hilltop.
H-13	West Point School..	Doyle Ponder.....	1963	77.9	7	Ppv	865	10.1	9-11-63	C	P	In valley. Casing: 7-in from surface to 8 ft; none below. Drawdown 55 ft after 24 hours pumping 50 gpm on 9-20-63.
H-14	Fred Thomas.....	do.....	1961	72	7	Ppv	881	42.0	8- 9-63	J	S	On upland. Casing: 7-in from surface to 12 ft; none below. Bailed at 25 gpm in 1961.
H-15	West Point School..	Apel Machine Co....		394	..	Ppv	930	47.0	8-19-63	N	N	On upland. Quantity of water inadequate.
H-16	B. C. Cagle.....	Doyle Ponder.....	1953	60	7	Ppv	881	23.0	10- 2-63	J	D,S	On upland. Quantity of water inadequate at times.
H-17	do.....	Andrew Ponder.....	1963	71	7	Ppv	871	28.2	10-10-63	J	S	On hillside. Casing: 7-in from surface to 8 ft; none below. Bailed at 22 gpm in 1963.
H-18	Aubery Guthery.....	Doyle Ponder.....	1953	110	7	Ppv	884	20.0	9-17-63	J	D	On upland. Quantity of water inadequate at times.
I-1	Turner Evans.....	H. T. Sparks.....		78	6	Ppv	984	30.2	8-27-63	J	D	On upland. Bailed at 25 gpm when drilled.
I-2	Rufus Ray.....	--Brewer.....		35.3	6	Ppv	981	21.4	8-14-63	M	D	On upland.
I-3	F. C. Oden.....	Leon Miller.....	1952	200	6	Ppv	961	30	1963	J	D	Do.
I-4	Claude Drake.....		1962	128	6	Ppv	1,055	28.6	8-14-63	M	N	Do.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
I-5	Carl Wilhite.....	Apel Machine Co.....	1960	150	6	Ppv	940	60.8	10-23-63	J	D,S	On upland. Casing: 6-in from surface to 59 ft; none below. Bailed at 10 gpm in 1960. Supplies home, 20,000 chickens, and 92 hogs.
I-6	W. P. Bowen.....			40.7	6	Ppv	992	19.6	10-23-63	M	D	On upland.
I-7	Vinemont School....	Grady Campbell.....	1948	600	7	Ppv	980	180	1948	N	N	On ridge. Casing: 7-in from surface to 13 ft; none below. Bailed at 2 gpm in 1948. Formerly source of public supply.
I-8	C. D. Wells.....	Apel Machine Co.....		...	6	...	892	...	...	J	D,S	Supplies home, 16,000 chickens, and 40 hogs. Reported to contain objectionable quantity of iron.
I-9	C. A. Hudson.....			33.6	6	Ppv	878	21.2	7-23-63	M	D	On upland.
I-10	Kelly School.....	Apel Machine Co.....	1957	80	6	Ppv	...	...	...	J	P	On upland. Inadequate as a source of supply for 100 students.
I-11	Myra Goodwin.....	Andrew Ponder.....		49	7	Ppv	1,000	26.4	10-23-63	J	D	On upland. Bailed at 25 gpm when drilled.
I-12	Hobart Doyle.....		1963	49	6	Ppv	854	25.0	10-23-63	J	D	On hillside. Casing: 6-in from surface to 18 ft; none below.
J-1	Fred Evans.....	Rayburn Miller.....	1955	90	6	Ppv	993	30	1963	J	D	On upland. Casing: 6-in from surface to 35 ft; none below. Reported to contain objectionable quantities of iron.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
J-2	H. T. Veal.....	Walter Miller.....	1958	131	6	Ppv	1,025	60	1963	C	D,S	On upland. Casing: 6-in from surface to 35 ft; none below. Bailed at 3 gpm in 1958. Supplies 4,000 chickens. Reported to contain objectionable quantity of iron.
J-3	I. W. Bentley.....	Leon Miller.....	1957	85	6	Ppv	1,020	40	1963	J	S	On upland. Casing: 6-in from surface to 32 ft; none below. Reported to contain objectionable quantity of iron.
J-4	Mrs. Benefield.....		1961	32.9	6	Ppv	965	18.5	10- 1-63	M	D	On upland.
J-5	W. B. Chance.....	Fred Gandy.....	1928	61	6	Ppv	930	18	1963	J	D	On upland. Quantity of water inadequate at times.
J-6	Olin Edmenton.....			19.4	6	Ppv	943	10.1	8-14-63	M	D	Do.
J-7	U.S. Quattlebaum...	--Miller.....	1963	125	6	Ppv	920	88.2	10-16-63	J	D	On hilltop.
J-8	Jack Dye.....	do.....	1958	125	6	Ppv	968	33.0	10- 1-63	J	S	On upland. Casing: 6-in from surface to 35 ft; none below. Supplies 6,000 chickens. Reported to contain objectionable quantity of iron.
J-9	Arthur Chamley.....			23.6	6	Ppv	889	13.5	10-16-63	M	D	On hillside.
J-10	M. L. Burke.....			44	6	Ppv	941	30.3	10- 4-63	M	D	On upland.
J-11	Simcoe School.....	Ray Campbell.....	1957	...	6	Ppv	...	...	...	J	P	Supplies 70 students. Reported to contain objectionable quantity of iron.

Table 1.--Records of wells in Cullman County--Continued

Number	Owner	Driller	Year completed	Depth of well (feet)	Diameter of well (inches)	Water-bearing unit	Altitude of land surface (feet)	Water level		Method of lift	Use of water	Remarks
								Above (+) or below land surface (feet)	Date of measurement			
J-12	R. J. Linton.....			35.3	6	Ppv	887	17.2	9-23-63	M	D	On upland. Reported to contain objectionable quantity of iron
J-13	Cedric Graveman.....	Apel Machine Co.....	1961	125	6	Ppv	869	60.0	10-22-63	J	D	On hillside. Casing: 6-in from surface to 24 ft; none below. Bailed at 12 gpm in 1961.
J-14	Camp Cullman.....		1954	240	...	Ppv	...	...	...	T	P	On hillside. Supplies about 100 people.
J-15	do.....			634	...	Ppv Mb (?)	862	...	...	N	N	On hillside. Water reported to be of poor chemical quality. Limestone at depth of 362 ft.
K-1	H. C. Baker.....	Walter Miller.....	1963	39	6	Ppv	1,030	29.2	8- 9-63	J	D	On upland. Bailed at 10 gpm in 1963.
K-2	Hebron Chambers.....	do.....	1957	150	6	Ppv	...	...	...	J	D	On upland. Casing: 6-in from surface to 80 ft; none below. Bailed at 6 gpm in 1957.
K-3	Elmer Aikins.....	Apel Machine Co.....	1962	196	6	Ppv	970	64.0	10-15-63	J	D,S	On upland. Casing: 6-in from surface to 11 ft; none below. Bailed at 30 gpm in 1962. Supplies home and 25,000 chickens.
K-4	O. W. Bonds.....	Ray Campbell.....	1960	141	6	Ppv	942	75	1963	J	D	On upland.
K-5	Baileytown School...			157	...	Ppv	...	...	...	C	P	On upland. Supplies 230 students and 9 teachers. Estimated to use 1,500 to 2,000 gallons per day.