

Figure 26.--DRILL-HOLE NO. BM-25

Gamma-Gamma, Natural Gamma, Resistivity

| Geo Dynamics | | | |
|------------------------|----------------------|-----------------------|------------|
| GEOPHYSICAL SERVICES | | CASPER, WYOMING 82601 | |
| COMPANY | GEO DYNAMICS | | |
| WELL NO. OR NAME | BM-25 | ELEVATION | 2800 |
| FIELD | WYOMING | COUNTY | WYOMING |
| LOCATION | NE 1/4 NW 1/4 SW 1/4 | TOWNSHIP | S 24R W 1E |
| LOG TYPE | RESISTIVITY | SPR | 1 |
| WELL NO. | BM-25 | TRAVEL MILES | 10 |
| DATE | 11/20/62 | DIAMETER INCHES | 3-1/2 |
| DEPTH DRILLED | 200 | DEPTH FEET | 200 |
| DEPTH LOGGED | 200 | DEPTH CRYSTAL INCHES | 200 |
| BOTTOM LOGGED INTERVAL | 198-200 | K FACTOR | 1.2 |
| FLUIDS | WATER | DEPTH CONSTANT | 1.2 |
| TYPE OF FLUID | WATER | SCALE ON LOG | 1000 |
| LOGGING SPEED | 100 FT/MIN | WATER FACTOR | 1.0 |
| RECORDED DEPTH SCALE | 10 | RESISTIVITY TYPE | APPARENT |
| | | SPACING INCHES | 100 |
| | | SCALE INCHES | 100 |
| | | SCALE FEET | 100 |
| | | SCALE INCHES | 100 |
| | | SCALE FEET | 100 |
| REMARKS | | | |

