

Figure 31.--DRILL-HOLE NO. HAY-2

Gamma-Gamma

NUCLEAR LOG		U.S. GEOLOGICAL SURVEY, WATER RESOURCES DIVISION	
TYPE OF WELL: <i>Cased</i>	DATE: <i>10/19/77</i>	PROJECT OR PROJECT NO.:	
LOCATION: State <i>Ohio</i> County <i>Paul</i> Town:	FILE LOCATION NO.:		
LOGGING INFORMATION		WELL INFORMATION	
Operator(s): <i>B.G.G., H.C. (S)</i>	Well No.: <i>09653</i>	Other: <i>HAY-2</i>	
Equipment used: <i>3" 1000' GEOMETER</i>	Log No.: <i>1112</i>	Site description: <i>2.5 mi. S. 85° W. 11. N. NW 1/4 Sec. 11</i>	
Log type: <i>Full</i>	Agency or user: <i>US</i>	Address:	
Tool type: <i>1000'</i>	Altitude of log: <i>7500</i>	Log P.P. interval: <i>100'</i>	
Source type: <i>100'</i>	Log top interval: <i>100'</i>	Well top: <i>2.5</i>	
Source size: <i>100'</i>	Top log interval: <i>100'</i>	Fluid level: <i>210 ft/in.</i>	
Source casing: <i>100'</i>	Type of fluid: <i>Water</i>	Temp: <i>78</i>	
Tool length, cable head to magnet: <i>100'</i>	Perf. intervals: <i>100'</i>	Temp. hole diameter: <i>100'</i>	
Calibration: <i>100'</i>	Cement: <i>100'</i>	Fluid level: <i>210 ft/in.</i>	
Log scale: <i>100'</i>	Actual scale: <i>100'</i>	Recorder settings: <i>100'</i>	
Scale switch (rate or count): <i>100'</i>	T. C. switch: <i>100'</i>	Position Pot.: <i>100'</i>	
Position Pot.: <i>100'</i>	Sensitivity Pot.: <i>100'</i>	Discrimination Pot.: <i>100'</i>	
Gain Pot.: <i>100'</i>	Actual scale: <i>100'</i>	Run no. of <i>100'</i>	
RECORDER SETTINGS	Position Pot.: <i>100'</i>	Sensitivity Pot.: <i>100'</i>	
Position Pot.: <i>100'</i>	Discrimination Pot.: <i>100'</i>	Gain Pot.: <i>100'</i>	
Actual scale: <i>100'</i>	Run no. of <i>100'</i>	Remarks:	

