

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WYOMING-CARBON CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)




EXPLANATION

- ISOPACHS—Showing thickness of coal bed, in feet. Dashed where inferred. Isopach interval 5 feet.
- DRILL HOLE—Showing thickness of coal bed, in feet. Drill holes which do not intersect the coal bed or from which a coal bed thickness could not be determined are not shown.
- TRACE OF COAL BED OUTCROP—Showing name of coal bed.
- BURNED AND CLINKERED COAL BED—Showing area of baked and fused rock (v symbol). Dotted line indicates inferred limit of burning.
- FAULT—Dashed where approximately located; dotted where concealed. U, up-thrown side; D, downthrown side.

To convert feet to meters,
multiply feet by 0.3048.

Base map from U.S. Geological Survey, 1953

Compiled in 1977 by TEXAS INSTRUMENTS INCORPORATED.



OPEN FILE REPORT
This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.

PLATE 8
ISOPACH MAP
OF COAL BED
121

**COAL RESOURCE OCCURRENCE MAP OF THE SEMINOE DAM SE QUADRANGLE,
CARBON COUNTY, WYOMING
BY
TEXAS INSTRUMENTS INCORPORATED
1978**