81°00' 28°37'30" FLOOD-PRONE FLOOD-

Approximate boundaries of flood-prone areas

The flood-prone areas have been delineated

are shown on this map. There is, on the average,

about 1 chance in 100 that the designated areas

will be inundated in any year. This information

individuals concerned with future land develop-

through use of readily available information on

surveys and inspections. In general, the delin-

not take into consideration the possible effects of existing or proposed flood control structures except where those effects could be evaluated. Flood areas have been identified for: (1) urban areas where the upstream drainage basin exceeds 25 square miles, (2) rural areas in hamid regions where the upstream drainage basin exceeds 100 square miles, (3) rural areas in semiarid regions where the upstream drainage basin exceeds 250 square miles, and (4) smaller drainage basins, -depending on topography and potential use of the

The 89th Congress, in House Document 465, recommended the preparation of flood-prone area maps to assist in minimizing flood losses by quickly identifying the areas of potential flood hazards. More detailed flood information may be required for other purposes such as structural. designs, economic studies, or formulation of land use regulations. Such detailed information may be obtained from the U.S. Geological Survey, other Federal agencies, or State, local, and

Flood boundaries were estimated from profiles

based on high-water marks and regional stagefrequency relations. Hurricane wind tides may cause more severe flooding in some areas.

eated areas are for natural conditions and do

past floods rather than from detailed field

is important to public agencies and private

ments.

flood plains.

private agencies.

Flood-prone area quadrangles for Brevard cooperation with the U.S. Department of Housing and Urban Development, Federal Insurance Administration. The Titusville SW quadrangle was modified as an overlay by the Brevard Water Well Survey in 1976. This overlay is a copy of the original flood-prope area map (U.S. Geological Survey, 1973).

U.S. Geological Survey, 1973, Flood-prone area map, Titusville SW quadrangle, Florida: U.S. Department of Housing and Urban Development, Federal Insurance Administration Map, I sheet.

80°52'30" PRONE AREA AREA


PRONE

AREA

1953, PHOTOREVISED 1970,

7.5-minute series, 1:24000

Ву James M. Frazee, Jr., and C. P. Laughlin 1978



78-190m