




EXPLANATION

- 7000 —
- 6900 —
- STRUCTURE CONTOURS - Drawn on top of coal bed; Solid where vertical accuracy within 40 feet; long dashed where vertical accuracy possibly not within 40 feet; short dashed where projected above ground surface. Contour interval is 100 feet (30.5 m) for the Creston No. 3 coal bed and 80 feet (24.4 m) for the Horse Butte coal bed. Datum is mean sea level.
- 6996
- DRILL HOLE - Showing altitude of top of coal bed, in feet.
- ▲ 7100
- POINT OF MEASUREMENT - Showing thickness of coal, in feet.
- Cr-3 - Creston No. 3
- COAL BED SYMBOL AND NAME
- Cr-3 -----
- TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Dashed where inferred. Short dashed where inferred by present authors.
- TRACE OF FAULT - Bar and ball on down-thrown side. Dashed where inferred or approximately located.
- To convert feet to meters, multiply feet by 0.3048.

NOTE: Structure contours are not drawn beyond those shown because of insufficient data.

Base from U.S. Geological Survey, 1967

Compiled in 1977/1978



This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.

COAL RESOURCE OCCURRENCE MAP OF THE CRESTON QUADRANGLE,
SWEETWATER AND CARBON COUNTIES, WYOMING

BY
DAMES & MOORE
1978