

EXPLANATION

— 5 —
— 6 —

ISOPACHS - Showing thickness of coal, in feet. Long dashed where vertical accuracy possibly not within 40 feet. Contour interval is 100 feet (31 m). Datum is mean sea level.

— 7000 —
— 7100 —

STRUCTURE CONTOURS - Drawn on top of coal bed. Long dashed where vertical accuracy possibly not within 40 feet. Contour interval is 100 feet (31 m). Datum is mean sea level.

○ 6942
9.9

DRILL HOLE - Showing altitude of top of coal bed, and thickness of coal, in feet.

▲ 7100
7.3

POINT OF MEASUREMENT - Showing altitude of top of coal bed, and thickness of coal, in feet. Altitudes not shown for underground mine measured sections. Includes all points of measurement other than drill holes.

Cr-2 - Creston No. 2


COAL BED SYMBOL AND NAME

— Cr-2 —

TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Short dashed where inferred by present authors.

To convert feet to meters, multiply feet by 0.3048.

NOTE: Isopachs and structure contours are not drawn beyond dotted line because of insufficient data.



**COAL RESOURCE OCCURRENCE MAP OF THE CRESTON QUADRANGLE,
SWEETWATER AND CARBON COUNTIES, WYOMING**
BY
DAMES & MOORE
1978

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.