



EXPLANATION

— 5 —
— 6 —

ISOPACHS - Showing thickness of coal, in feet. Long dashed where inferred. Short dashed where projected beyond coal-bearing area. Isopach interval 1 foot for the Latham No. 4 coal bed and 5 feet for the Cow Butte coal bed.

○ 9
DRILL HOLE - Showing thickness of coal, in feet.

▲ 6.9
POINT OF MEASUREMENT - Showing thickness of coal, in feet. Includes all points of measurement other than drill holes.

La-4 - Latham No. 4
COAL BED SYMBOL AND NAME

— La-4 —

TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Dashed where inferred.

To convert feet to meters, multiply feet by 0.3048.

Base from U.S. Geological Survey, 1967

UTM GRID AND 1967 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

SCALE 1:24,000

1 MILE

1 KILOMETER

WYOMING

QUADRANGLE LOCATION

Compiled in 1977/1978

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.

**COAL RESOURCE OCCURRENCE MAP OF THE CRESTON QUADRANGLE,
SWEETWATER AND CARBON COUNTIES, WYOMING**
BY
DAMES & MOORE
1978