

EXPLANATION

— 25 —
— 15 —

ISOPACHS OF COAL BED—Showing thickness in feet, interval 5 feet. Dashed where coal is burned or eroded.

● 34

DRILL HOLE—Showing coal thickness in feet.

▲ 9.9*
▲ 15.9+


TRACE OF COAL BED OUTCROP—Showing coal thickness in feet, measured at triangle. Asterisk indicates measured section was used in isopach mapping. Arrow points toward the coal-bearing area. "V" symbol indicates burned rock with dotted line showing limit of burning.

— 15 —

MINING RATIO CONTOUR—Number indicates cubic yards of overburden per ton of recoverable coal by surface mining methods. Contours shown only in area suitable for surface mining within the stripping limit.

To convert feet to meters, multiply feet by 0.3048.

Thickness not honored due to accuracy of Gov't cored hole.



MAP SHOWING LOCATION OF THE HOMESTEAD DRAW SW QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

Base from U.S. Geological Survey, 1971

SCALE 1:24 000

1 MILE
0 1000 2000 3000 4000 5000 6000 7000 FEET
0 1 2 3 4 5 KILOMETER

UTM GRID AND 1971 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
GN
MN
0°29' 9 MILLS
14 1/2° 258 MILLS

WYOMING
QUADRANGLE LOCATION

Compiled in 1978

COAL RESOURCE OCCURRENCE MAP OF THE HOMESTEAD DRAW SW QUADRANGLE, CAMPBELL COUNTY, WYOMING

BY
IntraSearch
1978

This report has not been edited for conformity with Geological Survey editorial standards or stratigraphic nomenclature.