

EXPLANATION

TRACE OF COAL BED OUTCROP—Showing thickness of coal, in feet, measured at triangle. Asterisk designates measured section was used in isopach mapping. Arrow points toward the coal-bearing area.


BURNED AND CLINKERED COAL BED—Showing area of baked and fused rock (v symbol). Dotted line indicates the inferred limit of burning.

ISOPACHS OF COAL BED—Showing thickness in feet. Isopach interval 5 feet. Dashed where coal is burned or eroded.

DRILL HOLE—Showing thickness of coal bed, in feet.

MINING-RATIO CONTOUR FOR COAL BED—Number indicates cubic yards of overburden per ton of recoverable coal by surface-mining methods. Contours shown only in areas suitable for surface mining within the stripping limit.

To convert feet to meters multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE RESERVOIR CREEK QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

This report has not been edited for conformity with Geological Survey editorial standards or stratigraphic nomenclature.

COAL RESOURCE OCCURRENCE MAP OF THE RESERVOIR CREEK QUADRANGLE, CAMPBELL COUNTY, WYOMING

BY
IntraSearch
1978

PLATE 9
ISOPACH AND MINING RATIO MAP
OF THE ANDERSON COAL BED

4873 IV SW (BLACK DRAW)

4873 I NW (CORRAL CREEK)

4873 I SW (HOMESTEAD DRAW SW)

Base from U.S. Geological Survey, 1971

Compiled in 1978

