

EXPLANATION


● 594  
DRILL HOLE—Showing thickness of overburden, in feet, from the surface to top of coal bed.

● 380  
● 8  
DRILL HOLE—Showing thickness of overburden, in feet, (upper number) from the surface to top of coal bed, and thickness of interburden, in feet, (lower number) between the upper and lower splits of coal bed.

— 700 —  
OVERBURDEN ISOPACHS—Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval 100 feet (30.5m).

— 50 —  
INTERBURDEN ISOPACH—Showing thickness of interburden, in feet, between the splits of the coal bed. Isopach interval 50 feet.

To convert feet to meters multiply by 0.3048.






MAP SHOWING LOCATION OF THE RESERVOIR CREEK QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

This report has not been edited for conformity with Geological Survey editorial standards or stratigraphic nomenclature.

COAL RESOURCE OCCURRENCE MAP OF THE RESERVOIR CREEK QUADRANGLE, CAMPBELL COUNTY, WYOMING

PLATE 21  
ISOPACH MAP OF OVERBURDEN AND INTERBURDEN OF THE COOK COAL BED

BY  
IntraSearch  
1978



4873 IV NW (BLACK DRAW)

4873 I NW (CORRAL CREEK)

4873 IV SW (BLACK DRAW)

4873 III NW (RECLOSE)

4873 III NW (RECLOSE)

Base from U.S. Geological Survey, 1971

Compiled in 1978