

DEPARTMENT OF THE INTERIOR
UNITED STATES GEOLOGICAL SURVEY

PRELIMINARY GEOLOGIC MAP OF THE ARMINTO 1° x 2° QUADRANGLE,
CENTRAL WYOMING


Compiled by

J. D. Love, Ann Coe Christiansen, J. L. Earle, and Richard W. Jones

OPEN-FILE REPORT 78-1089

1978

CORRELATION OF MAP UNITS




NOTE: This map is preliminary; it is incomplete in places and has not been reviewed for hanging contacts or edge joins.

LIST OF MAP UNITS

	HOLOCENE AND PLEISTOCENE SURFICIAL DEPOSITS
Qa	Alluvium and colluvium
Qs	Windblown sand
Qt	Terrace gravel
Qtp	Terrace and pediment gravel
Qp	Pediment gravel
Ql	Landslide deposits
QTg	QUATERNARY OR TERTIARY GRAVEL
Tml	LOWER MIOCENE ROCKS
Twr	OLIGOCENE WHITE RIVER FORMATION
	EOCENE ROCKS
Twb	Upper and middle Eocene Wagon Bed Formation
Twl	Lower Eocene Willwood Formation
Twdr	Lower Eocene Wind River Formation
Tim	Lower Eocene Indian Meadows Formation
Tw	Lower Eocene Wasatch Formation
Tfu	PALEOCENE FORT UNION FORMATION
Tfl	Lebo Member
Tft	Tulloch Member
TKu	TERTIARY OR CRETACEOUS ROCKS--In T. 39 N., R. 89 W.
	UPPER CRETACEOUS ROCKS
Kl	Lance Formation
Km	Meeteetse Formation
Kbp	Bearpaw Shale
Kfl	Fox Hills Sandstone and Lewis Formation
Klm	Lance and Meeteetse Formations
Klml	Lance, Meeteetse, and Lewis Formations
Klfl	Lance, Fox Hills, and Lewis Formations
Kmv	Mesaverde Formation
Kmp	Parkman Sandstone Member
Kc	Cody Shale--Includes Shannon Sandstone Member
Kf	Frontier Formation
Kmt	LOWER CRETACEOUS MOWRY AND THERMOPOLIS SHALES
KJ	LOWER CRETACEOUS CLOVERLY FORMATION AND UPPER JURASSIC MORRISON FORMATION
Js	UPPER AND MIDDLE JURASSIC SUNDANCE FORMATION
Jsg	SUNDANCE FORMATION AND MIDDLE JURASSIC GYPSUM SPRING FORMATION
J R gc	GYPSUM SPRING FORMATION AND TRIASSIC CHUGWATER GROUP OR FORMATION
	TRIASSIC ROCKS
R c	Chugwater Formation
R cd	Chugwater Formation or Group and Lower Triassic Dinwoody Formation
	TRIASSIC AND PERMIAN ROCKS
R Pg	Lower Triassic and Permian Goose Egg Formation
R Pcg	Chugwater Formation or Group and Goose Egg Formation
Pp	PERMIAN PARK CITY OR PHOSPHORIA FORMATION AND RELATED ROCKS

TPM LOWER PERMIAN AND PENNSYLVANIAN TENSLEEP SANDSTONE AND
 PENNSYLVANIAN AND UPPER MISSISSIPPIAN AMSDEN FORMATION
 MISSISSIPPIAN, ORDOVICIAN, AND CAMBRIAN ROCKS
 Mm Upper and Lower Mississippian Madison Limestone
 Ob Upper Ordovician Bighorn Dolomite
 MO Madison Limestone and Bighorn Dolomite
 Cr Cambrian rocks--Upper Cambrian Gallatin Limestone, Upper and
 Middle Cambrian Gros Ventre Formation, and Middle Cambrian
 Flathead Sandstone
 OE Bighorn Dolomite and Cambrian rocks
 pE PRECAMBRIAN ROCKS

——— CONTACT--Dashed where approximately located
 - - - FAULT--Dotted where concealed. Bar and ball on downthrown side



SOURCES OF GEOLOGIC DATA

SOURCES OF GEOLOGIC DATA

1. Bay, K. W., 1969, Stratigraphy of Eocene sedimentary rocks in the Lysite Mountain area, Hot Springs, Fremont, and Washakie Counties, Wyoming: University of Wyoming Ph. D. thesis, pl. 1, scale 1:24,000.
2. Bown, T. M., 1977, Geology and mammalian paleontology of the Sand Creek facies, lower Willwood Formation (early Eocene), Washakie County, Wyoming: University of Wyoming Ph. D. thesis, pl. 2, scale 1:160,000 (approx.).
3. Buffett, R. N., 1958, Geology of the Little Canyon Creek area, Washakie County, Wyoming: University of Wyoming M.A. thesis, pl. 11, scale 1:20,000.
4. Carlson, C. E., 1949, Areal geology and stratigraphy of the Red Fork Powder River area, Johnson County, Wyoming: University of Wyoming M.A. thesis, 59 p., pl. 2, scale 1:31,680.
5. Darton, N. H., 1906, Geology of the Bighorn Mountains: U.S. Geological Survey Professional Paper 51, pl. 47, scale 1:250,000.
6. Denson, N. M., U.S. Geological Survey unpublished map, scale 1:125,000.
7. Denson, N. M., and Horn, G. H., 1975, Geologic and structure map of the southern part of the Powder River Basin, Converse, Niobrara, and Natrona Counties, Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I-877, scale 1:125,000.
8. Gard, T. M., 1969, Tectonics of the Badwater uplift area, Central Wyoming: The Pennsylvania State University Ph. D. thesis, pl. 2, scale 1:48,000.
9. Hodson, W. G., Pearl, R. H., and Druse, S. A., 1973, Water resources of the Powder River Basin and adjacent areas, northeastern Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-465, sheet 1, scale 1:250,000.
10. Hoppin, R. A., Palmquist, J. C., and Williams, L. O., 1965, Control by Precambrian basement structure on the location of the Tensleep-Beaver Creek fault, Bighorn Mountains, Wyoming: Journal of Geology, v. 73, fig. 1, scale 1:62,500.
11. Horn, G. H., 1955, Geologic and structure map of the Sussex and Meadow Creek oil fields and vicinity, Johnson and Natrona Counties, Wyoming: U.S. Geological Survey Oil and Gas Investigations Map OM-164, scale 1:31,680.
12. _____, 1963, Geology of the east Thermopolis area, Hot Springs and Washakie Counties, Wyoming: U.S. Geological Survey Oil and Gas Investigations Map OM-213, scale 1:48,000.
13. Hose, R. K., 1955, Geology of the Crazy Woman Creek area, Johnson County, Wyoming: U.S. Geological Survey Bulletin 1027-B, pl. 6, scale 1:48,000.
14. Houston, R. S., 1974, Some illustrations of the advantage of improved resolution in geologic studies: University of Wyoming Remote Sensing Laboratory; geologic map prepared for figures 6 and 8 at scale 1:250,000.

15. Keefer, W. R., 1970, Structural geology of the Wind River Basin, Wyoming: U.S. Geological Survey Professional Paper 495-D, pl. 1, scale 1:250,000.
16. Kolm, K. E., 1974, ERTS MSS imagery applied to mapping and economic evaluation of sand dunes in Wyoming: University of Wyoming Special Report under contract NAS 5-21799 available from National Technical Information Service, Springfield, Va; geologic map prepared at scale 1:250,000 for figure 1.
17. Love, J. D., 1978, Cenozoic thrust and normal faulting and tectonic history of the Badwater area, northeastern margin of Wind River Basin, Wyoming: Wyoming Geological Association Guidebook, 30th Annual Field Conference, Wind River Basin, fig. 2, scale 1:48,000.
18. Love, J. D., Weitz, J. L., and Hose, R. K., 1955, Geologic map of Wyoming: U.S. Geological Survey, scale 1:500,000.
19. Lowry, M. E., Lowham, H. W., and Lines, G. C., 1976, Water resources of the Bighorn Basin, northwestern Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-512, sheet 1, scale 1:250,000.
20. Lyon, D. L., 1956, Geology of the north flank, eastern Bridger Range, Hot Springs County, Wyoming: University of Wyoming M.A. thesis, pl. 3, scale 1:24,000.
21. Murray, F. E., 1957, Geology of the Nowood area, Washakie County, Wyoming: University of Wyoming M.A. thesis, pl. 13, scale 1:24,000.
22. Nichols, C. E., 1965, Geology of a segment of Deep Creek fault zone, southern Bighorn Mountains, Wyoming: University of Iowa M.S. thesis, original scale unknown.
23. Richardson, A. L., 1950, Geology of the Mayoworth region, Johnson County, Wyoming: University of Wyoming M.A. thesis, pl. 2, scale 1:24,000.
24. Richardson, E. E., 1957, Geologic and structure contour map of the Tisdale anticline and vicinity, Johnson and Natrona Counties, Wyoming: U.S. Geological Survey Oil and Gas Investigations Map OM-194, scale 1:31,680.
25. _____, 1961, Geologic and structure map of the North Fork oil field, Kaycee dome, and vicinity, Johnson County, Wyoming: U.S. Geological Survey Oil and Gas Investigations Map OM-206, scale 1:24,000.
26. Sears, J. W., Wilson, B. D., and Wolf, R. M. (Peter Huntoon, Principal Investigator), 1976, Geologic map of the Paleozoic rocks along the eastern flank of the Bighorn Mountains, Wyoming: Prepared by The Wyoming Water Resources Research Institute for the Office of Water Research and Technology in cooperation with the Wyoming State Engineer, scale 1:48,000.
27. Thaden, R. E., 1976, Preliminary geologic map of the DePass quadrangle, Fremont and Hot Springs Counties, Wyoming: U.S. Geological Survey Open-File Report 76-207, scale 1:24,000.
28. _____, 1976, Preliminary geologic map of the Guffy Peak quadrangle, Fremont and Hot Springs Counties, Wyoming: U.S. Geological Survey Open-File Report 76-229, scale 1:24,000.
29. _____, U.S. Geological Survey unpublished maps, 1969-1974, scale 1:24,000.

30. Tourtelot, H. A., 1953, Geology of the Badwater area, central Wyoming: U.S. Geological Survey Oil and Gas Investigations Map OM-124, sheet 1, scale 1:48,000.
31. Weitz, J. L., and Love, J. D., 1952, Geologic map of the southern Bighorn Basin, Wyoming: Wyoming Geological Association Guidebook, 7th Annual Field Conference, Southern Bighorn Basin, Wyoming, unnumbered plate, scale 1:187,500.
32. Weitz, J. L., Love, J. D., and Harbison, S. A., 1954, Geologic map of Natrona County, Wyoming: U.S. Geological Survey unnumbered map, scale 1:158,400.
33. Whitcomb, H. A., and Lowry, M. E., 1968, Ground-water resources and geology of the Wind River Basin area, central Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-270, sheet 1, scale 1:250,000.
34. Woodward, T. C., 1957, Geology of Deadman Butte area, Natrona County, Wyoming: American Association of Petroleum Geologists Bulletin, v. 41, no. 2, fig. 2, scale 1:100,000 (approx.).