

EXPLANATION



—1500—
OVERBURDEN ISOPACH—Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval 250 feet.

—75—
INTERBURDEN ISOPACH—Showing thickness of interburden, in feet, between the splits of the coal bed. Isopach interval 25 feet.

● 1332 ● 86
DRILL HOLE—Showing thickness of overburden, in feet, from the surface to the top of coal bed. Lower number indicates interburden thickness, in feet, between upper and lower splits of coal bed.


—D—
FAULT—D indicates downthrown side. Dashed where inferred.

To convert feet to meters multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE TRUMAN DRAW QUADRANGLE AND THE POWER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.



COAL RESOURCE OCCURRENCE MAP OF THE TRUMAN DRAW QUADRANGLE, CAMPBELL COUNTY, WYOMING

BY
IntraSearch
1979

PLATE 61
ISOPACH MAP OF OVERBURDEN AND INTERBURDEN OF PAWNEE COAL BED

48° 11' 11" W (LARRY DRAW)

48° 11' 11" W (REZULISEZ)

1400 000 FEET

Compiled in 1979

Base from U.S. Geological Survey, 1971



UTM GRID AND 1971 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET