


EXPLANATION

- ISOPACHS OF COAL BED- Showing thickness in feet, interval 10 feet. Dashed where coal is burned or eroded.
- DRILL HOLE-Showing coal thickness in feet.
- TRACE OF COAL BED OUTCROP- Showing coal thickness in feet, measured at triangle. Arrow points toward the coal-bearing area. "V" symbol indicates burned rock with dotted line showing limit of burning. Coal bed dashed where inferred.
- MINING RATIO CONTOUR-Number indicates cubic yards of overburden per ton of recoverable coal by surface mining methods. Contours shown only in areas suitable for surface mining within the stripping limit.

To convert feet to meters, multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE CALF CREEK QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

Base from U.S. Geological Survey, 1971

SCALE 1:24000

1 MILE

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 0 1 2 3 4 5 6 7 8 9 10 KILOMETER

UTM GRID AND 1973 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

GN 14 1/2° 7258 MILS

0°24' 7 MILS

WYOMING

QUADRANGLE LOCATION

Compiled in 1978

COAL RESOURCE OCCURRENCE MAP OF THE CALF CREEK QUADRANGLE, CAMPBELL COUNTY, WYOMING

BY
IntraSearch
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.