


EXPLANATION

————— 750 —————
OVERBURDEN ISOPACH—Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval 250 feet.

● 882
31
● 729
● 710
● 1047
97
● 919
66
● 666
2

————— 50 —————
INTERBURDEN ISOPACH—Showing thickness of interburden, in feet, between the splits of the coal bed. Isopach interval 25 feet.

To convert feet to meters multiply feet by 0.3048.






MAP SHOWING LOCATION OF THE JEFFERS DRAW QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

Base from U.S. Geological Survey, 1972

SCOTT DAM R. 74 W. 4875 1/4 NE SCALE 1:24,000

Compiled in 1979



COAL RESOURCE OCCURRENCE MAP OF THE JEFFERS DRAW QUADRANGLE, CAMPBELL COUNTY, WYOMING

BY
intraSearch
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.

PLATE 16
ISOPACH MAP OF OVERBURDEN AND INTERBURDEN OF SMITH COAL ZONE