


EXPLANATION

— 1250 —  
OVERBURDEN ISOPACH—Showing thickness of overburden, in feet, from the surface to the top of the coal bed. Isopach interval 250 feet.

• 1124  
43  
DRILL HOLE—Showing thickness of overburden, in feet, from the surface to top of coal bed. Lower number indicates interburden thickness, in feet, between upper and lower splits of coal bed.




— 100 —  
INTERBURDEN ISOPACH—Showing thickness of interburden, in feet, between the splits of the coal bed. Isopach interval 25 feet.

To convert feet to meters multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE JEFFERS DRAW QUADRANGLE AND THE POWDER RIVER BASIN KNOWN RECOVERABLE COAL RESOURCE AREA (STIPPLED), WYOMING

Base from U.S. Geological Survey, 1972  
Compiled in 1979



**COAL RESOURCE OCCURRENCE MAP OF THE JEFFERS DRAW QUADRANGLE, CAMPBELL COUNTY, WYOMING**

BY  
**IntraSearch**  
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.

PLATE 26  
ISOPACH MAP OF OVERBURDEN AND INTERBURDEN OF CANYON COAL ZONE