

EXPLANATION


— 10 —
ISOPACHS OF COAL BED-Showing thickness in feet, interval 5 feet.

● 6
DRILL HOLE-Showing coal thickness in feet.

↑ SL ↑
STRIPPING LIMIT LINE-500 foot overburden isopach boundary for surface mining of coal. Arrow indicates area suitable for surface mining.

— 20 —
MINING RATIO CONTOUR-Number indicates cubic yards of overburden per ton of recoverable coal by surface mining methods. Contour shown only in area suitable for surface mining within the stripping limit.

To convert feet to meters, multiply feet by 0.3048.



MAP SHOWING LOCATION OF THE
RENO JUNCTION QUADRANGLE AND
THE POWDER RIVER BASIN KNOWN
RECOVERABLE COAL RESOURCE
AREA (STIPPLED), WYOMING

Base from U.S. Geological Survey, 1971

SCALE 1:24 000

UTM GRID AND 1971 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

0° 18' 05" MILS 14° 24' 59" MILS

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 5 10 20 30 40 50 60 70 80 90 100 METERS

WYOMING

QUADRANGLE LOCATION

Compiled in 1979

**COAL RESOURCE OCCURRENCE MAP OF THE RENO JUNCTION
QUADRANGLE, CAMPBELL COUNTY, WYOMING**

BY
IntraSearch
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.