

4875 II NW
(ELK RIDGE)

4875 II NW
(CORKWOOD)

OPEN-FILE REPORT
This report has not been edited for conformity with
U.S. Geological Survey editorial standards or
stratigraphic nomenclature.


EXPLANATION

- 10 —
 - 12 —
- ISOPACHS OF THE COAL BED—Showing thickness, in feet. Isopach interval 2 feet, with an intermediate 5-foot isopach.
- 3200 —
 - 3180 —
- STRUCTURE CONTOURS—Drawn on the top of the coal bed. Contour interval 20 feet (6.1 m). Datum is mean sea level.
- U
 - D
- FAULT—Dashed where approximately located. U, up-thrown side; D, downthrown side.

10
3254

DRILL HOLE—Showing thickness and altitude at the top of the coal bed, in feet.

To convert feet to meters, multiply feet by 0.3048.





(SQUANNETT)
4875 II SE

Base map from U.S. Geological Survey, 1973

Compiled in 1977

(EPSIE)
4875 I NW



**COAL RESOURCE OCCURRENCE MAP OF THE LESLIE CREEK QUADRANGLE,
POWDER RIVER COUNTY, MONTANA
BY
COLORADO SCHOOL OF MINES RESEARCH INSTITUTE
1979**