

EXPLANATION

————— 6500
————— 6600

STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 40 feet; long dashed where vertical accuracy possibly not within 40 feet; short dashed where projected above ground surface. Contour interval is 100 feet (30.5 m). Datum is mean sea level.

○ 6270
DRILL HOLE - Showing altitude of top of coal bed, in feet.


RS-15 - Rock Springs No. 15
COAL BED SYMBOL AND NAME

↑
TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Long dashed where inferred; short dashed where inferred by present authors.

—●—
TRACE OF FAULT - Bar and ball on down-thrown side when direction of movement is known. Dashed where inferred or approximately located.

To convert feet to meters, multiply feet by 0.3048.

NOTE: Structure contours are not drawn beyond those shown because of insufficient data.



**COAL RESOURCE OCCURRENCE MAP OF THE ROCK SPRINGS QUADRANGLE,
SWEETWATER COUNTY, WYOMING
BY
DAMES & MOORE
1979**

This report has not been edited for conformity with U.S. Geological Survey editorial standards of stratigraphic nomenclature.