

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

NORTHEAST BOARS TUSK QUADRANGLE  
WYOMING-SWEETWATER CO.  
7.5 MINUTE SERIES (TOPOGRAPHIC)  
R.103 W. R.102 W.


EXPLANATION

1600  
OVERBURDEN ISOPACHS - Showing thickness of overburden, in feet, from surface to top of coal bed. Dashed where vertical accuracy possibly not within 40 feet. Isopach interval is 100 feet (31 m) for the RS[19] bed and 200 feet (61 m) for the RS[28] bed.

1508  
DRILL HOLE - Showing thickness of overburden, in feet, from surface to top of coal bed.



RS - Rock Springs, undifferentiated  
COAL BED SYMBOL AND NAME - Coal beds identified by bracketed numbers are not formally named, but are numbered for identification purposes in this quadrangle only.

To convert feet to meters, multiply feet by 0.3048.



NOTE: Overburden isopachs are not drawn beyond those shown because of insufficient data.

Base from U.S. Geological Survey, 1958  
SCALE 1:24,000  
Compiled in 1977/1978



This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.

### COAL RESOURCE OCCURRENCE MAP OF THE NORTHEAST QUARTER OF THE BOARS TUSK 15-MINUTE QUADRANGLE, SWEETWATER COUNTY, WYOMING

BY  
DAMES & MOORE  
1979

PLATE 8  
OVERBURDEN ISOPACH MAPS  
OF THE RS[19]  
AND RS[28] COAL BEDS