

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

NORTHEAST BOARS TUSK QUADRANGLE
WYOMING-SWEETWATER CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)
R.103 W. R.102 W.

EXPLANATION

—200—
OVERBURDEN ISOPACHS - Showing thickness of overburden, in feet, from surface to top of coal bed. Dashed where vertical accuracy possibly not within 40 feet. Isopach interval is 100 feet (31 m).

○212
DRILL HOLE - Showing thickness of overburden, in feet, from surface to top of coal bed.




A1-C - C bed of Almond
RS - Rock Springs, undifferentiated

COAL BED SYMBOLS AND NAMES - Coal beds identified by bracketed numbers are not formally named, but are numbered for identification purposes in this quadrangle only.

To convert feet to meters, multiply feet by 0.3048.



Base from U.S. Geological Survey, 1958
SCALE 1:24 000
Compiled in 1977/1978



**COAL RESOURCE OCCURRENCE MAP OF THE NORTHEAST QUARTER OF THE BOARS TUSK
15-MINUTE QUADRANGLE, SWEETWATER COUNTY, WYOMING**

**BY
DAMES & MOORE
1979**

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.

PLATE II
OVERBURDEN ISOPACH MAPS
OF THE RS[4], RS[23],
AND A1-C COAL BEDS