


EXPLANATION

- 5 -----
----- 6 -----
ISOPACHS - Showing thickness of coal, in feet. Short dashed where projected beyond coal-bearing area. Isopach interval 1 foot.
- 6800 -----
----- 6880 -----
STRUCTURE CONTOURS - Drawn on top of coal bed. Solid where vertical accuracy within 40 feet; long dashed where vertical accuracy possibly not within 40 feet; short dashed where projected above ground surface. Contour interval is 80 feet (24 m). Datum is mean sea level.
- 6830
6
DRILL HOLE - Showing altitude of top of coal bed, and thickness of coal, in feet.
- RS-17 - Rock Springs No. 17
COAL BED SYMBOL AND NAME
- ▲--- RS-17 ---
TRACE OF COAL BED OUTCROP - Showing symbol of name of coal bed as listed above. Arrow points toward coal-bearing area. Short dashed where inferred by present authors.

To convert feet to meters, multiply feet by 0.3048.

Base from U.S. Geological Survey, 1958

SCALE 1:24,000



Compiled in 1977/1978



**COAL RESOURCE OCCURRENCE MAP OF THE SOUTHEAST QUARTER OF THE BOARS TUSK
15-MINUTE QUADRANGLE, SWEETWATER COUNTY, WYOMING**
BY
DAMES & MOORE
1979

This report has not been edited for conformity with U.S. Geological Survey editorial standards or stratigraphic nomenclature.