



- EXPLANATION**
- 5
 - 6
- ISOPACHS—Showing thickness of coal, in feet. Long dashed where inferred, short dashed where projected above land surface. Isopach interval 1 foot.
- 7.4
O
- DRILL HOLE—Showing thickness of coal, in feet. Drill holes which do not intersect the coal or from which a coal thickness could not be determined are not shown.
- 4.2
▲
- POINT OF MEASUREMENT—Showing thickness of coal, in feet. Includes all points of measurement other than drill holes.
- SL
- TRACE OF COAL BED OUTCROP—Showing symbol of name of coal bed. Arrow points toward coal-bearing area.
-
- INSUFFICIENT DATA LINE—Coal thickness cannot be determined beyond line shown because of insufficient data.
-
- FAULT—Dashed where approximately located.
- To convert feet to meters, multiply feet by 0.3048.

Base from U.S. Geological Survey, 1972

Compiled in 1977/1978



**COAL RESOURCE OCCURRENCE MAP OF THE DEADMAN CANYON QUADRANGLE,
CARBON COUNTY, UTAH**

BY
AAA ENGINEERING AND DRAFTING, INC.
1979

PLATE 4
ISOPACH MAP
OF THE
LOWER SUNNYSIDE COAL BED