

EXPLANATION

6600

STRUCTURE CONTOURS—Drawn on top of coal bed, in feet. Solid where vertical accuracy within 40 feet; long dashed where vertical accuracy possibly not within 40 feet; short dashed where projected above land surface. Contour interval is 80 feet (24.1m). Datum is mean sea level.

6875

○

DRILL HOLE—Showing altitude of top of coal bed, in feet. Drill holes which did not intersect top of coal bed or from which bed altitude could not be determined, are not shown.

7240

▲


POINT OF MEASUREMENT—Showing altitude of coal, in feet.

SL

TRACE OF COAL BED OUTCROP—Showing symbol of name of coal bed. Arrow points toward coal-bearing area.



FAULT—Dashed where approximately located.

To convert feet to meters, multiply feet by 0.3048.



Base from U.S. Geological Survey, 1972

Compiled in 1977/1978



COAL RESOURCE OCCURRENCE MAP OF THE DEADMAN CANYON QUADRANGLE,
CARBON COUNTY, UTAH

BY
AAA ENGINEERING AND DRAFTING, INC.
1979

PLATE 5
STRUCTURE CONTOUR MAP
OF THE
LOWER SUNNYSIDE COAL BED

This report has not been edited for conformity with Geological Survey editorial standards or stratigraphic nomenclature.